

2024

# Formulario (Lista de medicamentos cubiertos) de UCare Medicare Plans (HMO-POS) y EssentiaCare (PPO)

- UCare Medicare Plans (HMO-POS)
  - UCare Aware
  - UCare Classic
  - UCare Complete
  - UCare Essentials Rx
  - UCare Standard
- UCare Medicare with M Health Fairview and North Memorial (HMO-POS)
- UCare Advocate Plans (HMO-I-SNP)
- EssentiaCare Plans (PPO)

Este formulario se actualizó el 08/20/2024.

**POR FAVOR, LEA:** Este documento contiene información sobre los medicamentos que cubrimos en estos planes.

*Para obtener información más reciente o si tiene otras preguntas, póngase en contacto con:*

Servicio al Cliente de **Planes Medicare de UCare** al 612-676-3600 o 1-877-523-1515 (esta llamada es gratuita)

Servicio al Cliente de **UCare Medicare with M Health Fairview and North Memorial** al 612-676-6520 o al 1-888-618-2595 (esta llamada es gratuita)

Servicio al Cliente de **UCare Advocate Plans** al 612-676-3600 o 1-877-523-1515 (esta llamada es gratuita)

Servicio al Cliente de **EssentiaCare** al 218-722-4915 o al 1-855-432-7025 (esta llamada es gratuita)

Para todos los usuarios de TTY: 612-676-6810 o 1-800-688-2534 (esta llamada es gratuita)

Todas las líneas se responden de 8 am a 8 pm, los siete días de la semana, o visite [ucare.org](https://www.ucare.org).

## **Notice of Nondiscrimination**

UCare complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. UCare does not exclude people or treat them differently because of race, color, national origin, age, disability or sex.

We provide aids and services at no charge to people with disabilities to communicate effectively with us, such as TTY line, or written information in other formats, such as large print.

If you need these services, contact us at **612-676-3200 (voice)** or toll free at **1-800-203-7225 (voice)**, **612-676-6810 (TTY)**, or **1-800-688-2534 (TTY)**.

We provide language services at no charge to people whose primary language is not English, such as qualified interpreters or information written in other languages.

If you need these services, contact us at the **number on the back of your membership card** or **612-676-3200** or toll free at **1-800-203-7225 (voice)**; **612-676-6810** or toll free at **1-800-688-2534 (TTY)**.

If you believe that UCare has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability or sex, you can file an oral or written grievance.

### Oral grievance

If you are a current UCare member, please call the number on the back of your membership card. Otherwise please call **612-676-3200** or toll free at **1-800-203-7225 (voice)**; **612-676-6810** or toll free at **1-800-688-2534 (TTY)**. You can also use these numbers if you need assistance filing a grievance.

### Written grievance

#### *Mailing Address*

UCare

Attn: Appeals and Grievances

PO Box 52

Minneapolis, MN 55440-0052

Email: [cag@ucare.org](mailto:cag@ucare.org)

Fax: 612-884-2021

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services

200 Independence Avenue SW

Room 509F, HHH Building

Washington, D.C. 20201

1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 612-676-3200/1-800-203-7225 (телетайп: 612-676-6810/1-800-688-2534).

ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም አርዳታ ድርጅቶች፣ በነጻ ሊያገለግሉት ተዘጋጅተዋል። ወደ ሚክተለው ቁጥር ይደውሉ 612-676-3200/1-800-203-7225 (መስማት ለተሳናቸው: 612-676-6810/1-800-688-2534).

ဟ်သျှ်ဟ်သး-နမ့ၢ်ကတိၢ် ကညီ ကျိၣ်အယိၣ်, နမ့ၢ်ကျိၣ်အတၢ်မၤစၢၤလၢ တလၢကတိၢ်လၢကတိၢ် နီတၢ်မၤဘၣ်သ့န့ၣ်လီၤ. တိ: 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាអង់គ្លេស, រសវាជំនួយវេជ្ជកម្មភាសា ដោយមិនគិតល្អល គឺអាចមានសំរាប់បរិវេណ។ ចូរ ទូរស័ព្ទ 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 612-676-3200/1-800-203-7225 (رقم هاتف الصم والبكم: 612-676-6810/1-800-688-2534).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 612-676-3200/1-800-203-7225 (ATS : 612-676-6810/1-800-688-2534).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534) 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

## Multi-Language Insert Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at **612-676-3200/1-800-203-7225**. Someone who speaks English/Language can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al **612-676-3200/1-800-203-7225**. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 **612-676-3200/1-800-203-7225**。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 **612-676-3200/1-800-203-7225**。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasalang-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasalang-wika, tawagan lamang kami sa **612-676-3200/1-800-203-7225**. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au **612-676-3200/1-800-203-7225**. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi **612-676-3200/1-800-203-7225** sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter **612-676-3200/1-800-203-7225**. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 **612-676-3200/1-800-203-7225** 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону **612-676-3200/1-800-203-7225**. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على **612-676-3200/1-800-203-7225**. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें **612-676-3200/1-800-203-7225** र फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero **612-676-3200/1-800-203-7225**. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número **612-676-3200/1-800-203-7225**. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan **612-676-3200/1-800-203-7225**. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer **612-676-3200/1-800-203-7225**. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、**612-676-3200/1-800-203-7225** にお電話ください。日本語を話す人 者が支援いたします。これは無料のサービスです。

**Nota para los miembros existentes:** Este formulario ha cambiado desde el año pasado. Revise este documento para asegurarse de que todavía incluye los medicamentos que toma.

Cuando esta lista de medicamentos (formulario) se refiere a “nosotros”, “nos” o “nuestro”, significa UCare Health, Inc. Cuando se refiere al “plan” o “nuestro plan” significa los Planes Medicare y EssentiaCare de UCare.

Este documento incluye una lista de los medicamentos (formulario) para nuestro plan que está vigente al 08/20/2024. Para obtener un formulario actualizado, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, figura en la portada y en la contraportada de este documento.

Generalmente, debe usar farmacias de la red para su beneficio de medicamentos recetados. Los beneficios, el formulario, la red de farmacias o los copagos/coseguro pueden cambiar el 1 de enero de 2025 y de vez en cuando durante el año.

## **¿Qué es el Formulario de los Planes Medicare y EssentiaCare de UCare?**

Un formulario es una lista de medicamentos cubiertos seleccionados por los Planes Medicare y EssentiaCare de UCare en consulta con un equipo de proveedores de atención médica, que representa las terapias recetadas que se consideran una parte necesaria de un programa de tratamiento de calidad. Los Planes Medicare y EssentiaCare de UCare generalmente cubrirán los medicamentos que figuran en nuestro formulario, siempre y cuando el medicamento sea médicamente necesario, la receta se surta en una farmacia de la red de los Planes Medicare y EssentiaCare de UCare y se sigan otras reglas del plan. Para obtener más información sobre cómo surtir sus recetas, consulte su *Evidencia de cobertura*.

## **¿Puede cambiar el Formulario (Lista de medicamentos)?**

La mayoría de los cambios en la cobertura de medicamentos ocurre el 1 de enero, pero los Planes Medicare y EssentiaCare de UCare pueden agregar o eliminar medicamentos en la Lista de medicamentos durante el año, moverlos a diferentes niveles de costos compartidos o agregar nuevas restricciones. Debemos seguir las reglas de Medicare al hacer estos cambios.

**Cambios que pueden afectarle este año:** En los siguientes casos, se verá afectado por los cambios de cobertura durante el año:

- **Nuevos medicamentos genéricos.** Podemos eliminar inmediatamente un medicamento de marca en nuestra Lista de medicamentos si lo reemplazamos con un nuevo medicamento genérico que aparecerá en el mismo nivel de costo compartido o más bajo y con las mismas o menos restricciones. Además, al agregar el nuevo medicamento genérico, podemos decidir mantener el medicamento de marca en nuestra Lista de medicamentos, pero moverlo inmediatamente a un nivel diferente de costos compartidos o agregar nuevas restricciones. Si actualmente está tomando ese medicamento de marca, es posible que no le informemos con anticipación antes de realizar ese cambio, pero más adelante le proporcionaremos información sobre los cambios específicos que hemos realizado.

- Si hacemos tal cambio, usted o su médico pueden pedirnos que hagamos una excepción y continuar cubriendo el medicamento de marca para usted. El aviso que le proporcionamos también incluirá información sobre cómo solicitar una excepción, y también puede encontrar información en la sección a continuación titulada “¿Cómo solicito una excepción al Formulario de los Planes Medicare y EssentiaCare de UCare?”
- **Medicamentos que se retiran del mercado.** Si la Administración de Alimentos y Medicamentos considera que un medicamento en nuestro formulario no es seguro o el fabricante del medicamento retira el medicamento del mercado, eliminaremos inmediatamente el medicamento de nuestro formulario y notificaremos a los miembros que toman el medicamento.
- **Otros cambios.** Podemos hacer otros cambios que afecten a los miembros que actualmente toman un medicamento. Por ejemplo, podemos agregar un medicamento genérico que no es nuevo en el mercado para reemplazar un medicamento de marca actualmente en el formulario o agregar nuevas restricciones al medicamento de marca o moverlo a un nivel diferente de costo compartido o ambos. O podemos hacer cambios basados en nuevas guías clínicas. Si eliminamos medicamentos de nuestro formulario, o agregamos autorización previa, límites de cantidad o restricciones de terapia escalonada en un medicamento o movemos un medicamento a un nivel más alto de costos compartidos, debemos notificar a los miembros afectados del cambio al menos 30 días antes de que el cambio entre en vigencia, o en el momento en que el miembro solicite un resurtido del medicamento, momento en el cual el miembro recibirá un suministro de 30 días del medicamento.
  - Si hacemos estos otros cambios, usted o su médico pueden pedirnos que hagamos una excepción y continuemos cubriendo el medicamento de marca para usted. El aviso que le proporcionamos también incluirá información sobre cómo solicitar una excepción, y también puede encontrar información en la sección a continuación titulada “¿Cómo solicito una excepción al Formulario de los Planes Medicare y EssentiaCare de UCare?”

**Cambios que no le afectarán si actualmente está tomando el medicamento.** En general, si está tomando un medicamento en nuestro Formulario 2024 que estaba cubierto a principios de año, no suspenderemos ni reduciremos la cobertura del medicamento durante el año de cobertura 2024, excepto como se describe anteriormente. Esto significa que estos medicamentos permanecerán disponibles con el mismo costo compartido y sin nuevas restricciones para aquellos miembros que los tomen por el resto del año de cobertura. No recibirá aviso directo este año sobre cambios que no lo afecten. Sin embargo, el 1 de enero del próximo año, tales cambios podrían afectarlo, y es importante verificar la Lista de medicamentos para el nuevo año de beneficios para cualquier cambio en los medicamentos.

El Formulario adjunto se actualizó al 08/20/2024. Para obtener información actualizada sobre los medicamentos cubiertos por los Planes Medicare y EssentiaCare de UCare, comuníquese con nosotros. Nuestra información de contacto aparece en la portadas y contraportada. Las actualizaciones al Formulario de los Planes Medicare y EssentiaCare de UCare están disponibles en nuestro sitio web, [ucare.org/member-documents](https://ucare.org/member-documents). Si lo solicita, UCare le enviará por correo una edición impresa actualizada.

## ¿Cómo uso el Formulario?

---

Hay dos formas de encontrar un medicamento en el Formulario:

### *Afección médica*

El Formulario comienza en la página 13. Los medicamentos en este formulario se agrupan en categorías dependiendo del tipo de afecciones médicas que tratan. Por ejemplo, los medicamentos utilizados para tratar una afección cardíaca se enumeran en la categoría “Agentes cardiovasculares”. Si sabe para qué se usa su medicamento, busque el nombre de la categoría en la lista que comienza en la página 13. Luego busque debajo del nombre de la categoría para su medicamento.

### *Lista alfabética*

Si no está seguro de en qué categoría buscar, debe buscar su medicamento en el Índice que comienza en la página 183. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. Tanto los medicamentos de marca como los genéricos se enumeran en el Índice. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información de cobertura. Vaya a la página que aparece en el Índice y busque el nombre de su medicamento en la primera columna de la lista.

## ¿Qué son los medicamentos genéricos?

---

Los Planes Medicare y EssentiaCare de UCare cubren tanto medicamentos de marca como medicamentos genéricos. Un medicamento genérico está aprobado por la FDA y tiene los mismos ingredientes activos que el medicamento de marca. En general, los medicamentos genéricos cuestan menos que los medicamentos de marca.

## ¿Hay restricciones para mi cobertura?

---

Algunos medicamentos cubiertos pueden tener requisitos adicionales o límites de cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa:** Los Planes Medicare y EssentiaCare de UCare exigen que usted o su médico obtengan autorización previa para ciertos medicamentos. Esto significa que deberá obtener la aprobación de los Planes Medicare y EssentiaCare de UCare antes de surtir sus recetas. Si no obtiene la aprobación, es posible que los Planes Medicare y EssentiaCare de UCare no cubran el medicamento.
- **Límites de cantidad:** Para ciertos medicamentos, los Planes Medicare y EssentiaCare de UCare limitan la cantidad del medicamento que cubrirán. Por ejemplo, los Planes Medicare y EssentiaCare de UCare proporcionan 30 comprimidos por receta para *escitalopram* 20 mg. Esto puede ser adicional a un suministro estándar de un mes o tres meses.
- **Terapia escalonada:** En algunos casos, los Planes Medicare y EssentiaCare de UCare exigen que primero pruebe ciertos medicamentos para tratar su afección médica antes de que cubramos otro medicamento para esa afección. Por ejemplo, si el Medicamento A y el Medicamento B tratan su afección médica, es posible que los Planes Medicare y EssentiaCare de UCare no cubran el Medicamento B a menos que pruebe primero el



Medicamento A. Si el Medicamento A no funciona para usted, los Planes Medicare y EssentiaCare de UCare cubrirán el Medicamento B.

Puede averiguar si su medicamento tiene algún requisito o límite adicional consultando el formulario que comienza en la página 13. También puede obtener más información sobre las restricciones aplicadas a medicamentos cubiertos específicos visitando nuestro sitio web. Hemos publicado en línea un documento que explica nuestras restricciones de autorización previa y de terapia escalonada. También puede solicitarnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, figura en la portada y en la contraportada de este documento.

Puede pedir a los Planes Medicare y EssentiaCare de UCare que hagan una excepción a estas restricciones o límites o una lista de otros medicamentos similares que pueden tratar su afección médica. Consulte la sección “¿Cómo solicito una excepción al Formulario de los Planes Medicare y EssentiaCare de UCare?” en la página 9 para obtener información sobre cómo solicitar una excepción.

## **¿Qué pasa si mi medicamento no está en el Formulario?**

Si su medicamento no está incluido en este Formulario (Lista de medicamentos cubiertos), primero debe comunicarse con Servicio al Cliente y preguntar si su medicamento está cubierto. Si se entera de que los Planes Medicare y EssentiaCare de UCare no cubren sus medicamentos, tiene dos opciones:

- Puede solicitar al Servicio de Atención al Cliente una lista de medicamentos similares que están cubiertos por los Planes Medicare y EssentiaCare de UCare. Cuando reciba la lista, muéstrésela a su médico y pídale que le recete un medicamento similar que esté cubierto por los Planes Medicare y EssentiaCare de UCare.
- Puede pedirle a los Planes Medicare y EssentiaCare de UCare que hagan una excepción y cubran su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.

## **¿Cómo solicito una excepción al Formulario de los Planes Medicare y EssentiaCare de UCare?**

Puede pedirle a los Planes Medicare y EssentiaCare de UCare que hagan una excepción a las reglas de cobertura. Hay varios tipos de excepciones que puede pedirnos que hagamos.

- Puede pedirnos que cubramos un medicamento incluso si no está en nuestro Formulario. Si se aprueba, este medicamento estará cubierto a un nivel predeterminado de costo compartido, y usted no podrá solicitarnos que le proporcionemos el medicamento a un nivel de costo compartido más bajo.
- Puede solicitarnos que cubramos un medicamento del Formulario a un nivel de costo compartido más bajo, a menos que el medicamento esté en el nivel de especialidad (Nivel 5). Si se aprueba, esto reduciría la cantidad que debe pagar por su medicamento.
- Puede solicitarnos que renunciemos a las restricciones o límites de cobertura de su medicamento. Por ejemplo, para determinados medicamentos, los Planes Medicare y EssentiaCare de UCare limitan la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que renunciemos al límite y cubramos una cantidad mayor.

Por lo general, los Planes Medicare y EssentiaCare de UCare solo aprobarán su solicitud de una excepción si el medicamento alternativo está incluido en el formulario del plan, el medicamento de costo compartido más bajo o con restricciones de uso adicionales no sería tan eficaz para tratar su afección o causaría que tenga efectos médicos adversos.

Debe comunicarse con nosotros para solicitarnos una decisión de cobertura inicial para una excepción de restricción de uso, de nivel o al Formulario. **Cuando solicite una excepción de restricción de uso, de nivel o al Formulario, debe presentar una declaración de su médico o médico que respalde su solicitud.** En general, debemos tomar nuestra decisión dentro de las 72 horas posteriores a la recepción de la declaración de respaldo de su médico. Puede solicitar una excepción acelerada (rápida), si usted o su médico creen que su salud podría verse seriamente perjudicada si espera hasta 72 horas para tomar una decisión. Si se concede su solicitud de aceleración, debemos darle una decisión a más tardar 24 horas después de que recibamos una declaración de respaldo de su médico u otro profesional que emita recetas.

## **¿Qué debo hacer antes de poder hablar con mi médico acerca de cambiar mis medicamentos o solicitar una excepción?**

Como miembro nuevo o continuo en nuestro plan, es posible que esté tomando medicamentos que no están en nuestro formulario. O bien, puede estar tomando un medicamento que está en nuestro formulario, pero su capacidad para obtenerlo es limitada. Por ejemplo, es posible que necesite una autorización previa de nosotros antes de poder surtir su receta. Debe hablar con su médico para decidir si debe cambiar a un medicamento apropiado que cubramos o solicitar una excepción al formulario para que cubramos el medicamento que toma. Mientras habla con su médico para determinar el curso de acción correcto para usted, podemos cubrir su medicamento en ciertos casos durante los primeros 90 días que sea miembro de nuestro plan.

Para cada uno de sus medicamentos que no está en nuestro formulario o si su capacidad para obtener sus medicamentos es limitada, cubriremos un suministro temporal de 30 días. Si su receta se escribe por menos días, permitiremos resurtidos para proporcionar hasta un máximo de 30 días de suministro del medicamento. Después de su primer suministro de 30 días, no pagaremos por estos medicamentos, incluso si ha sido miembro del plan menos de 90 días.

Si usted es residente de un centro de atención a largo plazo y necesita un medicamento que no está en nuestro formulario o si su capacidad para obtener sus medicamentos es limitada, pero ha pasado los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia de 31 días de ese medicamento mientras busca una excepción al formulario.

## **Transición de la atención**

Si usted es un miembro actual de los Planes Medicare de UCare o de EssentiaCare que está haciendo la transición a un nivel diferente de atención, es posible que le receten medicamentos que no están en nuestro formulario. Mientras habla con su médico para determinar su curso de acción, es elegible para recibir un suministro de transición de 31 días del medicamento, ya que está haciendo la transición a un nivel de atención diferente. Si usted es un miembro actual de los Planes Medicare o EssentiaCare de UCare, admitido o dado de alta de un centro de atención a largo plazo, se le permitirá anular el “resurtido demasiado pronto” al que tiene acceso para obtener un suministro adecuado de sus medicamentos.

## **Para obtener más información**

Para obtener información más detallada sobre la cobertura de medicamentos recetados de los Planes Medicare y EssentiaCare de UCare, revise su *Evidencia de cobertura* y otros materiales del plan.

Si tiene preguntas sobre los Planes Medicare y EssentiaCare de UCare, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, figura en la portada y en la contraportada de este documento.

Si tiene preguntas generales sobre la cobertura de medicamentos recetados de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227), las 24 horas del día, los 7 días de la semana. Los usuarios de TTY pueden llamar al 1-877-486-2048. O bien, visite <http://www.medicare.gov>.

## **Formulario de Planes Medicare y EssentiaCare de UCare**

El formulario que comienza en la página siguiente proporciona información de cobertura sobre los medicamentos cubiertos por los Planes Medicare y EssentiaCare de UCare. Si tiene problemas para encontrar su medicamento en la lista, diríjase al Índice que comienza en la página 183.

La primera columna de la tabla enumera el nombre del medicamento. Los medicamentos de marca están en mayúscula (por ejemplo, JANUVIA) y los medicamentos genéricos se enumeran en cursiva minúscula (por ejemplo, *lisinopril*).

La información en la columna Requisitos/Límites le indica si los Planes Medicare y EssentiaCare de UCare tienen algún requisito especial para la cobertura de su medicamento.

<b>Explicación de los requisitos/límites</b>	
<b>PA</b>	Autorización previa: Medicamentos que requieren la aprobación de la UCare antes de que los cubramos
<b>PA<sup>2</sup></b>	Autorización previa: Medicamentos que requieren aprobación si no ha tomado el medicamento antes
<b>PA<sup>3</sup></b>	Autorización previa: Medicamentos que requieren revisión para determinar la cobertura bajo la Parte B o la Parte D
<b>ST</b>	Terapia escalonada: Medicamentos que requieren que pruebe otro medicamento antes de cubrirlo
<b>QL</b>	Límite de cantidad: Hay límites a la cantidad de medicamento por surtido
<b>Part B Covered</b>	Suministros para diabéticos cubiertos por el beneficio de la Parte B (médico)
<b>INS</b>	Insulinas con un copago de \$35 por suministro de un mes

<b>Explicación de los requisitos/límites</b>	
<b>VAC</b>	Vacuna para adultos de la Parte D cubierta a \$0 (sin costo)
<b>VAC AGE</b>	Vacuna para adultos de la Parte D cubierta a \$0 (sin costo) para personas de 19 a 45 años
<b>MFG</b>	La cobertura de medicamentos está limitada a ciertos fabricantes
<b>NDS</b>	Medicamentos limitados a un suministro de 30 días por surtido
<b>LA</b>	Medicamentos que solo están disponibles en determinadas farmacias. Si tiene preguntas, llame al Servicio de Atención al Cliente al número en la parte posterior de su tarjeta de identificación (ID) de miembro

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS</b>		
<b>AMPHETAMINES</b>		
<i>amphetamine-dextroamphet er</i>	4	
<i>amphetamine-dextroamphetamine</i>	2	
<i>lisdexamfetamine dimesylate (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap, 50 mg cap, 60 mg cap, 70 mg cap)</i>	4	
<i>methamphetamine hcl</i>	4	
<b>ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD) AGENTS</b>		
<i>atomoxetine hcl</i>	2	QL 60 EA / 30 DAYS
<i>clonidine hcl er 0.1 mg tab er 12h</i>	4	
<b>DOPAMINE AND NOREPINEPHRINE REUPTAKE INHIBITORS (DNRIS)</b>		
SUNOSI	3	QL 30 EA / 30 DAYS PA
<b>STIMULANTS - MISC.</b>		
<i>armodafinil</i>	2	QL 30 EA / 30 DAYS PA
<i>methylphenidate hcl (methylphenidate hcl 5 mg tab, methylphenidate hcl 10 mg tab, methylphenidate hcl 20 mg tab)</i>	2	
<i>methylphenidate hcl (methylphenidate hcl 5 mg/5ml solution, methylphenidate hcl 10 mg/5ml solution)</i>	4	
<i>methylphenidate hcl er (la)</i>	4	
<i>methylphenidate hcl er (methylphenidate hcl er 10 mg tab er, methylphenidate hcl er 20 mg tab er)</i>	4	
<i>modafinil</i>	2	QL 60 EA / 30 DAYS PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>AMINOGLYCOSIDES</b>		
<b>AMINOGLYCOSIDES</b>		
<i>amikacin sulfate 1 gm/4ml solution</i>	2	
<i>amikacin sulfate 500 mg/2ml solution</i>	4	
GENTAMICIN IN SALINE (GENTAMICIN IN SALINE 0.8-0.9 MG/ML-% SOLUTION, GENTAMICIN IN SALINE 1-0.9 MG/ML-% SOLUTION, GENTAMICIN IN SALINE 1.2-0.9 MG/ML-% SOLUTION, GENTAMICIN IN SALINE 1.6-0.9 MG/ML-% SOLUTION)	4	
<i>gentamicin sulfate 10 mg/ml solution</i>	2	
<i>gentamicin sulfate 40 mg/ml solution</i>	4	
<i>neomycin sulfate</i>	2	
<i>paromomycin sulfate</i>	4	
STREPTOMYCIN SULFATE	4	
<i>tobramycin 300 mg/4ml nebu soln</i>	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 224 ML / 28 OVER TIME</div> <div><span>PA</span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<i>tobramycin 300 mg/5ml nebu soln</i>	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 300 ML / 30 DAYS</div> <div><span>PA</span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANALGESICS - ANTI-INFLAMMATORY</b>		
<b>ANTI-TNF-ALPHA - MONOCLONAL ANTIBODIES</b>		
HADLIMA 40 MG/0.4ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 2.4 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
HADLIMA 40 MG/0.8ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 4.8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
HADLIMA PUSHTOUCH 40 MG/0.4ML SOLN A-INJ	5	<ul style="list-style-type: none"> <li>QL 2.4 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
HADLIMA PUSHTOUCH 40 MG/0.8ML SOLN A-INJ	5	<ul style="list-style-type: none"> <li>QL 4.8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
HUMIRA (2 PEN) 40 MG/0.8ML PEN KIT	5	<ul style="list-style-type: none"> <li>QL 4 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
HUMIRA (2 SYRINGE) 40 MG/0.8ML PREF SY KT	5	<ul style="list-style-type: none"> <li>QL 4 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
HUMIRA 10 MG/0.1ML PREF SY KT (ABBVIE)	5	<ul style="list-style-type: none"> <li>QL 2 EA / 28 DAYS</li> <li>PA</li> <li>MFG Drug coverage is limited to certain manufacturers</li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
HUMIRA 20 MG/0.2ML PREF SY KT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px;">QL</span> 2 EA / 28 DAYS</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA 40 MG/0.4ML PREF SY KT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px;">QL</span> 4 EA / 28 DAYS</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA PEN 40 MG/0.4ML PEN KIT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px;">QL</span> 4 EA / 28 DAYS</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA PEN 80 MG/0.8ML PEN KIT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px;">QL</span> 2 EA / 28 DAYS</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA PEN-CD/UC/HS STARTER 80 MG/0.8ML PEN KIT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px;">QL</span> 3 EA / 180 OVER TIME</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME		DRUG TIER	REQUIREMENTS / LIMITS
HUMIRA PEN-PSOR/UEVEIT STARTER	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 3 EA / 180 OVER TIME Non-Extended Day Supply	
HUMIRA-CD/UC/HS STARTER	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 6 EA / 180 OVER TIME Non-Extended Day Supply	
HUMIRA-PED<40KG CROHNS STARTER	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 2 EA / 180 OVER TIME Non-Extended Day Supply	
HUMIRA-PED>/=40KG CROHNS START	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 3 EA / 180 OVER TIME Non-Extended Day Supply	
HUMIRA-PS/UV/ADOL HS STARTER	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 4 EA / 180 OVER TIME Non-Extended Day Supply	
SIMPONI (SIMPONI 100 MG/ML SOLN A-INJ, SIMPONI 100 MG/ML SOLN PRSYR)	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 3 ML / 28 DAYS Non-Extended Day Supply	
SIMPONI (SIMPONI 50 MG/0.5ML SOLN A-INJ, SIMPONI 50 MG/0.5ML SOLN PRSYR)	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 0.5 ML / 28 DAYS Non-Extended Day Supply	
<b>ANTIRHEUMATIC - ENZYME INHIBITORS</b>			
RINVOQ (RINVOQ 15 MG TAB ER 24H, RINVOQ 30 MG TAB ER 24H)	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px;">QL</div> <div style="background-color: #8b5722; color: white; padding: 2px;">PA</div> <div style="background-color: #8b5722; color: white; padding: 2px;">NDS</div> </div> 30 EA / 30 DAYS Non-Extended Day Supply	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME		DRUG TIER	REQUIREMENTS / LIMITS
RINVOQ 45 MG TAB ER 24H	5	<ul style="list-style-type: none"> <li>QL 84 EA / 180 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>	
XELJANZ (XELJANZ 5 MG TAB, XELJANZ 10 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>	
XELJANZ 1 MG/ML SOLUTION	5	<ul style="list-style-type: none"> <li>QL 300 ML / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>	
XELJANZ XR	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>	
<b>GOLD COMPOUNDS</b>			
RIDAURA	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> </ul>	
<b>INTERLEUKIN-1 BLOCKERS</b>			
ARCALYST	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
<b>INTERLEUKIN-6 RECEPTOR INHIBITORS</b>			
ACTEMRA 162 MG/0.9ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 3.6 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>	
ACTEMRA ACTPEN	5	<ul style="list-style-type: none"> <li>QL 3.6 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
-----------	-----------	-----------------------

KEVZARA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 2.28 ML / 28 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></div> <div><span style="background-color: #993333; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
---------	---	---

NONSTEROIDAL ANTI-INFLAMMATORY AGENTS (NSAIDS)		
--	--	--

<i>celecoxib</i>	2	
<i>diclofenac potassium 50 mg tab</i>	2	
<i>diclofenac sodium (diclofenac sodium 25 mg tab dr, diclofenac sodium 50 mg tab dr, diclofenac sodium 75 mg tab dr)</i>	2	
<i>diclofenac sodium er</i>	4	
<i>ec-naproxen</i>	2	
<i>etodolac</i>	2	
<i>flurbiprofen 100 mg tab</i>	2	
<i>ibuprofen (motrin)</i>	1	
<i>indomethacin (indomethacin 25 mg cap, indomethacin 50 mg cap)</i>	2	
<i>ketorolac tromethamine 10 mg tab</i>	2	
<i>meloxicam (meloxicam 7.5 mg tab, meloxicam 15 mg tab)</i>	1	
<i>nabumetone</i>	2	
<i>naproxen (naproxen 250 mg tab, naproxen 375 mg tab, naproxen 500 mg tab)</i>	1	
<i>naproxen (naproxen 375 mg tab dr, naproxen 500 mg tab dr)</i>	2	
<i>naproxen dr</i>	2	
<i>oxaprozin 600 mg tab</i>	4	
<i>piroxicam</i>	2	
<i>sulindac</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PHOSPHODIESTERASE 4 (PDE4) INHIBITORS</b>		
OTEZLA 10 & 20 & 30 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 55 EA / 180 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
OTEZLA 30 MG TAB	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>PYRIMIDINE SYNTHESIS INHIBITORS</b>		
<i>leflunomide</i>	2	
<b>SELECTIVE COSTIMULATION MODULATORS</b>		
ORENCIA 125 MG/ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 4 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ORENCIA 50 MG/0.4ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 1.6 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ORENCIA 87.5 MG/0.7ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 2.8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ORENCIA CLICKJECT	5	<ul style="list-style-type: none"> <li>QL 4 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>SOLUBLE TUMOR NECROSIS FACTOR RECEPTOR AGENTS</b>		
ENBREL (ENBREL 25 MG/0.5ML SOLN PRSYR, ENBREL 25 MG/0.5ML SOLUTION, ENBREL 50 MG/ML SOLN PRSYR)	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ENBREL MINI	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ENBREL SURECLICK	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>ANALGESICS - NONNARCOTIC</b>		
<b>SALICYLATES</b>		
<i>diflunisal</i>	2	
<b>ANALGESICS - OPIOID</b>		
<b>OPIOID AGONISTS</b>		
<i>fentanyl (fentanyl 12 mcg/hr patch 72hr, fentanyl 25 mcg/hr patch 72hr, fentanyl 50 mcg/hr patch 72hr, fentanyl 75 mcg/hr patch 72hr, fentanyl 100 mcg/hr patch 72hr)</i>	4	<ul style="list-style-type: none"> <li>QL 10 EA / 30 DAYS</li> <li>PA</li> </ul>
<i>fentanyl citrate (fentanyl citrate 400 mcg loz handle, fentanyl citrate 600 mcg loz handle, fentanyl citrate 800 mcg loz handle, fentanyl citrate 1200 mcg loz handle, fentanyl citrate 1600 mcg loz handle)</i>	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>fentanyl citrate 200 mcg loz handle</i>	4	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>hydromorphone hcl 1 mg/ml liquid</i>	4	QL 2400 ML / 30 OVER TIME
<i>hydromorphone hcl 2 mg tab</i>	3	QL 450 EA / 30 DAYS
<i>hydromorphone hcl 4 mg tab</i>	3	QL 240 EA / 30 DAYS
<i>hydromorphone hcl 8 mg tab</i>	3	QL 120 EA / 30 DAYS
<i>hydromorphone hcl pf (hydromorphone hcl pf 10 mg/ml solution, hydromorphone hcl pf 50 mg/5ml solution, hydromorphone hcl pf 500 mg/50ml solution)</i>	4	PA <sup>3</sup>
<i>methadone hcl (methadone hcl 5 mg tab, methadone hcl 10 mg tab)</i>	4	QL 360 EA / 30 DAYS PA
METHADONE HCL 10 MG/5ML SOLUTION	4	QL 1800 ML / 30 DAYS PA
METHADONE HCL 5 MG/5ML SOLUTION	4	QL 3600 ML / 30 DAYS PA
<i>morphine sulfate (concentrate)</i>	3	QL 180 ML / 30 DAYS
MORPHINE SULFATE (CONCENTRATE) 100 MG/5ML SOLUTION	3	QL 180 ML / 30 DAYS
<i>morphine sulfate (morphine sulfate 15 mg tab, morphine sulfate 30 mg tab)</i>	3	QL 180 EA / 30 DAYS
MORPHINE SULFATE 10 MG/5ML SOLUTION	3	QL 1800 ML / 30 DAYS
MORPHINE SULFATE 20 MG/5ML SOLUTION	3	QL 900 ML / 30 DAYS
<i>morphine sulfate er (morphine sulfate er 15 mg tab er, morphine sulfate er 30 mg tab er, morphine sulfate er 60 mg tab er, morphine sulfate er 100 mg tab er)</i>	3	QL 120 EA / 30 DAYS PA
<i>morphine sulfate er 200 mg tab er</i>	4	QL 120 EA / 30 DAYS PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>oxycodone hcl (oxycodone hcl 10 mg tab, oxycodone hcl 15 mg tab, oxycodone hcl 20 mg tab, oxycodone hcl 30 mg tab)</i>	3	QL 180 EA / 30 DAYS
<i>oxycodone hcl 100 mg/5ml conc</i>	4	QL 270 ML / 30 DAYS
<i>oxycodone hcl 5 mg cap</i>	3	QL 360 EA / 30 OVER TIME
<i>oxycodone hcl 5 mg tab</i>	3	QL 360 EA / 30 DAYS
<i>oxycodone hcl 5 mg/5ml solution</i>	3	QL 5400 ML / 30 DAYS
<i>tramadol hcl 50 mg tab</i>	3	QL 240 EA / 30 DAYS
OPIOID COMBINATIONS		
<i>acetaminophen-codeine (acetaminophen-codeine 300-15 mg tab, acetaminophen-codeine 300-30 mg tab, acetaminophen-codeine 300-60 mg tab)</i>	3	QL 390 EA / 30 DAYS
<i>acetaminophen-codeine 120-12 mg/5ml solution</i>	3	QL 4980 ML / 30 DAYS
ACETAMINOPHEN-CODEINE 120-12 MG/5ML SOLUTION	3	QL 4980 ML / 30 DAYS
<i>endocet</i>	3	QL 360 EA / 30 DAYS
<i>hydrocodone-acetaminophen (hydrocodone-acetaminophen 2.5-108 mg/5ml solution, hydrocodone-acetaminophen 5-217 mg/10ml solution, hydrocodone-acetaminophen 7.5-325 mg/15ml solution)</i>	4	QL 5400 ML / 30 DAYS
<i>hydrocodone-acetaminophen (hydrocodone-acetaminophen 5-325 mg tab, hydrocodone-acetaminophen 7.5-325 mg tab, hydrocodone-acetaminophen 10-325 mg tab)</i>	3	QL 360 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.









DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>oxycodone-acetaminophen (oxycodone-acetaminophen 2.5-325 mg tab, oxycodone-acetaminophen 5-325 mg tab, oxycodone-acetaminophen 7.5-325 mg tab, oxycodone-acetaminophen 10-325 mg tab)</i>	3	QL 360 EA / 30 DAYS
<i>tramadol-acetaminophen</i>	3	QL 360 EA / 30 DAYS
<b>OPIOID PARTIAL AGONISTS</b>		
BELBUCA	3	QL 60 EA / 30 OVER TIME PA
<i>buprenorphine</i>	3	QL 4 EA / 28 DAYS PA
<i>buprenorphine hcl (buprenorphine hcl 2 mg sl tab, buprenorphine hcl 8 mg sl tab)</i>	3	QL 90 EA / 30 DAYS
<i>buprenorphine hcl-naloxone hcl (buprenorphine hcl-naloxone hcl 2-0.5 mg film, buprenorphine hcl-naloxone hcl 2-0.5 mg sl tab, buprenorphine hcl-naloxone hcl 4-1 mg film, buprenorphine hcl-naloxone hcl 8-2 mg film, buprenorphine hcl-naloxone hcl 8-2 mg sl tab)</i>	2	QL 90 EA / 30 DAYS
<i>buprenorphine hcl-naloxone hcl 12-3 mg film</i>	2	QL 60 EA / 30 DAYS
<i>butorphanol tartrate 10 mg/ml solution</i>	4	QL 10 ML / 30 DAYS
<b>ANDROGENS-ANABOLIC</b>		
<b>ANDROGENS</b>		
<i>danazol</i>	4	
<i>testosterone (testosterone 1.62 % gel, testosterone 20.25 mg/act (1.62%) gel, testosterone 40.5 mg/2.5gm (1.62%) gel)</i>	4	QL 150 GM / 30 DAYS PA
TESTOSTERONE 10 MG/ACT (2%) GEL	4	QL 120 GM / 30 DAYS PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>testosterone 12.5 mg/act (1%) gel</i>	4	QL 300 GM / 30 DAYS PA
<i>testosterone 20.25 mg/1.25gm (1.62%) gel</i>	4	QL 75 GM / 30 DAYS PA
<i>testosterone 25 mg/2.5gm (1%) gel</i>	4	QL 300 GM / 30 DAYS PA
<i>testosterone 30 mg/act solution</i>	4	QL 180 ML / 30 DAYS PA
<i>testosterone 50 mg/5gm (1%) gel</i>	4	QL 300 GM / 30 DAYS PA
<i>testosterone cypionate 100 mg/ml solution</i>	2	PA
TESTOSTERONE CYPIONATE 200 MG/ML SOLUTION	2	PA
<i>testosterone cypionate 200 mg/ml solution</i>	2	PA
TESTOSTERONE ENANTHATE	2	PA
<b>ANORECTAL AND RELATED PRODUCTS</b>		
<b>INTRARECTAL STEROIDS</b>		
<i>budesonide (budesonide 2 mg foam, budesonide 2 mg/act foam)</i>	4	PA
<i>hydrocortisone 100 mg/60ml enema</i>	2	
<b>RECTAL STEROIDS</b>		
<i>hydrocortisone (perianal)</i>	2	
<i>procto-med hc</i>	2	
<i>proctosol hc</i>	2	
<i>proctozone-hc</i>	2	
<b>VASODILATING AGENTS</b>		
<i>nitroglycerin 0.4 % ointment</i>	3	





You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTHELMINTICS</b>		
<b>ANTHELMINTICS</b>		
<i>albendazole</i>	5	 Non-Extended Day Supply
BENZNIDAZOLE	4	
<i>ivermectin 3 mg tab</i>	3	
<i>praziquantel</i>	4	
<b>ANTI-INFECTIVE AGENTS - MISC.</b>		
<b>ANTI-INFECTIVE AGENTS - MISC.</b>		
<i>baciim</i>	2	
BACITRACIN 50000 UNIT RECON SOLN	2	
<i>metronidazole (metronidazole 250 mg tab, metronidazole 500 mg tab)</i>	2	
<i>metronidazole 500 mg/100ml solution</i>	4	
METRONIDAZOLE 500 MG/100ML SOLUTION	4	
<i>pentamidine isethionate for injection solution</i>	4	
<i>pentamidine isethionate for nebulization solution</i>	4	 1 EA / 28 DAYS 
<i>tinidazole</i>	2	
TRIMETHOPRIM	2	
<i>trimethoprim</i>	2	
XIFAXAN 200 MG TAB	4	 9 EA / 30 OVER TIME
XIFAXAN 550 MG TAB	5	 90 EA / 30 DAYS   Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTI-INFECTIVE MISC. - COMBINATIONS</b>		
<i>sulfamethoxazole-trimethoprim</i> ( <i>sulfamethoxazole-trimethoprim 400-80 mg tab, sulfamethoxazole-trimethoprim 800-160 mg tab</i> )	1	
<i>sulfamethoxazole-trimethoprim 200-40 mg/5ml suspension</i>	2	
<i>sulfatrim pediatric</i>	2	
<b>ANTIPROTOZOAL AGENTS</b>		
<i>atovaquone</i>	5	NDS Non-Extended Day Supply
<i>nitazoxanide</i>	5	QL 6 EA / 3 OVER TIME NDS Non-Extended Day Supply
<b>CARBAPENEMS</b>		
<i>ertapenem sodium</i>	4	
<i>imipenem-cilastatin</i> ( <i>imipenem-cilastatin 250 mg recon soln, imipenem-cilastatin 500 mg recon soln</i> )	4	
<i>meropenem</i> ( <i>meropenem 1 gm recon soln, meropenem 500 mg recon soln</i> )	4	
MEROPENEM-SODIUM CHLORIDE 1 GM/50ML RECON SOLN	4	QL 30 EA / 10 OVER TIME
MEROPENEM-SODIUM CHLORIDE 500 MG/50ML RECON SOLN	4	QL 10 EA / 10 DAYS
<b>CHLORAMPHENICOLS</b>		
CHLORAMPHENICOL SOD SUCCINATE	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>CYCLIC LIPOPEPTIDES</b>		
<i>daptomycin</i>	5	 Non-Extended Day Supply
<b>GLYCOPEPTIDES</b>		
DALVANCE	5	 Non-Extended Day Supply
<i>vancomycin hcl (vancomycin hcl 1 gm recon soln, vancomycin hcl 1.25 gm recon soln, vancomycin hcl 1.5 gm recon soln, vancomycin hcl 5 gm recon soln, vancomycin hcl 10 gm recon soln, vancomycin hcl 500 mg recon soln, vancomycin hcl 750 mg recon soln)</i>	4	
<i>vancomycin hcl (vancomycin hcl 125 mg cap, vancomycin hcl 250 mg cap)</i>	4	 120 EA / 30 DAYS
VANCOMYCIN HCL 100 GM RECON SOLN	4	 2 EA / 10 OVER TIME
VANCOMYCIN HCL IN NAACL (VANCOMYCIN HCL IN NAACL 1-0.9 GM/200ML-% SOLUTION, VANCOMYCIN HCL IN NAACL 500-0.9 MG/100ML-% SOLUTION)	3	
<b>LEPROSTATICS</b>		
<i>dapsone (dapsone 25 mg tab, dapsone 100 mg tab)</i>	2	
<b>LINCOSAMIDES</b>		
<i>clindamycin hcl</i>	2	
<i>clindamycin palmitate hcl</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>clindamycin phosphate (clindamycin phosphate 9 gm/60ml solution, clindamycin phosphate 300 mg/2ml solution, clindamycin phosphate 600 mg/4ml solution, clindamycin phosphate 900 mg/6ml solution, clindamycin phosphate 9000 mg/60ml solution)</i>	4	
<i>clindamycin phosphate in d5w</i>	4	
CLINDAMYCIN PHOSPHATE IN NACL	4	
<i>lincomycin hcl</i>	2	
<b>MONOBACTAMS</b>		
<i>aztreonam</i>	4	
CAYSTON	5	<ul style="list-style-type: none"> <li>QL 84 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>OXAZOLIDINONES</b>		
<i>linezolid (linezolid 600 mg tab, linezolid 600 mg/300ml solution)</i>	4	
<i>linezolid 100 mg/5ml recon susp</i>	5	NDS Non-Extended Day Supply
LINEZOLID IN SODIUM CHLORIDE	4	
SIVEXTRO 200 MG TAB	5	<ul style="list-style-type: none"> <li>QL 6 EA / 6 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ZYVOX 200 MG/100ML SOLUTION	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS / LIMITS</b>
<b>POLYMYXINS</b>		
<i>colistimethate sodium (cba)</i>	4	
<i>polymyxin b sulfate</i>	2	
<b>URINARY ANTI-INFECTIVES</b>		
<i>fosfomicin tromethamine</i>	4	
<i>methenamine hippurate</i>	2	
<i>methenamine mandelate</i>	2	
<i>nitrofurantoin macrocrystal (nitrofurantoin macrocrystal 50 mg cap, nitrofurantoin macrocrystal 100 mg cap)</i>	2	
<i>nitrofurantoin monohyd macro</i>	2	
<b>ANTIANGINAL AGENTS</b>		
<b>ANTIANGINALS-OTHER</b>		
<i>ranolazine er</i>	2	
<b>NITRATES</b>		
<i>isosorbide dinitrate (isosorbide dinitrate 5 mg tab, isosorbide dinitrate 10 mg tab, isosorbide dinitrate 20 mg tab, isosorbide dinitrate 30 mg tab)</i>	2	
<i>isosorbide mononitrate</i>	1	
<i>isosorbide mononitrate er</i>	2	
<b>NITRO-BID</b>	4	
<i>nitroglycerin (nitroglycerin 0.1 mg/hr patch 24hr, nitroglycerin 0.2 mg/hr patch 24hr, nitroglycerin 0.3 mg sl tab, nitroglycerin 0.4 mg sl tab, nitroglycerin 0.4 mg/hr patch 24hr, nitroglycerin 0.6 mg sl tab, nitroglycerin 0.6 mg/hr patch 24hr)</i>	2	
<i>nitroglycerin 0.4 mg/spray solution</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIANKXIETY AGENTS</b>		
<b>ANTIANKXIETY AGENTS - MISC.</b>		
<i>buspirone hcl (buspirone hcl 5 mg tab, buspirone hcl 7.5 mg tab, buspirone hcl 10 mg tab, buspirone hcl 15 mg tab, buspirone hcl 30 mg tab)</i>	2	
<i>hydroxyzine hcl (hydroxyzine hcl 10 mg tab, hydroxyzine hcl 25 mg tab, hydroxyzine hcl 50 mg tab)</i>	4	
<i>hydroxyzine pamoate (hydroxyzine pamoate 25 mg cap, hydroxyzine pamoate 50 mg cap)</i>	4	
<b>BENZODIAZEPINES</b>		
<i>alprazolam (alprazolam 0.25 mg tab, alprazolam 0.5 mg tab, alprazolam 1 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>alprazolam 2 mg tab</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>clorazepate dipotassium</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">180 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam (diazepam 2 mg tab, diazepam 5 mg tab, diazepam 10 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam 5 mg/5ml solution</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1200 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam 5 mg/ml conc</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">240 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam intensol</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">240 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>lorazepam (lorazepam 0.5 mg tab, lorazepam 1 mg tab, lorazepam 2 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>lorazepam 2 mg/ml conc</i>	2	<span>QL</span> 150 ML / 30 DAYS <span>PA<sup>2</sup></span>
<i>lorazepam intensol</i>	2	<span>QL</span> 150 ML / 30 DAYS <span>PA<sup>2</sup></span>
<i>oxazepam</i>	4	<span>QL</span> 120 EA / 30 DAYS <span>PA<sup>2</sup></span>
<b>ANTIARRHYTHMICS</b>		
<b>ANTIARRHYTHMICS TYPE I-A</b>		
<i>disopyramide phosphate</i>	4	
<i>quinidine gluconate er</i>	4	
QUINIDINE SULFATE	2	
<b>ANTIARRHYTHMICS TYPE I-B</b>		
<i>mexiletine hcl</i>	2	
<b>ANTIARRHYTHMICS TYPE I-C</b>		
<i>flecainide acetate</i>	2	
<i>propafenone hcl</i>	2	
<i>propafenone hcl er</i>	4	
<b>ANTIARRHYTHMICS TYPE III</b>		
<i>amiodarone hcl (amiodarone hcl 100 mg tab, amiodarone hcl 400 mg tab)</i>	4	
<i>amiodarone hcl 200 mg tab</i>	2	
<i>dofetilide</i>	4	
<i>pacerone (pacerone 100 mg tab, pacerone 400 mg tab)</i>	4	
<i>pacerone 200 mg tab</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIASTHMATIC AND BRONCHODILATOR AGENTS</b>		
<b>ANTI-INFLAMMATORY AGENTS</b>		
<i>cromolyn sodium 20 mg/2ml nebu soln</i>	5	PA <sup>3</sup> NDS Non-Extended Day Supply
<b>ANTIASTHMATIC - MONOCLONAL ANTIBODIES</b>		
FASENRA 10 MG/0.5ML SOLN PRSYR	5	PA
FASENRA 30 MG/ML SOLN PRSYR	5	PA NDS Non-Extended Day Supply LA
FASENRA PEN	5	PA NDS Non-Extended Day Supply LA
XOLAIR (XOLAIR 300 MG/2ML SOLN A-INJ, XOLAIR 300 MG/2ML SOLN PRSYR)	5	QL 8 ML / 28 DAYS PA NDS Non-Extended Day Supply
XOLAIR 150 MG RECON SOLN	5	QL 8 EA / 28 DAYS PA NDS Non-Extended Day Supply LA
XOLAIR 150 MG/ML SOLN A-INJ	5	QL 2 ML / 28 DAYS PA NDS Non-Extended Day Supply
XOLAIR 150 MG/ML SOLN PRSYR	5	QL 8 ML / 28 DAYS PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XOLAIR 75 MG/0.5ML SOLN A-INJ	5	<ul style="list-style-type: none"> <li>QL 1 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
XOLAIR 75 MG/0.5ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 1 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>BRONCHODILATORS - ANTICHOLINERGICS</b>		
ATROVENT HFA	3	<ul style="list-style-type: none"> <li>QL 25.8 GM / 30 DAYS</li> </ul>
INCRUSE ELLIPTA	3	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> </ul>
<i>ipratropium bromide 0.02 % solution</i>	2	<ul style="list-style-type: none"> <li>PA<sup>3</sup></li> </ul>
SPIRIVA HANDIHALER	3	<ul style="list-style-type: none"> <li>QL 90 EA / 90 DAYS</li> </ul>
SPIRIVA RESPIMAT	3	<ul style="list-style-type: none"> <li>QL 4 GM / 30 DAYS</li> </ul>
<b>LEUKOTRIENE MODULATORS</b>		
<i>montelukast sodium (montelukast sodium 4 mg chew tab, montelukast sodium 4 mg packet, montelukast sodium 5 mg chew tab)</i>	2	
<i>montelukast sodium 10 mg tab</i>	1	
<i>zafirlukast</i>	4	
<b>SELECTIVE PHOSPHODIESTERASE 4 (PDE4) INHIBITORS</b>		
<i>roflumilast</i>	4	
<b>STEROID INHALANTS</b>		
ASMANEX (120 METERED DOSES)	3	<ul style="list-style-type: none"> <li>QL 2 EA / 30 DAYS</li> </ul>
ASMANEX (30 METERED DOSES)	3	<ul style="list-style-type: none"> <li>QL 1 EA / 30 DAYS</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ASMANEX (60 METERED DOSES)	3	QL 1 EA / 30 DAYS
ASMANEX HFA	3	QL 13 GM / 30 DAYS
<i>budesonide (budesonide 0.25 mg/2ml suspension, budesonide 0.5 mg/2ml suspension, budesonide 1 mg/2ml suspension)</i>	4	QL 120 ML / 30 DAYS PA <sup>3</sup>
FLUTICASONE PROPIONATE HFA (FLUTICASONE PROPIONATE HFA 110 MCG/ACT AEROSOL, FLUTICASONE PROPIONATE HFA 220 MCG/ACT AEROSOL)	4	QL 24 GM / 30 DAYS
FLUTICASONE PROPIONATE HFA 44 MCG/ACT AEROSOL	4	QL 21.2 GM / 30 DAYS
QVAR REDIHALER 40 MCG/ACT AERO BA	3	QL 10.6 GM / 30 DAYS
QVAR REDIHALER 80 MCG/ACT AERO BA	3	QL 21.2 GM / 30 DAYS
<b>SYMPATHOMIMETICS</b>		
ADVAIR HFA	3	QL 12 GM / 30 DAYS
ALBUTEROL SULFATE (5 MG/ML) 0.5% NEBU SOLN	2	PA <sup>3</sup>
<i>albuterol sulfate (albuterol sulfate 0.63 mg/3ml nebu soln, albuterol sulfate 1.25 mg/3ml nebu soln, albuterol sulfate (2.5 mg/3ml) 0.083% nebu soln)</i>	2	PA <sup>3</sup>
<i>albuterol sulfate (albuterol sulfate 2 mg tab, albuterol sulfate 4 mg tab)</i>	4	
<i>albuterol sulfate (albuterol sulfate 2.5 mg/0.5ml nebu soln, albuterol sulfate (5 mg/ml) 0.5% nebu soln)</i>	2	PA <sup>3</sup>
<i>albuterol sulfate 2 mg/5ml syrup</i>	2	





You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>albuterol sulfate hfa (proventil equivalent)</i>	2	QL 13.4 GM / 30 DAYS
ALBUTEROL SULFATE HFA (VENTOLIN EQUIVALENT)	2	QL 36 GM / 30 DAYS
<i>albuterol sulfate hfa 108 (proair equivalent)</i>	2	QL 17 GM / 30 DAYS
ANORO ELLIPTA	3	QL 60 EA / 30 DAYS
<i>arformoterol tartrate</i>	2	QL 120 ML / 30 DAYS PA <sup>3</sup>
BREO ELLIPTA	3	QL 60 EA / 30 DAYS
<i>brey-na</i>	2	QL 20.6 GM / 30 DAYS
BREZTRI AEROSPHERE	3	QL 10.7 GM / 30 DAYS
<i>budesonide-formoterol fumarate</i>	2	QL 20.4 GM / 30 DAYS
COMBIVENT RESPIMAT	3	QL 8 GM / 30 DAYS
DULERA	3	QL 26 GM / 30 DAYS
<i>fluticasone-salmeterol (fluticasone-salmeterol 100-50 mcg/act aer pow ba, fluticasone-salmeterol 250-50 mcg/act aer pow ba, fluticasone-salmeterol 500-50 mcg/act aer pow ba)</i>	2	QL 60 EA / 30 DAYS
<i>formoterol fumarate</i>	4	QL 120 ML / 30 DAYS PA <sup>3</sup>
<i>ipratropium-albuterol</i>	2	PA <sup>3</sup>
<i>levalbuterol hcl (levalbuterol hcl 0.31 mg/3ml nebu soln, levalbuterol hcl 0.63 mg/3ml nebu soln, levalbuterol hcl 1.25 mg/0.5ml nebu soln, levalbuterol hcl 1.25 mg/3ml nebu soln)</i>	4	PA <sup>3</sup>
LEVALBUTEROL TARTRATE	3	QL 30 GM / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
STIOLTO RESPIMAT	3	QL 4 GM / 30 DAYS
STRIVERDI RESPIMAT	3	QL 4 GM / 30 DAYS
<i>terbutaline sulfate (terbutaline sulfate 2.5 mg tab, terbutaline sulfate 5 mg tab)</i>	4	
TRELEGY ELLIPTA	3	QL 60 EA / 30 DAYS
VENTOLIN HFA (VENTOLIN HFA, VENTOLIN HFA 108 (90 BASE) MCG/ACT AERO SOLN)	3	QL 36 GM / 30 DAYS
<i>wixela inhub</i>	2	QL 60 EA / 30 DAYS
<b>XANTHINES</b>		
<i>theophylline</i>	2	
<i>theophylline er (theophylline er 100 mg tab er 12h, theophylline er 200 mg tab er 12h, theophylline er 300 mg tab er 12h, theophylline er 400 mg tab er 24h, theophylline er 450 mg tab er 12h, theophylline er 600 mg tab er 24h)</i>	2	
<b>ANTICOAGULANTS</b>		
<b>COUMARIN ANTICOAGULANTS</b>		
<i>jantoven</i>	1	
<i>warfarin sodium</i>	1	
<b>DIRECT FACTOR XA INHIBITORS</b>		
ELIQUIS	3	
ELIQUIS DVT/PE STARTER PACK	3	
XARELTO (XARELTO 1 MG/ML RECON SUSP, XARELTO 2.5 MG TAB, XARELTO 10 MG TAB, XARELTO 15 MG TAB, XARELTO 20 MG TAB)	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XARELTO STARTER PACK	3	
<b>HEPARINS AND HEPARINOID-LIKE AGENTS</b>		
<i>enoxaparin sodium (enoxaparin sodium 30 mg/0.3ml soln prsy, enoxaparin sodium 40 mg/0.4ml soln prsy, enoxaparin sodium 60 mg/0.6ml soln prsy, enoxaparin sodium 80 mg/0.8ml soln prsy, enoxaparin sodium 100 mg/ml soln prsy, enoxaparin sodium 120 mg/0.8ml soln prsy, enoxaparin sodium 150 mg/ml soln prsy)</i>	4	
<i>fondaparinux sodium (fondaparinux sodium 5 mg/0.4ml solution, fondaparinux sodium 7.5 mg/0.6ml solution, fondaparinux sodium 10 mg/0.8ml solution)</i>	5	 Non-Extended Day Supply
<i>fondaparinux sodium 2.5 mg/0.5ml solution</i>	4	
<i>heparin sodium (porcine) (heparin sodium (porcine) 1000 unit/ml solution, heparin sodium (porcine) 5000 unit/ml solution, heparin sodium (porcine) 10000 unit/ml solution, heparin sodium (porcine) 20000 unit/ml solution)</i>	2	
<i>heparin sodium (porcine) pf 1000 unit/ml solution</i>	2	
<b>THROMBIN INHIBITORS</b>		
PRADAXA (PRADAXA 75 MG CAP, PRADAXA 150 MG CAP)	4	
PRADAXA 110 MG CAP	4	
<b>ANTICONVULSANTS</b>		
<b>AMPA GLUTAMATE RECEPTOR ANTAGONISTS</b>		
FYCOMPA (FYCOMPA 4 MG TAB, FYCOMPA 6 MG TAB)	5	 60 EA / 30 DAYS   Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.










DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
FYCOMPA (FYCOMPA 8 MG TAB, FYCOMPA 10 MG TAB, FYCOMPA 12 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
FYCOMPA 0.5 MG/ML SUSPENSION	5	<ul style="list-style-type: none"> <li>QL 720 ML / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
FYCOMPA 2 MG TAB	4	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> </ul>
<b>ANTICONVULSANTS - BENZODIAZEPINES</b>		
<i>clobazam (clobazam 10 mg tab, clobazam 20 mg tab)</i>	4	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> </ul>
<i>clobazam 2.5 mg/ml suspension</i>	4	<ul style="list-style-type: none"> <li>QL 480 ML / 30 DAYS</li> </ul>
<i>clonazepam (clonazepam 0.125 mg tab disp, clonazepam 0.25 mg tab disp, clonazepam 0.5 mg tab disp, clonazepam 1 mg tab disp)</i>	4	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> </ul>
<i>clonazepam (clonazepam 0.5 mg tab, clonazepam 1 mg tab)</i>	2	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> </ul>
<i>clonazepam 2 mg tab</i>	2	<ul style="list-style-type: none"> <li>QL 300 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> </ul>
<i>clonazepam 2 mg tab disp</i>	4	<ul style="list-style-type: none"> <li>QL 300 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> </ul>
DIAZEPAM (DIAZEPAM 2.5 MG GEL, DIAZEPAM 10 MG GEL, DIAZEPAM 20 MG GEL)	4	<ul style="list-style-type: none"> <li>QL 10 EA / 30 OVER TIME</li> </ul>
LIBERVANT	4	<ul style="list-style-type: none"> <li>QL 10 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> </ul>
NAYZILAM	4	<ul style="list-style-type: none"> <li>QL 10 EA / 30 OVER TIME</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SYMPAZAN (SYMPAZAN 10 MG FILM, SYMPAZAN 20 MG FILM)	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 60 EA / 30 DAYS</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
SYMPAZAN 5 MG FILM	4	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 60 EA / 30 DAYS</div> </div>
VALTOCO 10 MG DOSE	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 10 EA / 30 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
VALTOCO 15 MG DOSE	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 10 EA / 30 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
VALTOCO 20 MG DOSE	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 10 EA / 30 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
VALTOCO 5 MG DOSE	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 10 EA / 30 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<b>ANTICONVULSANTS - MISC.</b>		
APTIOM (APTIOM 600 MG TAB, APTIOM 800 MG TAB)	4	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 60 EA / 30 DAYS</div> </div>
APTIOM 200 MG TAB	4	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 180 EA / 30 DAYS</div> </div>
APTIOM 400 MG TAB	4	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 90 EA / 30 DAYS</div> </div>
BRIVIACT (BRIVIACT 10 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB, BRIVIACT 100 MG TAB)	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 60 EA / 30 DAYS</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
BRIVIACT 10 MG/ML SOLUTION	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 600 ML / 30 DAYS</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<i>carbamazepine (carbamazepine 100 mg chew tab, carbamazepine 200 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>carbamazepine (carbamazepine 100 mg/5ml suspension, carbamazepine 200 mg/10ml suspension)</i>	4	
<i>carbamazepine er (carbamazepine er 100 mg cap er 12h, carbamazepine er 100 mg tab er 12h, carbamazepine er 200 mg cap er 12h, carbamazepine er 200 mg tab er 12h, carbamazepine er 300 mg cap er 12h, carbamazepine er 400 mg tab er 12h)</i>	4	
DIACOMIT	5	  Non-Extended Day Supply 
EPIDIOLEX	4	 
<i>epitol</i>	2	
EPRONTIA	4	
FINTEPLA	5	 360 ML / 30 DAYS   Non-Extended Day Supply 
<i>gabapentin (gabapentin 100 mg cap, gabapentin 300 mg cap, gabapentin 400 mg cap, gabapentin 600 mg tab, gabapentin 800 mg tab)</i>	2	
<i>gabapentin (gabapentin 250 mg/5ml solution, gabapentin 300 mg/6ml solution)</i>	4	
<i>lacosamide (lacosamide 10 mg/ml solution, lacosamide 50 mg/5ml solution, lacosamide 100 mg/10ml solution)</i>	3	
<i>lacosamide (lacosamide 50 mg tab, lacosamide 100 mg tab, lacosamide 150 mg tab, lacosamide 200 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>lamotrigine (lamotrigine 25 mg tab disp, lamotrigine 50 mg tab disp, lamotrigine 100 mg tab disp, lamotrigine 200 mg tab disp)</i>	4	
<i>lamotrigine (lamotrigine 25 mg tab, lamotrigine 100 mg tab, lamotrigine 150 mg tab, lamotrigine 200 mg tab)</i>	1	
<i>lamotrigine (lamotrigine 5 mg chew tab, lamotrigine 25 mg chew tab)</i>	2	
<i>lamotrigine er (lamotrigine er 25 mg tab er 24h, lamotrigine er 50 mg tab er 24h, lamotrigine er 100 mg tab er 24h, lamotrigine er 200 mg tab er 24h, lamotrigine er 250 mg tab er 24h, lamotrigine er 300 mg tab er 24h)</i>	4	
<i>levetiracetam (levetiracetam 100 mg/ml solution, levetiracetam 250 mg tab, levetiracetam 500 mg tab, levetiracetam 500 mg/5ml solution, levetiracetam 750 mg tab, levetiracetam 1000 mg tab)</i>	2	
<i>levetiracetam er (levetiracetam er 500 mg tab er 24h, levetiracetam er 750 mg tab er 24h)</i>	2	
<i>oxcarbazepine (oxcarbazepine 150 mg tab, oxcarbazepine 300 mg tab, oxcarbazepine 600 mg tab)</i>	2	
<i>oxcarbazepine 300 mg/5ml suspension</i>	4	
<i>pregabalin (pregabalin 20 mg/ml solution, pregabalin 25 mg cap, pregabalin 50 mg cap, pregabalin 75 mg cap, pregabalin 100 mg cap, pregabalin 150 mg cap, pregabalin 200 mg cap, pregabalin 225 mg cap, pregabalin 300 mg cap)</i>	2	
PRIMIDONE (PRIMIDONE 50 MG TAB, PRIMIDONE 125 MG TAB, PRIMIDONE 250 MG TAB)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>roweepra 500 mg tab</i>	2	
<i>rufinamide (rufinamide 40 mg/ml suspension, rufinamide 400 mg tab)</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply
<i>rufinamide 200 mg tab</i>	4	PA <sup>2</sup>
SPRITAM	4	
<i>topiramate</i>	2	
ZONISADE	4	
<i>zonisamide</i>	2	
ZTALMY	5	QL 1100 ML / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
<b>CARBAMATES</b>		
<i>felbamate (felbamate 400 mg tab, felbamate 600 mg tab)</i>	4	
<i>felbamate 600 mg/5ml suspension</i>	5	NDS Non-Extended Day Supply
XCOPRI (250 MG DAILY DOSE) 100 & 150 MG TAB THPK	5	QL 56 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
XCOPRI (350 MG DAILY DOSE)	5	QL 56 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
XCOPRI (XCOPRI 14 X 12.5 MG & 14 X 25 MG TAB THPK, XCOPRI 14 X 150 MG & 14 X200 MG TAB THPK, XCOPRI 14 X 50 MG & 14 X100 MG TAB THPK)	4	QL 28 EA / 28 DAYS PA <sup>2</sup>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XCOPRI (XCOPRI 150 MG TAB, XCOPRI 200 MG TAB)	5	<span>QL</span> 60 EA / 30 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply
XCOPRI (XCOPRI 25 MG TAB, XCOPRI 50 MG TAB, XCOPRI 100 MG TAB)	5	<span>QL</span> 30 EA / 30 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply
<b>GABA MODULATORS</b>		
<i>tiagabine hcl (tiagabine hcl 2 mg tab, tiagabine hcl 4 mg tab, tiagabine hcl 12 mg tab, tiagabine hcl 16 mg tab)</i>	4	
<i>vigabatrin</i>	5	<span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
<i>vigadrone</i>	5	<span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
<i>vigpoder</i>	5	<span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
<b>HYDANTOINS</b>		
DILANTIN 30 MG CAP	3	
<i>phenytek</i>	2	
<i>phenytoin (phenytoin 50 mg chew tab, phenytoin 100 mg/4ml suspension, phenytoin 125 mg/5ml suspension)</i>	2	
<i>phenytoin infatabs</i>	2	
<i>phenytoin sodium extended</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>SUCCINIMIDES</b>		
<i>ethosuximide (ethosuximide 250 mg cap, ethosuximide 250 mg/5ml solution)</i>	2	
<i>methsuximide</i>	4	
<b>VALPROIC ACID</b>		
<i>divalproex sodium</i>	2	
<i>divalproex sodium er</i>	2	
<i>valproic acid (valproic acid 250 mg cap, valproic acid 250 mg/5ml solution)</i>	2	
<b>ANTIDEPRESSANTS</b>		
<b>ALPHA-2 RECEPTOR ANTAGONISTS (TETRACYCLICS)</b>		
<i>mirtazapine (mirtazapine 15 mg tab disp, mirtazapine 30 mg tab disp, mirtazapine 45 mg tab disp)</i>	2	
<i>mirtazapine (mirtazapine 7.5 mg tab, mirtazapine 15 mg tab, mirtazapine 30 mg tab, mirtazapine 45 mg tab)</i>	1	
<b>ANTIDEPRESSANT COMBINATIONS</b>		
AUVELITY	4	QL 60 EA / 30 DAYS
<b>ANTIDEPRESSANTS - MISC.</b>		
<i>bupropion hcl</i>	2	
<i>bupropion hcl er (smoking det)</i>	2	
<i>bupropion hcl er (sr) (bupropion hcl er (sr) 100 mg tab er 12h, bupropion hcl er (sr) 150 mg tab er 12h, bupropion hcl er (sr) 200 mg tab er 12h)</i>	2	
<i>bupropion hcl er (xl) (bupropion hcl er (xl) 150 mg tab er 24h, bupropion hcl er (xl) 300 mg tab er 24h)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>GABA RECEPTOR MODULATOR - NEUROACTIVE STEROID</b>		
ZURZUVAE (ZURZUVAE 20 MG CAP, ZURZUVAE 25 MG CAP)	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>28 EA / 14 OVER TIME</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div> </div>
ZURZUVAE 30 MG CAP	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>14 EA / 14 OVER TIME</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div> </div>
<b>MONOAMINE OXIDASE INHIBITORS (MAOIS)</b>		
EMSAM	5	<div style="display: flex; align-items: center;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
MARPLAN	4	
PHENELZINE SULFATE 15 MG TAB	2	
<i>tranylcypromine sulfate</i>	4	
<b>SELECTIVE SEROTONIN REUPTAKE INHIBITORS (SSRIS)</b>		
<i>citalopram hydrobromide (citalopram hydrobromide 10 mg tab, citalopram hydrobromide 20 mg tab, citalopram hydrobromide 40 mg tab)</i>	1	
<i>citalopram hydrobromide 10 mg/5ml solution</i>	2	
<i>escitalopram oxalate (escitalopram oxalate 5 mg tab, escitalopram oxalate 10 mg tab, escitalopram oxalate 20 mg tab)</i>	1	
<i>escitalopram oxalate 5 mg/5ml solution</i>	2	
<i>fluoxetine hcl (fluoxetine hcl 10 mg cap, fluoxetine hcl 20 mg cap, fluoxetine hcl 40 mg cap)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>fluoxetine hcl 20 mg/5ml solution</i>	2	
FLUOXETINE HCL 90 MG CAP DR	4	
<i>fluvoxamine maleate (fluvoxamine maleate 25 mg tab, fluvoxamine maleate 50 mg tab, fluvoxamine maleate 100 mg tab)</i>	2	
<i>fluvoxamine maleate er (fluvoxamine maleate er 100 mg cap er 24h, fluvoxamine maleate er 150 mg cap er 24h)</i>	4	
<i>paroxetine hcl (paroxetine hcl 10 mg tab, paroxetine hcl 20 mg tab, paroxetine hcl 30 mg tab, paroxetine hcl 40 mg tab)</i>	2	
<i>paroxetine hcl 10 mg/5ml suspension</i>	4	
<i>paroxetine hcl er</i>	4	
<i>sertraline hcl (sertraline hcl 25 mg tab, sertraline hcl 50 mg tab, sertraline hcl 100 mg tab)</i>	1	
<i>sertraline hcl 20 mg/ml conc</i>	2	
<b>SEROTONIN MODULATORS</b>		
NEFAZODONE HCL	4	
<i>trazodone hcl (trazodone hcl 50 mg tab, trazodone hcl 100 mg tab, trazodone hcl 150 mg tab, trazodone hcl 300 mg tab)</i>	1	
TRINTELLIX	4	QL 30 EA / 30 DAYS
<i>vilazodone hcl</i>	4	QL 30 EA / 30 DAYS
<b>SEROTONIN-NOREPINEPHRINE REUPTAKE INHIBITORS (SNRIS)</b>		
<i>desvenlafaxine succinate er</i>	2	
<i>duloxetine hcl (duloxetine hcl 20 mg cp dr part, duloxetine hcl 30 mg cp dr part, duloxetine hcl 60 mg cp dr part)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
FETZIMA	4	QL 30 EA / 30 DAYS
FETZIMA TITRATION	4	QL 28 EA / 180 OVER TIME
<i>venlafaxine hcl</i>	2	
<i>venlafaxine hcl er (venlafaxine hcl er 37.5 mg cap er 24h, venlafaxine hcl er 75 mg cap er 24h, venlafaxine hcl er 150 mg cap er 24h)</i>	2	
<b>TRICYCLIC AGENTS</b>		
<i>amitriptyline hcl</i>	2	
<i>amoxapine</i>	4	
<i>clomipramine hcl (clomipramine hcl 25 mg cap, clomipramine hcl 50 mg cap, clomipramine hcl 75 mg cap)</i>	4	
<i>desipramine hcl</i>	4	
<i>doxepin hcl (doxepin hcl 10 mg cap, doxepin hcl 10 mg/ml conc, doxepin hcl 25 mg cap, doxepin hcl 50 mg cap, doxepin hcl 75 mg cap, doxepin hcl 100 mg cap, doxepin hcl 150 mg cap)</i>	4	
<i>imipramine hcl</i>	4	
<i>imipramine pamoate</i>	4	
<i>nortriptyline hcl (nortriptyline hcl 10 mg cap, nortriptyline hcl 10 mg/5ml solution, nortriptyline hcl 25 mg cap, nortriptyline hcl 50 mg cap, nortriptyline hcl 75 mg cap)</i>	2	
<i>protriptyline hcl</i>	4	
<i>trimipramine maleate</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIDIABETICS</b>		
<b>ALPHA-GLUCOSIDASE INHIBITORS</b>		
<i>acarbose</i>	2	
MIGLITOL	4	
<b>ANTIDIABETIC COMBINATIONS</b>		
<i>glipizide-metformin hcl</i>	1	
GLYXAMBI	3	QL 30 EA / 30 DAYS
INVOKAMET	3	QL 60 EA / 30 DAYS
INVOKAMET XR	3	QL 60 EA / 30 DAYS
JANUMET	3	QL 60 EA / 30 DAYS
JANUMET XR (JANUMET XR 50-1000 MG TAB ER 24H, JANUMET XR 50-500 MG TAB ER 24H)	3	QL 60 EA / 30 DAYS
JANUMET XR 100-1000 MG TAB ER 24H	3	QL 30 EA / 30 DAYS
JENTADUETO (JENTADUETO 2.5-1000 MG TAB, JENTADUETO 2.5-500 MG TAB)	3	QL 60 EA / 30 DAYS
JENTADUETO XR 2.5-1000 MG TAB ER 24H	3	QL 60 EA / 30 DAYS
JENTADUETO XR 5-1000 MG TAB ER 24H	3	QL 30 EA / 30 DAYS
<i>pioglitazone hcl-glimepiride</i>	2	
<i>pioglitazone hcl-metformin hcl</i>	1	
SOLIQUA	3	QL 90 ML / 30 DAYS INS \$35 Insulin
SYNJARDY	3	QL 60 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SYNJARDY XR (SYNJARDY XR 5-1000 MG TAB ER 24H, SYNJARDY XR 10-1000 MG TAB ER 24H, SYNJARDY XR 12.5-1000 MG TAB ER 24H)	3	QL 60 EA / 30 DAYS
SYNJARDY XR 25-1000 MG TAB ER 24H	3	QL 30 EA / 30 DAYS
TRIJARDY XR (TRIJARDY XR 10-5-1000 MG TAB ER 24H, TRIJARDY XR 25-5-1000 MG TAB ER 24H)	3	QL 30 EA / 30 DAYS
TRIJARDY XR (TRIJARDY XR 5-2.5-1000 MG TAB ER 24H, TRIJARDY XR 12.5-2.5-1000 MG TAB ER 24H)	3	QL 60 EA / 30 DAYS
<b>BIGUANIDES</b>		
<i>metformin hcl (metformin hcl 500 mg tab, metformin hcl 850 mg tab, metformin hcl 1000 mg tab)</i>	1	
<i>metformin hcl er (metformin hcl er 500 mg tab er 24h, metformin hcl er 750 mg tab er 24h)</i>	1	
<b>DIABETIC OTHER</b>		
<i>diazoxide</i>	4	
GLUCAGON EMERGENCY 1 MG KIT	3	
GVOKE HYPOPEN 1-PACK	3	
GVOKE HYPOPEN 2-PACK	3	
GVOKE KIT	3	
GVOKE PFS	3	
KORLYM	5	QL 120 EA / 30 DAYS PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>mifepristone 300 mg tab</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
<b>DIPEPTIDYL PEPTIDASE-4 (DPP-4) INHIBITORS</b>		
JANUVIA	3	<span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS
TRADJENTA	3	<span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS
<b>DOPAMINE RECEPTOR AGONISTS - ANTIDIABETIC</b>		
CYCLOSET	4	<span style="background-color: #666699; color: white; padding: 2px;">QL</span> 180 EA / 30 DAYS
<b>INCRETIN MIMETIC AGENTS</b>		
BYDUREON BCISE	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 4 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
MOUNJARO	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 2 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
OZEMPIC (0.25 OR 0.5 MG/DOSE) 2 MG/3ML SOLN PEN	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 3 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
OZEMPIC (1 MG/DOSE) 4 MG/3ML SOLN PEN	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 3 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
OZEMPIC (2 MG/DOSE)	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 3 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
RYBELSUS	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
TRULICITY	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 2 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
VICTOZA	3	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 9 ML / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>INSULIN</b>		
HUMULIN R U-500 (CONCENTRATED)	3	PA <sup>3</sup> INS \$35 Insulin
HUMULIN R U-500 KWIKPEN	3	INS \$35 Insulin
INSULIN ASP PROT & ASP FLEXPEN	3	INS \$35 Insulin
INSULIN ASPART	3	PA <sup>3</sup> INS \$35 Insulin
INSULIN ASPART FLEXPEN	3	INS \$35 Insulin
INSULIN ASPART PENFILL	3	INS \$35 Insulin
INSULIN ASPART PROT & ASPART	3	INS \$35 Insulin
LANTUS	3	INS \$35 Insulin
LANTUS SOLOSTAR	3	INS \$35 Insulin
NOVOLIN 70/30	3	INS \$35 Insulin
NOVOLIN 70/30 FLEXPEN	3	INS \$35 Insulin
NOVOLIN 70/30 FLEXPEN RELION	3	INS \$35 Insulin
NOVOLIN 70/30 RELION	3	INS \$35 Insulin
NOVOLIN N	3	INS \$35 Insulin
NOVOLIN N FLEXPEN	3	INS \$35 Insulin
NOVOLIN N FLEXPEN RELION	3	INS \$35 Insulin
NOVOLIN N RELION	3	INS \$35 Insulin
NOVOLIN R	3	INS \$35 Insulin
NOVOLIN R FLEXPEN	3	INS \$35 Insulin
NOVOLIN R FLEXPEN RELION	3	INS \$35 Insulin
NOVOLIN R RELION	3	INS \$35 Insulin

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
NOVOLOG	3	PA <sup>3</sup> INS \$35 Insulin
NOVOLOG 70/30 FLEXPEN RELION	3	INS \$35 Insulin
NOVOLOG FLEXPEN	3	INS \$35 Insulin
NOVOLOG FLEXPEN RELION	3	INS \$35 Insulin
NOVOLOG MIX 70/30	3	INS \$35 Insulin
NOVOLOG MIX 70/30 FLEXPEN	3	INS \$35 Insulin
NOVOLOG MIX 70/30 RELION	3	INS \$35 Insulin
NOVOLOG PENFILL	3	INS \$35 Insulin
NOVOLOG RELION	3	PA <sup>3</sup> INS \$35 Insulin
TOUJEO MAX SOLOSTAR	3	INS \$35 Insulin
TOUJEO SOLOSTAR	3	INS \$35 Insulin
<b>INSULIN SENSITIZING AGENTS</b>		
<i>pioglitazone hcl</i>	1	
<b>MEGLITINIDE ANALOGUES</b>		
<i>nateglinide</i>	2	
<i>repaglinide</i>	2	
<b>SODIUM-GLUCOSE CO-TRANSPORTER 2 (SGLT2) INHIBITORS</b>		
INVOKANA	3	QL 30 EA / 30 DAYS
JARDIANCE	3	QL 30 EA / 30 DAYS
<b>SULFONYLUREAS</b>		
<i>glimepiride</i>	1	
<i>glipizide (glipizide 5 mg tab, glipizide 10 mg tab)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>glipizide er (glipizide er 2.5 mg tab er 24h, glipizide er 5 mg tab er 24h, glipizide er 10 mg tab er 24h)</i>	1	
<i>glipizide xl</i>	1	
<b>ANTIDIARRHEAL/PROBIOTIC AGENTS</b>		
<b>ANTIPERISTALTIC AGENTS</b>		
<i>diphenoxylate-atropine (diphenoxylate-atropine 2.5-0.025 mg tab, diphenoxylate-atropine 2.5-0.025 mg/5ml liquid)</i>	4	
<i>loperamide (immodium)</i>	2	
<b>ANTIDOTES AND SPECIFIC ANTAGONISTS</b>		
<b>ANTIDOTES - CHELATING AGENTS</b>		
CHEMET	3	
<i>deferasirox (deferasirox 180 mg tab, deferasirox 360 mg tab)</i>	5	PA NDS Non-Extended Day Supply
<i>deferasirox 90 mg tab</i>	4	PA
<i>deferiprone</i>	5	PA NDS Non-Extended Day Supply LA
<b>OPIOID ANTAGONISTS</b>		
KLOXXADO	3	
NALOXONE HCL (NALOXONE HCL 0.4 MG/ML SOLN CART, NALOXONE HCL 0.4 MG/ML SOLUTION, NALOXONE HCL 2 MG/2ML SOLN PRSYR, NALOXONE HCL 4 MG/10ML SOLUTION)	1	
NALOXONE HCL (NALOXONE HCL 0.4 MG/ML SOLN PRSYR, NALOXONE HCL 4 MG/0.1ML LIQUID)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>naltrexone hcl</i>	2	
OPVEE	3	
VIVITROL	5	<b>NDS</b> Non-Extended Day Supply
ZIMHI	2	
<b>ANTIEMETICS</b>		
<b>5-HT3 RECEPTOR ANTAGONISTS</b>		
<i>granisetron hcl 1 mg tab</i>	4	<b>QL</b> 60 EA / 30 DAYS <b>PA<sup>3</sup></b>
<i>ondansetron (ondansetron 4 mg tab disp, ondansetron 8 mg tab disp)</i>	1	<b>PA<sup>3</sup></b>
<i>ondansetron hcl (ondansetron hcl 4 mg tab, ondansetron hcl 8 mg tab)</i>	2	<b>PA<sup>3</sup></b>
<i>ondansetron hcl 4 mg/5ml solution</i>	4	<b>PA<sup>3</sup></b>
<b>ANTIEMETICS - ANTICHOLINERGIC</b>		
<i>meclizine</i>	2	
<i>scopolamine</i>	4	
<b>ANTIEMETICS - MISCELLANEOUS</b>		
<i>doxylamine-pyridoxine</i>	4	
<i>dronabinol</i>	4	<b>QL</b> 60 EA / 30 DAYS <b>PA</b>
<b>SUBSTANCE P/NEUROKININ 1 (NK1) RECEPTOR ANTAGONISTS</b>		
<i>aprepitant (aprepitant 40 mg cap, aprepitant 125 mg cap)</i>	4	<b>QL</b> 3 EA / 2 OVER TIME <b>PA<sup>3</sup></b>
<i>aprepitant (aprepitant 80 &amp; 125 mg cap, aprepitant 80 &amp; 125 mg misc, aprepitant 80 mg cap)</i>	4	<b>QL</b> 6 EA / 4 OVER TIME <b>PA<sup>3</sup></b>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VARUBI (180 MG DOSE)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">4 EA / 28 OVER TIME</div> </div> <div style="background-color: #c4863d; color: white; padding: 2px 5px; margin-top: 5px;">PA<sup>3</sup></div>
<b>ANTIFUNGALS</b>		
<b>ANTIFUNGAL - GLUCAN SYNTHESIS INHIBITORS</b>		
<i>casprofungin acetate 50 mg recon soln</i>	5	<div style="background-color: #c4863d; color: white; padding: 2px 5px; display: inline-block;">NDS</div> Non-Extended Day Supply
<i>casprofungin acetate 70 mg recon soln</i>	4	
<i>micafungin sodium</i>	5	<div style="background-color: #c4863d; color: white; padding: 2px 5px; display: inline-block;">NDS</div> Non-Extended Day Supply
<b>ANTIFUNGALS</b>		
ABELCET	4	<div style="background-color: #c4863d; color: white; padding: 2px 5px; display: inline-block;">PA<sup>3</sup></div>
AMPHOTERICIN B	4	<div style="background-color: #c4863d; color: white; padding: 2px 5px; display: inline-block;">PA<sup>3</sup></div>
<i>flucytosine</i>	5	<div style="background-color: #c4863d; color: white; padding: 2px 5px; display: inline-block;">NDS</div> Non-Extended Day Supply
<i>griseofulvin microsize (griseofulvin microsize 125 mg/5ml suspension, griseofulvin microsize 500 mg tab)</i>	4	
<i>griseofulvin ultramicrosize</i>	4	
<i>nystatin 500000 unit tab</i>	2	
<i>terbinafine hcl 250 mg tab</i>	2	
<b>IMIDAZOLE-RELATED ANTIFUNGALS</b>		
CRESEMBA 372 MG RECON SOLN	5	<div style="background-color: #c4863d; color: white; padding: 2px 5px; display: inline-block;">NDS</div> Non-Extended Day Supply
<i>fluconazole (fluconazole 10 mg/ml recon susp, fluconazole 40 mg/ml recon susp, fluconazole 50 mg tab, fluconazole 100 mg tab, fluconazole 200 mg tab)</i>	2	
<i>fluconazole 150 mg tab</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>fluconazole in sodium chloride (fluconazole in sodium chloride 100-0.9 mg/50ml-% solution, fluconazole in sodium chloride 200-0.9 mg/100ml-% solution, fluconazole in sodium chloride 400-0.9 mg/200ml-% solution)</i>	4	
<i>itraconazole (itraconazole 10 mg/ml solution, itraconazole 100 mg cap)</i>	4	PA
<i>ketoconazole 200 mg tab</i>	2	
<i>posaconazole 100 mg tab dr</i>	5	PA NDS Non-Extended Day Supply
<i>voriconazole (voriconazole 50 mg tab, voriconazole 200 mg tab)</i>	4	PA
<i>voriconazole 200 mg recon soln</i>	5	PA NDS Non-Extended Day Supply
<i>voriconazole 40 mg/ml recon susp</i>	5	PA NDS Non-Extended Day Supply

## ANTI-HISTAMINES

### ANTI-HISTAMINES - NON-SEDATING

<i>cetirizine (zyrtec)</i>	2	
<i>desloratadine 5 mg tab</i>	2	
<i>levocetirizine (xyzal)</i>	4	

### ANTI-HISTAMINES - PHENOTHIAZINES

<i>promethazine hcl (6.25 mg/5ml sol, 6.25 mg/5ml syrup, 12.5 mg suppos, 12.5 mg tab, 25 mg suppos, 25 mg tab, 50 mg tab)</i>	4	
---	---	--



You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTHYPERLIPIDEMICS</b>		
<b>ANTHYPERLIPIDEMICS - COMBINATIONS</b>		
<i>ezetimibe-simvastatin</i>	2	QL 30 EA / 30 DAYS
<b>ANTHYPERLIPIDEMICS - MISC.</b>		
<i>icosapent ethyl</i>	4	
<i>omega-3-acid ethyl esters</i>	2	
<b>BILE ACID SEQUESTRANTS</b>		
<i>cholestyramine (cholestyramine 4 gm packet, cholestyramine 4 gm/dose powder)</i>	3	
<i>cholestyramine light (cholestyramine light 4 gm packet, cholestyramine light 4 gm/dose powder)</i>	3	
<i>colesevelam hcl</i>	4	
<i>colestipol hcl (colestipol hcl 1 gm tab, colestipol hcl 5 gm granules, colestipol hcl 5 gm packet)</i>	4	
<i>prevalite (prevalite 4 gm packet, prevalite 4 gm/dose powder)</i>	3	
<b>FIBRIC ACID DERIVATIVES</b>		
<i>fenofibrate (fenofibrate 48 mg tab, fenofibrate 54 mg tab, fenofibrate 67 mg cap, fenofibrate 134 mg cap, fenofibrate 145 mg tab, fenofibrate 160 mg tab, fenofibrate 200 mg cap)</i>	2	
<i>fenofibrate micronized (fenofibrate micronized 43 mg cap, fenofibrate micronized 67 mg cap, fenofibrate micronized 134 mg cap, fenofibrate micronized 200 mg cap)</i>	2	
<i>fenofibric acid (fenofibric acid 45 mg cap dr, fenofibric acid 135 mg cap dr)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>gemfibrozil</i>	2	
<b>HMG COA REDUCTASE INHIBITORS</b>		
<i>atorvastatin calcium</i>	1	
<i>fluvastatin sodium</i>	2	
<i>lovastatin (lovastatin 20 mg tab, lovastatin 40 mg tab)</i>	1	QL 60 EA / 30 DAYS
<i>lovastatin 10 mg tab</i>	1	QL 30 EA / 30 DAYS
<i>pravastatin sodium</i>	1	
<i>rosuvastatin calcium</i>	1	
<i>simvastatin</i>	1	
<b>INTESTINAL CHOLESTEROL ABSORPTION INHIBITORS</b>		
<i>ezetimibe</i>	2	QL 30 EA / 30 DAYS
<b>NICOTINIC ACID DERIVATIVES</b>		
<i>niacin er (antihyperlipidemic)</i>	4	
<b>PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 INHIBITORS</b>		
PRALUENT	4	QL 2 ML / 28 DAYS PA
REPATHA	3	QL 6 ML / 28 DAYS PA
REPATHA PUSHTRONEX SYSTEM	3	QL 7 ML / 28 DAYS PA
REPATHA SURECLICK	3	QL 6 ML / 28 DAYS PA
<b>ANTIHYPERTENSIVES</b>		
<b>ACE INHIBITORS</b>		
<i>benazepril hcl</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>captopril</i>	1	
<i>enalapril maleate (enalapril maleate 2.5 mg tab, enalapril maleate 5 mg tab, enalapril maleate 10 mg tab, enalapril maleate 20 mg tab)</i>	1	
<i>fosinopril sodium</i>	1	
<i>lisinopril</i>	1	
<i>moexipril hcl</i>	1	
PERINDOPRIL ERBUMINE (PERINDOPRIL ERBUMINE, PERINDOPRIL ERBUMINE 2 MG TAB, PERINDOPRIL ERBUMINE 8 MG TAB)	1	
<i>perindopril erbumine 4 mg tab</i>	1	
<i>quinapril hcl</i>	1	
<i>ramipril</i>	1	
<i>trandolapril</i>	1	
<b>AGENTS FOR PHEOCHROMOCYTOMA</b>		
<i>metyrosine</i>	5	 Non-Extended Day Supply
<i>phenoxybenzamine hcl</i>	5	 Non-Extended Day Supply
<b>ANGIOTENSIN II RECEPTOR ANTAGONISTS</b>		
<i>candesartan cilexetil</i>	1	
<i>irbesartan</i>	1	
<i>losartan potassium</i>	1	
<i>olmesartan medoxomil</i>	1	
<i>telmisartan</i>	1	
<i>valsartan (valsartan 40 mg tab, valsartan 80 mg tab, valsartan 160 mg tab, valsartan 320 mg tab)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIADRENERGIC ANTIHYPERTENSIVES</b>		
<i>clonidine tablet</i>	1	
<i>clonidine weekly patch</i>	2	
<i>doxazosin mesylate</i>	2	
<i>guanfacine hcl (guanfacine hcl 1 mg tab, guanfacine hcl 2 mg tab)</i>	2	
<i>prazosin hcl</i>	2	
<i>terazosin hcl</i>	1	
<b>ANTIHYPERTENSIVE COMBINATIONS</b>		
<i>amlodipine besy-benazepril hcl</i>	1	
<i>amlodipine besylate-valsartan (amlodipine besylate-valsartan 5-160 mg tab, amlodipine besylate-valsartan 5-320 mg tab, amlodipine besylate-valsartan 10-160 mg tab, amlodipine besylate-valsartan 10-320 mg tab)</i>	1	
<i>amlodipine-olmesartan (amlodipine-olmesartan 5-20 mg tab, amlodipine-olmesartan 5-40 mg tab, amlodipine-olmesartan 10-20 mg tab, amlodipine-olmesartan 10-40 mg tab)</i>	2	
<i>amlodipine-valsartan-hctz (amlodipine-valsartan-hctz 5-160-12.5 mg tab, amlodipine-valsartan-hctz 5-160-25 mg tab, amlodipine-valsartan-hctz 10-160-12.5 mg tab, amlodipine-valsartan-hctz 10-160-25 mg tab, amlodipine-valsartan-hctz 10-320-25 mg tab)</i>	2	
<i>atenolol-chlorthalidone</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>benazepril-hydrochlorothiazide (benazepril-hydrochlorothiazide 5-6.25 mg tab, benazepril-hydrochlorothiazide 10-12.5 mg tab, benazepril-hydrochlorothiazide 20-12.5 mg tab, benazepril-hydrochlorothiazide 20-25 mg tab)</i>	1	
<i>bisoprolol-hydrochlorothiazide (bisoprolol-hydrochlorothiazide 2.5-6.25 mg tab, bisoprolol-hydrochlorothiazide 5-6.25 mg tab, bisoprolol-hydrochlorothiazide 10-6.25 mg tab)</i>	1	
<i>candesartan cilexetil-hctz</i>	1	
<i>enalapril-hydrochlorothiazide</i>	1	
<i>fosinopril sodium-hctz</i>	1	
<i>irbesartan-hydrochlorothiazide</i>	1	
<i>lisinopril-hydrochlorothiazide (lisinopril-hydrochlorothiazide 10-12.5 mg tab, lisinopril-hydrochlorothiazide 20-12.5 mg tab, lisinopril-hydrochlorothiazide 20-25 mg tab)</i>	1	
<i>losartan potassium-hctz</i>	1	
<i>metoprolol-hydrochlorothiazide</i>	2	
<i>olmesartan medoxomil-hctz</i>	1	
<i>olmesartan-amlodipine-hctz</i>	2	
TELMISARTAN-AMLODIPINE	2	
<i>telmisartan-hctz</i>	2	
<i>valsartan-hydrochlorothiazide</i>	1	
<b>DIRECT RENIN INHIBITORS</b>		
<i>aliskiren fumarate</i>	4	
<b>SELECTIVE ALDOSTERONE RECEPTOR ANTAGONISTS (SARAS)</b>		
<i>eplerenone</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>VASODILATORS</b>		
<i>hydralazine hcl (hydralazine hcl 10 mg tab, hydralazine hcl 25 mg tab, hydralazine hcl 50 mg tab, hydralazine hcl 100 mg tab)</i>	2	
<i>minoxidil</i>	2	
<b>ANTIMALARIALS</b>		
<b>ANTIMALARIAL COMBINATIONS</b>		
<i>atovaquone-proguanil hcl</i>	4	
COARTEM	4	
<b>ANTIMALARIALS</b>		
<i>chloroquine phosphate</i>	4	
<i>hydroxychloroquine sulfate 200 mg tab</i>	2	
<i>mefloquine hcl</i>	2	
PRIMAQUINE PHOSPHATE 26.3 (15 BASE) MG TAB	3	
<i>pyrimethamine</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">LA</div> <div>Non-Extended Day Supply</div> </div>
<i>quinine sulfate</i>	4	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> </div>
<b>ANTIMYASTHENIC/CHOLINERGIC AGENTS</b>		
<b>ANTIMYASTHENIC/CHOLINERGIC AGENTS</b>		
FIRDAPSE	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<i>pyridostigmine bromide 60 mg tab</i>	2	
<i>pyridostigmine bromide 60 mg/5ml solution</i>	4	
<i>pyridostigmine bromide er</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIMYCOBACTERIAL AGENTS</b>		
<b>ANTIMYCOBACTERIAL AGENTS</b>		
<i>ethambutol hcl</i>	2	
ISONIAZID (ISONIAZID 100 MG TAB, ISONIAZID 100 MG/ML SOLUTION)	2	
<i>isoniazid 300mg tab</i>	2	
<i>isoniazid 50 mg/5ml syrup</i>	4	
PASER	3	
PRIFTIN	4	
<i>pyrazinamide</i>	4	
<i>rifabutin</i>	4	
<i>rifampin (rifampin 150 mg cap, rifampin 300 mg cap)</i>	2	
<i>rifampin 600 mg recon soln</i>	4	
SIRTURO	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA</span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
TRECTOR	4	
<b>ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES</b>		
<b>ALKYLATING AGENTS</b>		
CYCLOPHOSPHAMIDE (CYCLOPHOSPHAMIDE 25 MG TAB, CYCLOPHOSPHAMIDE 50 MG TAB)	2	<span>PA<sup>3</sup></span>
<i>cyclophosphamide 25 mg cap</i>	2	<span>PA<sup>3</sup></span>
<i>cyclophosphamide 50 mg cap</i>	2	<span>PA<sup>3</sup></span>
GLEOSTINE	5	<span>NDS</span> Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
LEUKERAN	4	
<i>temozolomide</i>	Part B Covered	
<b>ANTIMETABOLITES</b>		
<i>capecitabine</i>	Part B Covered	
<i>mercaptopurine</i>	2	
<i>methotrexate sodium (methotrexate sodium 2.5 mg tab, methotrexate sodium 50 mg/2ml solution)</i>	2	
<i>methotrexate sodium (pf) 50 mg/2ml solution</i>	2	
ONUREG	5	<ul style="list-style-type: none"> <li>QL 14 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
PURIXAN	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TABLOID	4	
XATMEP	4	
<b>ANTINEOPLASTIC - ANGIOGENESIS INHIBITORS</b>		
FRUZAQLA 1 MG CAP	5	<ul style="list-style-type: none"> <li>QL 84 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
FRUZAQLA 5 MG CAP	5	<ul style="list-style-type: none"> <li>QL 21 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
INLYTA 1 MG TAB	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
INLYTA 5 MG TAB	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (10 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (12 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (14 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (18 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (20 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (24 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
LENVIMA (4 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (8 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC - ANTI-HER2 AGENTS</b>		
TUKYSA	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC - BCL-2 INHIBITORS</b>		
VENCLEXTA 10 MG TAB	4	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>LA</li> </ul>
VENCLEXTA 100 MG TAB	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VENCLEXTA 50 MG TAB	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VENCLEXTA STARTING PACK	5	<ul style="list-style-type: none"> <li>QL 42 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTINEOPLASTIC - EGFR INHIBITORS</b>		
<i>erlotinib hcl (erlotinib hcl 100 mg tab, erlotinib hcl 150 mg tab)</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>erlotinib hcl 25 mg tab</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
EXKIVITY	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #006699; color: white; padding: 2px;">LA</span></li> </ul>
<i>gefitinib</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
GILOTRIF	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #006699; color: white; padding: 2px;">LA</span></li> </ul>
TAGRISSO	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #006699; color: white; padding: 2px;">LA</span></li> </ul>
VIZIMPRO	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #006699; color: white; padding: 2px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTINEOPLASTIC - HEDGEHOG PATHWAY INHIBITORS</b>		
DAURISMO	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
ERIVEDGE	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
ODOMZO	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<b>ANTINEOPLASTIC - HORMONAL AND RELATED AGENTS</b>		
<i>abiraterone acetate 250 mg tab</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 120 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<i>abiraterone acetate 500 mg tab</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 60 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
AKEEGA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 60 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<i>anastrozole</i>	2	
<i>bicalutamide</i>	2	
ELIGARD 22.5 MG KIT	4	<span>QL</span> 1 EA / 84 OVER TIME
ELIGARD 30 MG KIT	4	<span>QL</span> 1 EA / 112 OVER TIME
ELIGARD 45 MG KIT	4	<span>QL</span> 1 EA / 168 OVER TIME

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ELIGARD 7.5 MG KIT	4	QL 1 EA / 28 DAYS
EMCYT	5	NDS Non-Extended Day Supply
ERLEADA 240 MG TAB	5	QL 30 EA / 30 DAYS
		PA <sup>2</sup>
		NDS Non-Extended Day Supply
ERLEADA 60 MG TAB	5	LA
		QL 120 EA / 30 DAYS
		PA <sup>2</sup>
ERLEADA 60 MG TAB	5	NDS Non-Extended Day Supply
		LA
<i>exemestane</i>	4	
FIRMAGON	4	PA <sup>2</sup>
FIRMAGON (240 MG DOSE)	4	PA <sup>2</sup>
<i>letrozole</i>	2	
LUPRON DEPOT (1-MONTH) 3.75 MG KIT	5	QL 1 EA / 28 DAYS
		NDS Non-Extended Day Supply
LUPRON DEPOT (3-MONTH) 11.25 MG KIT	5	QL 1 EA / 84 OVER TIME
		NDS Non-Extended Day Supply
LYSODREN	5	NDS Non-Extended Day Supply
		LA
<i>megestrol acetate (megestrol acetate 20 mg tab, megestrol acetate 40 mg tab)</i>	2	PA <sup>2</sup>
<i>megestrol acetate (megestrol acetate 40 mg/ml suspension, megestrol acetate 400 mg/10ml suspension, megestrol acetate 800 mg/20ml suspension)</i>	4	PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>nilutamide</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply
NUBEQA	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ORGOVYX	5	QL 30 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ORSERDU 345 MG TAB	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ORSERDU 86 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
SOLTAMOX	5	NDS Non-Extended Day Supply
<i>tamoxifen citrate</i>	2	
<i>toremifene citrate</i>	5	NDS Non-Extended Day Supply
TRELSTAR MIXJECT 11.25 MG RECON SUSP	4	QL 1 EA / 84 OVER TIME
TRELSTAR MIXJECT 22.5 MG RECON SUSP	4	QL 1 EA / 168 OVER TIME
TRELSTAR MIXJECT 3.75 MG RECON SUSP	4	QL 1 EA / 28 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XTANDI (XTANDI 40 MG CAP, XTANDI 40 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
XTANDI 80 MG TAB	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC - HYPOXIA-INDUCIBLE FACTOR INHIBITORS</b>		
WELIREG	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC - IMMUNOMODULATORS</b>		
POMALYST	5	<ul style="list-style-type: none"> <li>QL 21 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC - PDGFR-ALPHA INHIBITORS</b>		
AYVAKIT	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC - XPO1 INHIBITORS</b>		
XPOVIO (100 MG ONCE WEEKLY) 50 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 8 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XPOVIO (40 MG ONCE WEEKLY) 40 MG TAB THPK	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 4 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>
XPOVIO (40 MG TWICE WEEKLY) 40 MG TAB THPK	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 8 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>
XPOVIO (60 MG ONCE WEEKLY) 60 MG TAB THPK	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 4 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>
XPOVIO (60 MG TWICE WEEKLY)	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 24 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>
XPOVIO (80 MG ONCE WEEKLY) 40 MG TAB THPK	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 8 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>
XPOVIO (80 MG TWICE WEEKLY)	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 32 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>
<b>ANTINEOPLASTIC COMBINATIONS</b>		
INQOVI	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; color: white; padding: 2px;">QL</span> 5 EA / 28 DAYS</li> <li><span style="background-color: #f39c12; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; color: white; padding: 2px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
KISQALI FEMARA (200 MG DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 49 EA / 28 OVER TIME</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
KISQALI FEMARA (400 MG DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 70 EA / 28 OVER TIME</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
KISQALI FEMARA (600 MG DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 91 EA / 28 OVER TIME</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
LONSURF	5	<ul style="list-style-type: none"> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
<b>ANTINEOPLASTIC ENZYME INHIBITORS</b>		
ALECENSA	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 240 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
ALUNBRIG (ALUNBRIG 90 & 180 MG TAB THPK, ALUNBRIG 90 MG TAB, ALUNBRIG 180 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
ALUNBRIG 30 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
AUGTYRO	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 240 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
BALVERSA (BALVERSA 3 MG TAB, BALVERSA 4 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; padding: 2px;">LA</span></li> </ul>
BALVERSA 5 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; padding: 2px;">LA</span></li> </ul>
BOSULIF (BOSULIF 400 MG TAB, BOSULIF 500 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; padding: 2px;">LA</span></li> </ul>
BOSULIF 100 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 150 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
BOSULIF 100 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; padding: 2px;">LA</span></li> </ul>
BOSULIF 50 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
BRAFTOVI	5	<ul style="list-style-type: none"> <li><span style="background-color: #8e44ad; padding: 2px;">QL</span> 180 EA / 30 DAYS</li> <li><span style="background-color: #f39c12; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #e67e22; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #3498db; padding: 2px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
BRUKINSA	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA
CABOMETYX	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
CALQUENCE 100 MG CAP	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
CALQUENCE 100 MG TAB	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
CAPRELSA 100 MG TAB	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
CAPRELSA 300 MG TAB	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
COMETRIQ (100 MG DAILY DOSE)	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA
COMETRIQ (140 MG DAILY DOSE)	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
COMETRIQ (60 MG DAILY DOSE)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>
COPIKTRA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>
COTELLIC	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 63 EA / 28 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>
<i>everolimus (everolimus 2.5 mg tab, everolimus 5 mg tab, everolimus 7.5 mg tab, everolimus 10 mg tab)</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
<i>everolimus 2 mg tab sol</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 150 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
<i>everolimus 3 mg tab sol</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 90 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
<i>everolimus 5 mg tab sol</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
FOTIVDA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #4B0082; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 21 EA / 28 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
GAVRETO	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
IBRANCE	5	<ul style="list-style-type: none"> <li>QL 21 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ICLUSIG	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
IDHIFA	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>imatinib mesylate 100 mg tab</i>	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>imatinib mesylate 400 mg tab</i>	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
IMBRUVICA (IMBRUVICA 70 MG CAP, IMBRUVICA 280 MG TAB, IMBRUVICA 420 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
IMBRUVICA 140 MG CAP	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
IMBRUVICA 70 MG/ML SUSPENSION	5	<ul style="list-style-type: none"> <li>QL 324 ML / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
INREBIC	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
JAKAFI	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
JAYPIRCA 100 MG TAB	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
JAYPIRCA 50 MG TAB	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KISQALI (200 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 21 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME		DRUG TIER	REQUIREMENTS / LIMITS
KISQALI (400 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 42 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
KISQALI (600 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 63 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
KOSELUGO 10 MG CAP	5	<ul style="list-style-type: none"> <li>QL 240 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
KOSELUGO 25 MG CAP	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
KRAZATI	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
<i>lapatinib ditosylate</i>	5	<ul style="list-style-type: none"> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
LORBRENA 100 MG TAB	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
LORBRENA 25 MG TAB	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
LUMAKRAS 120 MG TAB	5	QL 240 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LUMAKRAS 320 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LYNPARZA	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LYTGOBI (12 MG DAILY DOSE)	5	QL 84 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
LYTGOBI (16 MG DAILY DOSE)	5	QL 112 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
LYTGOBI (20 MG DAILY DOSE)	5	QL 140 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
MEKINIST 0.05 MG/ML RECON SOLN	5	QL 1200 ML / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
MEKINIST 0.5 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
MEKINIST 2 MG TAB	5	<ul style="list-style-type: none"> <li> 30 EA / 30 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> </ul>
MEKTOVI	5	<ul style="list-style-type: none"> <li> 180 EA / 30 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> <li></li> </ul>
NERLYNX	5	<ul style="list-style-type: none"> <li> 180 EA / 30 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> <li></li> </ul>
NINLARO	5	<ul style="list-style-type: none"> <li> 3 EA / 28 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> <li></li> </ul>
OGSIVEO (OGSIVEO 100 MG TAB, OGSIVEO 150 MG TAB)	5	<ul style="list-style-type: none"> <li> 56 EA / 28 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> </ul>
OGSIVEO 50 MG TAB	5	<ul style="list-style-type: none"> <li> 180 EA / 30 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> </ul>
OJEMDA 100 MG TAB	5	<ul style="list-style-type: none"> <li> 24 EA / 28 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> </ul>
OJEMDA 25 MG/ML RECON SUSP	5	<ul style="list-style-type: none"> <li> 96 ML / 28 DAYS</li> <li></li> <li> Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
OJJAARA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>pazopanib hcl</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PEMAZYRE	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
PIQRAY (200 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PIQRAY (250 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PIQRAY (300 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
QINLOCK	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
RETEVMO (RETEVMO 80 MG TAB, RETEVMO 120 MG TAB, RETEVMO 160 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
RETEVMO 40 MG CAP	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
RETEVMO 40 MG TAB	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
RETEVMO 80 MG CAP	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
REZLIDHIA	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ROZLYTREK 100 MG CAP	5	<ul style="list-style-type: none"> <li>QL 150 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ROZLYTREK 200 MG CAP	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ROZLYTREK 50 MG PACKET	5	<ul style="list-style-type: none"> <li>QL 336 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
RUBRACA	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
RYDAPT	5	QL 224 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
SCEMBLIX 100 MG TAB	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
SCEMBLIX 20 MG TAB	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
SCEMBLIX 40 MG TAB	5	QL 300 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
<i>sorafenib tosylate</i>	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
SPRYCEL (SPRYCEL 50 MG TAB, SPRYCEL 70 MG TAB, SPRYCEL 80 MG TAB, SPRYCEL 100 MG TAB, SPRYCEL 140 MG TAB)	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
SPRYCEL 20 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>sunitinib malate</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
TABRECTA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 120 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
TAFINLAR (TAFINLAR 50 MG CAP, TAFINLAR 75 MG CAP)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 120 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
TAFINLAR 10 MG TAB SOL	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 840 EA / 28 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
TALZENNA (TALZENNA 0.1 MG CAP, TALZENNA 0.35 MG CAP)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
TALZENNA (TALZENNA 0.5 MG CAP, TALZENNA 0.75 MG CAP, TALZENNA 1 MG CAP)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>
TALZENNA 0.25 MG CAP	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 90 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>
TASIGNA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> </div>
TAZVERIK	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 240 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span style="background-color: #c08040; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</div> <div style="margin-bottom: 5px;"><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
TEPMETKO	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TIBSOVO	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>torpenz</i>	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TRUQAP	5	<ul style="list-style-type: none"> <li>QL 64 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TURALIO 125 MG CAP	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VANFLYTA 17.7 MG TAB	5	<ul style="list-style-type: none"> <li>QL 28 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
VANFLYTA 26.5 MG TAB	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
VERZENIO	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VITRAKVI 100 MG CAP	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VITRAKVI 20 MG/ML SOLUTION	5	<ul style="list-style-type: none"> <li>QL 300 ML / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VITRAKVI 25 MG CAP	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VONJO	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
XALKORI (XALKORI 20 MG CAP SPRINK, XALKORI 50 MG CAP SPRINK)	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
XALKORI 150 MG CAP SPRINK	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
XALKORI 200 MG CAP	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XOSPATA	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ZEJULA (ZEJULA 100 MG TAB, ZEJULA 200 MG TAB, ZEJULA 300 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
ZEJULA 100 MG CAP	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ZELBORAF	5	<ul style="list-style-type: none"> <li>QL 240 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ZOLINZA	5	<ul style="list-style-type: none"> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
ZYDELIG	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ZYKADIA	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTINEOPLASTICS MISC.</b>		
ACTIMMUNE	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">PA<sup>2</sup></div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px; border-radius: 3px;">LA</div> </div> Non-Extended Day Supply
BESREMI	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #483D8B; color: white; padding: 2px; border-radius: 3px;">QL</div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">PA<sup>2</sup></div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px; border-radius: 3px;">LA</div> </div> 2 ML / 28 DAYS Non-Extended Day Supply
<i>bexarotene 75 mg cap</i>	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">PA<sup>2</sup></div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> </div> Non-Extended Day Supply
<i>hydroxyurea</i>	2	
MATULANE	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px; border-radius: 3px;">LA</div> </div> Non-Extended Day Supply
SYNRIBO	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">PA<sup>2</sup></div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px; border-radius: 3px;">LA</div> </div> Non-Extended Day Supply
<i>tretinoin 10 mg cap</i>	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> </div> Non-Extended Day Supply
<b>CHEMOTHERAPY RESCUE/ANTIDOTE/PROTECTIVE AGENTS</b>		
IWILFIN	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #483D8B; color: white; padding: 2px; border-radius: 3px;">QL</div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">PA<sup>2</sup></div> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> </div> 240 EA / 30 DAYS Non-Extended Day Supply
<i>leucovorin calcium (leucovorin calcium 5 mg tab, leucovorin calcium 10 mg tab, leucovorin calcium 15 mg tab, leucovorin calcium 25 mg tab)</i>	2	
MESNEX 400 MG TAB	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px; border-radius: 3px;">NDS</div> </div> Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIPARKINSON AND RELATED THERAPY AGENTS</b>		
<b>ANTIPARKINSON ADJUNCTIVE THERAPY</b>		
<i>carbidopa</i>	4	
NOURIANZ	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">30 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="margin-left: 5px;"></div> </div> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #993333; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #339999; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> <div style="margin-left: 5px;"></div> </div> </div>
<b>ANTIPARKINSON ANTICHOLINERGICS</b>		
<i>benztropine mesylate (benztropine mesylate 0.5 mg tab, benztropine mesylate 1 mg tab, benztropine mesylate 2 mg tab)</i>	2	
<i>trihexyphenidyl hcl (trihexyphenidyl hcl 2 mg tab, trihexyphenidyl hcl 5 mg tab)</i>	2	
TRIHEXYPHENIDYL HCL 0.4 MG/ML SOLUTION	2	
<b>ANTIPARKINSON COMT INHIBITORS</b>		
<i>entacapone</i>	4	
<i>tolcapone</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="margin-left: 5px;"></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #993333; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> </div>
<b>ANTIPARKINSON DOPAMINERGICS</b>		
<i>amantadine hcl (amantadine hcl 50 mg/5ml solution, amantadine hcl 100 mg cap, amantadine hcl 100 mg tab)</i>	2	
<i>bromocriptine mesylate</i>	4	
CARBIDOPA-LEVODOPA (CARBIDOPA-LEVODOPA 10-100 MG TAB DISP, CARBIDOPA-LEVODOPA 25-100 MG TAB DISP, CARBIDOPA-LEVODOPA 25-250 MG TAB DISP)	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>carbidopa-levodopa (carbidopa-levodopa 10-100 mg tab, carbidopa-levodopa 25-100 mg tab, carbidopa-levodopa 25-250 mg tab)</i>	2	
<i>carbidopa-levodopa er</i>	2	
<i>carbidopa-levodopa-entacapone 12.5-50-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 18.75-75-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 25-100-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 31.25-125-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 37.5-150-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 50-200-200 mg tab</i>	4	
<i>pramipexole dihydrochloride</i>	2	
<i>ropinirole hcl (ropinirole hcl 0.25 mg tab, ropinirole hcl 0.5 mg tab, ropinirole hcl 1 mg tab, ropinirole hcl 2 mg tab, ropinirole hcl 3 mg tab, ropinirole hcl 4 mg tab, ropinirole hcl 5 mg tab)</i>	2	
<i>ropinirole hcl er (ropinirole hcl er 2 mg tab er 24h, ropinirole hcl er 4 mg tab er 24h, ropinirole hcl er 6 mg tab er 24h, ropinirole hcl er 8 mg tab er 24h, ropinirole hcl er 12 mg tab er 24h)</i>	4	
RYTARY	4	
<b>ANTIPARKINSON MONOAMINE OXIDASE INHIBITORS</b>		
<i>rasagiline mesylate</i>	4	
<i>selegiline hcl</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIPSYCHOTICS/ANTIMANIC AGENTS</b>		
<b>ANTIMANIC AGENTS</b>		
<i>lithium</i>	2	
LITHIUM CARBONATE (LITHIUM CARBONATE 150 MG CAP, LITHIUM CARBONATE 300 MG CAP)	2	
<i>lithium carbonate (lithium carbonate 150 mg cap, lithium carbonate 300 mg cap, lithium carbonate 300 mg tab)</i>	2	
LITHIUM CARBONATE 600 MG CAP	2	
<i>lithium carbonate er</i>	2	
<b>ANTIPSYCHOTICS - MISC.</b>		
CAPLYTA	4	<span>QL</span> 30 EA / 30 DAYS <span>PA<sup>2</sup></span>
<i>lurasidone hcl</i>	2	
NUPLAZID	5	<span>QL</span> 30 EA / 30 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
VRAYLAR (VRAYLAR 1.5 MG CAP, VRAYLAR 3 MG CAP, VRAYLAR 4.5 MG CAP, VRAYLAR 6 MG CAP)	4	<span>QL</span> 30 EA / 30 DAYS
VRAYLAR 1.5 & 3 MG CAP THPK	4	<span>QL</span> 7 EA / 180 OVER TIME
<i>ziprasidone hcl</i>	2	
<i>ziprasidone mesylate</i>	4	<span>QL</span> 60 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>BENZISOXAZOLES</b>		
FANAPT	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">60 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>2</sup></div> </div>
FANAPT TITRATION PACK	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">8 EA / 180 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>2</sup></div> </div>
INVEGA HAFYERA 1092 MG/3.5ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">3.5 ML / 180 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA HAFYERA 1560 MG/5ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">5 ML / 180 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA SUSTENNA 117 MG/0.75ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">0.75 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA SUSTENNA 156 MG/ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">1 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA SUSTENNA 234 MG/1.5ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">1.5 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA SUSTENNA 39 MG/0.25ML SUSP PRSYR	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">0.25 ML / 28 DAYS</div> </div>
INVEGA SUSTENNA 78 MG/0.5ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">0.5 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA TRINZA 273 MG/0.88ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">0.88 ML / 90 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>
INVEGA TRINZA 410 MG/1.32ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">1.32 ML / 90 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c4863d; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">Non-Extended Day Supply</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
INVEGA TRINZA 546 MG/1.75ML SUSP PRSYR	5	<p>QL 1.75 ML / 90 OVER TIME</p> <p>NDS Non-Extended Day Supply</p>
INVEGA TRINZA 819 MG/2.63ML SUSP PRSYR	5	<p>QL 2.63 ML / 90 OVER TIME</p> <p>NDS Non-Extended Day Supply</p>
<i>paliperidone er (paliperidone er 1.5 mg tab er 24h, paliperidone er 3 mg tab er 24h, paliperidone er 9 mg tab er 24h)</i>	4	QL 30 EA / 30 DAYS
<i>paliperidone er 6 mg tab er 24h</i>	4	QL 60 EA / 30 DAYS
PERSERIS	5	<p>QL 1 EA / 30 DAYS</p> <p>NDS Non-Extended Day Supply</p>
<i>risperidone (risperidone 0.25 mg tab disp, risperidone 0.5 mg tab disp, risperidone 1 mg tab disp, risperidone 2 mg tab disp, risperidone 3 mg tab disp, risperidone 4 mg tab disp)</i>	4	
<i>risperidone (risperidone 0.25 mg tab, risperidone 0.5 mg tab, risperidone 1 mg tab, risperidone 2 mg tab, risperidone 3 mg tab, risperidone 4 mg tab)</i>	1	
<i>risperidone 1 mg/ml solution</i>	2	
<i>risperidone microspheres er (risperidone microspheres er 12.5 mg srer, risperidone microspheres er 25 mg srer)</i>	3	QL 2 EA / 28 DAYS
<i>risperidone microspheres er (risperidone microspheres er 37.5 mg srer, risperidone microspheres er 50 mg srer)</i>	5	<p>QL 2 EA / 28 DAYS</p> <p>NDS Non-Extended Day Supply</p>
UZEDY 100 MG/0.28ML SUSP PRSYR	5	<p>QL 0.28 ML / 30 DAYS</p> <p>NDS Non-Extended Day Supply</p>
UZEDY 125 MG/0.35ML SUSP PRSYR	5	<p>QL 0.35 ML / 30 DAYS</p> <p>NDS Non-Extended Day Supply</p>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.











DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
UZEDY 150 MG/0.42ML SUSP PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 0.42 ML / 60 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
UZEDY 200 MG/0.56ML SUSP PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 0.56 ML / 60 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
UZEDY 250 MG/0.7ML SUSP PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 0.7 ML / 60 OVER TIME</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
UZEDY 50 MG/0.14ML SUSP PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 0.14 ML / 30 DAYS</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
UZEDY 75 MG/0.21ML SUSP PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 0.21 ML / 30 DAYS</div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<b>BUTYROPHENONES</b>		
<i>haloperidol</i>	2	
<i>haloperidol decanoate</i>	4	
<i>haloperidol lactate 2 mg/ml conc</i>	2	
<i>haloperidol lactate 5 mg/ml solution</i>	4	
<b>DIBENZAPINES</b>		
<i>asenapine maleate</i>	4	<span>QL</span> 60 EA / 30 DAYS
<i>clozapine (clozapine 25 mg tab disp, clozapine 100 mg tab disp, clozapine 150 mg tab disp, clozapine 200 mg tab disp)</i>	4	
<i>clozapine (clozapine 25 mg tab, clozapine 50 mg tab, clozapine 100 mg tab, clozapine 200 mg tab)</i>	2	
CLOZAPINE 12.5 MG TAB DISP	4	
<i>loxapine succinate</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>olanzapine (olanzapine 2.5 mg tab, olanzapine 5 mg tab, olanzapine 7.5 mg tab, olanzapine 10 mg tab, olanzapine 15 mg tab, olanzapine 20 mg tab)</i>	2	
<i>olanzapine (olanzapine 5 mg tab disp, olanzapine 10 mg recon soln, olanzapine 10 mg tab disp, olanzapine 15 mg tab disp, olanzapine 20 mg tab disp)</i>	4	
<i>quetiapine fumarate (quetiapine fumarate 25 mg tab, quetiapine fumarate 50 mg tab, quetiapine fumarate 100 mg tab, quetiapine fumarate 200 mg tab, quetiapine fumarate 300 mg tab, quetiapine fumarate 400 mg tab)</i>	2	
<i>quetiapine fumarate er</i>	4	
SECUADO	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 30 EA / 30 DAYS</div> <div><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
VERSACLOZ	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
ZYPREXA RELPREVV 210 MG RECON SUSP	4	<div style="display: flex; flex-direction: column; gap: 5px;"> <div><span>QL</span> 2 EA / 28 DAYS</div> </div>
<b>DIHYDROINDOLONES</b>		
MOLINDONE HCL	4	
<b>PHENOTHIAZINES</b>		
<i>chlorpromazine hcl (chlorpromazine hcl 10 mg tab, chlorpromazine hcl 25 mg tab, chlorpromazine hcl 30 mg/ml conc, chlorpromazine hcl 50 mg tab, chlorpromazine hcl 100 mg tab, chlorpromazine hcl 100 mg/ml conc, chlorpromazine hcl 200 mg tab)</i>	4	
<i>compro</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>fluphenazine decanoate</i>	4	
<i>fluphenazine hcl (fluphenazine hcl 1 mg tab, fluphenazine hcl 2.5 mg tab, fluphenazine hcl 2.5 mg/5ml elixir, fluphenazine hcl 2.5 mg/ml solution, fluphenazine hcl 5 mg tab, fluphenazine hcl 5 mg/ml conc, fluphenazine hcl 10 mg tab)</i>	4	
<i>perphenazine</i>	4	
<i>prochlorperazine</i>	4	
<i>prochlorperazine maleate</i>	4	
<i>thioridazine hcl</i>	4	
<i>trifluoperazine hcl</i>	3	
<b>QUINOLINONE DERIVATIVES</b>		
ABILIFY ASIMTUFII 720 MG/2.4ML PRSYR	5	 2.4 ML / 56 OVER TIME  Non-Extended Day Supply
ABILIFY ASIMTUFII 960 MG/3.2ML PRSYR	5	 3.2 ML / 56 OVER TIME  Non-Extended Day Supply
ABILIFY MAINTENA	5	 1 EA / 28 DAYS  Non-Extended Day Supply
<i>aripiprazole (aripiprazole 10 mg tab disp, aripiprazole 15 mg tab disp)</i>	5	 60 EA / 30 DAYS  Non-Extended Day Supply
<i>aripiprazole (aripiprazole 2 mg tab, aripiprazole 5 mg tab, aripiprazole 10 mg tab, aripiprazole 15 mg tab, aripiprazole 20 mg tab, aripiprazole 30 mg tab)</i>	2	
<i>aripiprazole 1 mg/ml solution</i>	4	
ARISTADA 1064 MG/3.9ML PRSYR	5	 3.9 ML / 56 OVER TIME  Non-Extended Day Supply









You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ARISTADA 441 MG/1.6ML PRSYR	5	<span>QL</span> 1.6 ML / 28 DAYS <span>NDS</span> Non-Extended Day Supply
ARISTADA 662 MG/2.4ML PRSYR	5	<span>QL</span> 2.4 ML / 28 DAYS <span>NDS</span> Non-Extended Day Supply
ARISTADA 882 MG/3.2ML PRSYR	5	<span>QL</span> 3.2 ML / 28 DAYS <span>NDS</span> Non-Extended Day Supply
ARISTADA INITIO	5	<span>QL</span> 4.8 ML / 365 OVER TIME <span>NDS</span> Non-Extended Day Supply
REXULTI	5	<span>QL</span> 30 EA / 30 DAYS <span>NDS</span> Non-Extended Day Supply
<b>THIOXANTHENES</b>		
<i>thiothixene</i>	4	
<b>ANTIVIRALS</b>		
<b>ANTIRETROVIRALS</b>		
<i>abacavir sulfate 20 mg/ml solution</i>	4	
<i>abacavir sulfate 300 mg tab</i>	3	
<i>abacavir sulfate-lamivudine</i>	4	
<i>abacavir-lamivudine-zidovudine</i>	5	<span>NDS</span> Non-Extended Day Supply
APRETUDE	5	<span>NDS</span> Non-Extended Day Supply
APTIVUS 250 MG CAP	5	<span>NDS</span> Non-Extended Day Supply
<i>atazanavir sulfate</i>	4	
BIKTARVY	5	<span>NDS</span> Non-Extended Day Supply












You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
CABENUVA	5	NDS Non-Extended Day Supply
CIMDUO	5	NDS Non-Extended Day Supply
COMPLERA	4	
<i>darunavir</i>	5	NDS Non-Extended Day Supply
DELSTRIGO	5	NDS Non-Extended Day Supply
DESCOVY	5	QL 30 EA / 30 DAYS NDS Non-Extended Day Supply
DOVATO	5	NDS Non-Extended Day Supply
EDURANT	5	NDS Non-Extended Day Supply
EFAVIRENZ (EFAVIRENZ 50 MG CAP, EFAVIRENZ 200 MG CAP, EFAVIRENZ 600 MG TAB)	4	
<i>efavirenz-emtricitab-tenofo df</i>	5	NDS Non-Extended Day Supply
<i>efavirenz-lamivudine-tenofovir</i>	5	NDS Non-Extended Day Supply
<i>emtricitabine</i>	4	
<i>emtricitabine-tenofovir df (emtricitabine-tenofovir df 100-150 mg tab, emtricitabine-tenofovir df 133-200 mg tab, emtricitabine-tenofovir df 167-250 mg tab)</i>	5	QL 30 EA / 30 DAYS NDS Non-Extended Day Supply
<i>emtricitabine-tenofovir df 200-300 mg tab</i>	4	QL 30 EA / 30 DAYS
EMTRIVA 10 MG/ML SOLUTION	3	
<i>etravirine</i>	5	NDS Non-Extended Day Supply
EVOTAZ	5	NDS Non-Extended Day Supply
















You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>fosamprenavir calcium</i>	5	 Non-Extended Day Supply
FUZEON	5	 Non-Extended Day Supply
GENVOYA	5	 Non-Extended Day Supply
INTELENCE 25 MG TAB	3	
INVIRASE	5	 Non-Extended Day Supply
ISENTRESS (ISENTRESS 100 MG CHEW TAB, ISENTRESS 100 MG PACKET, ISENTRESS 400 MG TAB)	5	 Non-Extended Day Supply
ISENTRESS 25 MG CHEW TAB	3	
ISENTRESS HD	5	 Non-Extended Day Supply
JULUCA	5	 Non-Extended Day Supply
<i>lamivudine (lamivudine 10 mg/ml solution, lamivudine 150 mg tab, lamivudine 300 mg tab)</i>	4	
<i>lamivudine-zidovudine</i>	4	
LEXIVA 50 MG/ML SUSPENSION	4	
<i>lopinavir-ritonavir (lopinavir-ritonavir 100-25 mg tab, lopinavir-ritonavir 200-50 mg tab)</i>	2	
<i>lopinavir-ritonavir 400-100 mg/5ml solution</i>	4	
<i>maraviroc</i>	5	 Non-Extended Day Supply
<i>nevirapine 200 mg tab</i>	2	
NEVIRAPINE 50 MG/5ML SUSPENSION	4	
<i>nevirapine er (nevirapine er 100 mg tab er 24h, nevirapine er 400 mg tab er 24h)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
NORVIR 100 MG PACKET	3	
ODEFSEY	5	 Non-Extended Day Supply
PIFELTRO	5	 Non-Extended Day Supply
PREZCOBIX	5	 Non-Extended Day Supply
PREZISTA (PREZISTA 75 MG TAB, PREZISTA 150 MG TAB)	4	
PREZISTA 100 MG/ML SUSPENSION	5	 Non-Extended Day Supply
REYATAZ 50 MG PACKET	5	 Non-Extended Day Supply
<i>ritonavir</i>	2	
RUKOBIA	5	 Non-Extended Day Supply
SELZENTRY (SELZENTRY 20 MG/ML SOLUTION, SELZENTRY 75 MG TAB)	5	 Non-Extended Day Supply
SELZENTRY 25 MG TAB	3	
STRIBILD	5	 Non-Extended Day Supply
SUNLENCA (SUNLENCA 4 X 300 MG TAB THPK, SUNLENCA 5 X 300 MG TAB THPK)	5	 Non-Extended Day Supply
SYMTUZA	4	
TEMIXYS	5	 Non-Extended Day Supply
<i>tenofovir disoproxil fumarate</i>	2	
TIVICAY (TIVICAY 25 MG TAB, TIVICAY 50 MG TAB)	5	 Non-Extended Day Supply
TIVICAY 10 MG TAB	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
TIVICAY PD	5	 Non-Extended Day Supply
TRIUMEQ	5	 Non-Extended Day Supply
TRIUMEQ PD	5	 Non-Extended Day Supply
TRIZIVIR	5	 Non-Extended Day Supply
TROGARZO	5	 Non-Extended Day Supply 
VIRACEPT	5	 Non-Extended Day Supply
VIREAD (VIREAD 40 MG/GM POWDER, VIREAD 150 MG TAB, VIREAD 200 MG TAB, VIREAD 250 MG TAB)	5	 Non-Extended Day Supply
<i>zidovudine (zidovudine 50 mg/5ml syrup, zidovudine 100 mg cap, zidovudine 300 mg tab)</i>	2	
<b>ANTIVIRAL COMBINATIONS</b>		
PAXLOVID (150/100)	3	 20 EA / 5 OVER TIME  \$0 Copay
PAXLOVID (300/100)	3	 30 EA / 5 OVER TIME  \$0 Copay
<b>CMV AGENTS</b>		
PREVYMIS (PREVYMIS 240 MG TAB, PREVYMIS 480 MG TAB)	5	 30 EA / 30 DAYS  Non-Extended Day Supply
<i>valganciclovir hcl 450 mg tab</i>	2	
<i>valganciclovir hcl 50 mg/ml recon soln</i>	5	 Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>HEPATITIS AGENTS</b>		
<i>adefovir dipivoxil</i>	4	
BARACLUDE 0.05 MG/ML SOLUTION	5	NDS Non-Extended Day Supply
<i>entecavir</i>	4	QL 30 EA / 30 DAYS
<i>lamivudine 100 mg tab</i>	4	
LEDIPASVIR-SOFOSBUVIR	5	QL 28 EA / 28 DAYS PA NDS Non-Extended Day Supply
MAVYRET 100-40 MG TAB	5	QL 84 EA / 28 DAYS PA NDS Non-Extended Day Supply
MAVYRET 50-20 MG PACKET	5	QL 168 EA / 28 DAYS PA NDS Non-Extended Day Supply
PEGASYS	5	PA NDS Non-Extended Day Supply
RIBAVIRIN 200 MG CAP	2	
RIBAVIRIN 200 MG TAB	2	
SOFOSBUVIR-VELPATASVIR	5	QL 28 EA / 28 DAYS PA NDS Non-Extended Day Supply
VEMLIDY	5	NDS Non-Extended Day Supply
VOSEVI	5	QL 28 EA / 28 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>HERPES AGENTS</b>		
<i>acyclovir (acyclovir 200 mg cap, acyclovir 400 mg tab, acyclovir 800 mg tab)</i>	2	
<i>acyclovir 200 mg/5ml suspension</i>	4	
<i>acyclovir sodium</i>	4	PA <sup>3</sup>
<i>famciclovir</i>	2	
<i>valacyclovir hcl</i>	2	
<b>INFLUENZA AGENTS</b>		
<i>oseltamivir phosphate (oseltamivir phosphate 45 mg cap, oseltamivir phosphate 75 mg cap)</i>	3	QL 42 EA / 180 OVER TIME
<i>oseltamivir phosphate 30 mg cap</i>	3	QL 84 EA / 180 OVER TIME
<i>oseltamivir phosphate 6 mg/ml recon susp</i>	3	QL 540 ML / 180 OVER TIME
RIMANTADINE HCL	2	
XOFLUZA (40 MG DOSE) 1 X 40 MG TAB THPK	3	
XOFLUZA (80 MG DOSE) 1 X 80 MG TAB THPK	3	
<b>MISC. ANTIVIRALS</b>		
LAGEVRIO	3	QL 40 EA / 5 OVER TIME
<b>BETA BLOCKERS</b>		
<b>ALPHA-BETA BLOCKERS</b>		
<i>carvedilol</i>	1	
<i>labetalol hcl (labetalol hcl 100 mg tab, labetalol hcl 200 mg tab, labetalol hcl 300 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS / LIMITS</b>
<b>BETA BLOCKERS CARDIO-SELECTIVE</b>		
<i>acebutolol hcl</i>	2	
<i>atenolol</i>	1	
<i>betaxolol hcl (betaxolol hcl 10 mg tab, betaxolol hcl 20 mg tab)</i>	2	
<i>bisoprolol fumarate</i>	2	
<i>metoprolol succinate er</i>	1	
<i>metoprolol tartrate (metoprolol tartrate 25 mg tab, metoprolol tartrate 37.5 mg tab, metoprolol tartrate 50 mg tab, metoprolol tartrate 75 mg tab, metoprolol tartrate 100 mg tab)</i>	1	
<i>nebivolol hcl</i>	2	
<b>BETA BLOCKERS NON-SELECTIVE</b>		
<i>nadolol</i>	2	
<i>pindolol</i>	2	
<i>propranolol hcl (propranolol hcl 10 mg tab, propranolol hcl 20 mg tab, propranolol hcl 40 mg tab, propranolol hcl 60 mg tab, propranolol hcl 80 mg tab)</i>	1	
<i>propranolol hcl (propranolol hcl 20 mg/5ml solution, propranolol hcl 40 mg/5ml solution)</i>	2	
<i>propranolol hcl er</i>	2	
<i>sorine</i>	2	
<i>sotalol hcl (af)</i>	2	
<i>sotalol hcl (sotalol hcl 80 mg tab, sotalol hcl 120 mg tab, sotalol hcl 160 mg tab, sotalol hcl 240 mg tab)</i>	2	
<i>timolol maleate (timolol maleate 5 mg tab, timolol maleate 10 mg tab, timolol maleate 20 mg tab)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS / LIMITS</b>
<b>CALCIUM CHANNEL BLOCKERS</b>		
<b>CALCIUM CHANNEL BLOCKERS</b>		
<i>amlodipine besylate (amlodipine besylate 2.5 mg tab, amlodipine besylate 5 mg tab, amlodipine besylate 10 mg tab)</i>	1	
<i>cartia xt</i>	2	
<i>dilt-xr</i>	2	
<i>diltiazem hcl (diltiazem hcl 30 mg tab, diltiazem hcl 60 mg tab, diltiazem hcl 90 mg tab, diltiazem hcl 120 mg tab)</i>	2	
<i>diltiazem hcl er (diltiazem hcl er 60 mg cap er 12h, diltiazem hcl er 90 mg cap er 12h, diltiazem hcl er 120 mg cap er 12h, diltiazem hcl er 120 mg cap er 24h, diltiazem hcl er 120 mg tab er 24h, diltiazem hcl er 180 mg cap er 24h, diltiazem hcl er 180 mg tab er 24h, diltiazem hcl er 240 mg cap er 24h, diltiazem hcl er 240 mg tab er 24h, diltiazem hcl er 300 mg tab er 24h, diltiazem hcl er 360 mg tab er 24h, diltiazem hcl er 420 mg tab er 24h)</i>	2	
<i>diltiazem hcl er beads</i>	2	
<i>diltiazem hcl er coated beads</i>	2	
<i>felodipine er</i>	2	
<i>isradipine</i>	2	
<i>matzim la</i>	2	
<i>nicardipine hcl (nicardipine hcl 20 mg cap, nicardipine hcl 30 mg cap)</i>	4	
<i>nifedipine er</i>	2	
<i>nifedipine er osmotic release</i>	2	
<i>nimodipine</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>taztia xt</i>	2	
<i>tiadylt er</i>	2	
<i>verapamil hcl (verapamil hcl 40 mg tab, verapamil hcl 80 mg tab, verapamil hcl 120 mg tab)</i>	1	
VERAPAMIL HCL ER (VERAPAMIL HCL ER 100 MG CAP ER 24H, VERAPAMIL HCL ER 200 MG CAP ER 24H, VERAPAMIL HCL ER 300 MG CAP ER 24H)	4	
<i>verapamil hcl er (verapamil hcl er 120 mg cap er 24h, verapamil hcl er 120 mg tab er, verapamil hcl er 180 mg cap er 24h, verapamil hcl er 180 mg tab er, verapamil hcl er 240 mg cap er 24h, verapamil hcl er 240 mg tab er, verapamil hcl er 360 mg cap er 24h)</i>	2	
<b>CARDIOTONICS</b>		
<b>CARDIAC GLYCOSIDES</b>		
<i>digoxin (digoxin 0.05 mg/ml solution, digoxin 125 mcg tab, digoxin 250 mcg tab)</i>	2	
DIGOXIN 0.05 MG/ML SOLUTION	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>CARDIOVASCULAR AGENTS - MISC.</b>		
<b>CARDIOVASCULAR AGENTS MISC. - COMBINATIONS</b>		
<i>amlodipine-atorvastatin (amlodipine-atorvastatin 2.5-10 mg tab, amlodipine-atorvastatin 2.5-20 mg tab, amlodipine-atorvastatin 2.5-40 mg tab, amlodipine-atorvastatin 5-10 mg tab, amlodipine-atorvastatin 5-20 mg tab, amlodipine-atorvastatin 5-40 mg tab, amlodipine-atorvastatin 5-80 mg tab, amlodipine-atorvastatin 10-10 mg tab, amlodipine-atorvastatin 10-20 mg tab, amlodipine-atorvastatin 10-40 mg tab, amlodipine-atorvastatin 10-80 mg tab)</i>	2	
ENTRESTO (ENTRESTO 24-26 MG TAB, ENTRESTO 49-51 MG TAB, ENTRESTO 97-103 MG TAB)	3	QL 60 EA / 30 DAYS
<b>PULMONARY HYPERTENSION - ENDOTHELIN RECEPTOR ANTAGONISTS</b>		
<i>ambrisentan</i>	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply LA
<i>bosentan</i>	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply LA
OPSUMIT	5	PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
-----------	-----------	-----------------------

**PULMONARY HYPERTENSION - PHOSPHODIESTERASE INHIBITORS**

<i>alyq</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<i>sildenafil citrate 20 mg tab</i>	2	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> </div>
<i>tadalafil (pah)</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>

**PULMONARY HYPERTENSION - PROSTACYCLIN RECEPTOR AGONIST**

UPTRAVI (UPTRAVI 200 & 800 MCG TAB THPK, UPTRAVI 200 MCG TAB, UPTRAVI 400 MCG TAB, UPTRAVI 600 MCG TAB, UPTRAVI 800 MCG TAB, UPTRAVI 1000 MCG TAB, UPTRAVI 1200 MCG TAB, UPTRAVI 1400 MCG TAB, UPTRAVI 1600 MCG TAB)	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">LA</div> <div>Non-Extended Day Supply</div> </div>
--	---	---

**PULMONARY HYPERTENSION - SOL GUANYLATE CYCLASE STIMULATOR**

ADEMPAS	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">LA</div> <div>Non-Extended Day Supply</div> </div>
---------	---	---

**SINUS NODE INHIBITORS**

CORLANOR 5 MG TAB	3	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">QL</div> <div>60 EA / 30 DAYS</div> </div>
CORLANOR 5 MG/5ML SOLUTION	3	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">QL</div> <div>450 ML / 30 DAYS</div> </div>
CORLANOR 7.5 MG TAB	3	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">QL</div> <div>60 EA / 30 DAYS</div> </div>
<i>ivabradine hcl</i>	3	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">QL</div> <div>60 EA / 30 DAYS</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
-----------	-----------	-----------------------

**TRANSTHYRETIN STABILIZERS**

VYNDAMAX	4	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="background-color: #8e44ad; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="background-color: #f39c12; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #2980b9; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div>
----------	---	---

**VASOACTIVE SOLUBLE GUANYLATE CYCLASE STIMULATOR (SGC)**

VERQUVO	3	<div style="background-color: #8e44ad; color: white; padding: 2px 5px; border-radius: 3px;">QL</div>
---------	---	--

**CEPHALOSPORINS**

**CEPHALOSPORINS - 1ST GENERATION**


CEFADROXIL (CEFADROXIL 1 GM TAB, CEFADROXIL 250 MG/5ML RECON SUSP, CEFADROXIL 500 MG CAP, CEFADROXIL 500 MG/5ML RECON SUSP)	2	
<i>cefazolin sodium (cefazolin sodium 1 gm recon soln, cefazolin sodium 10 gm recon soln, cefazolin sodium 500 mg recon soln)</i>	2	
CEFAZOLIN SODIUM 100 GM RECON SOLN	2	
CEFAZOLIN SODIUM 2 GM RECON SOLN	2	
CEFAZOLIN SODIUM 300 GM RECON SOLN	2	
CEFAZOLIN SODIUM-DEXTROSE (CEFAZOLIN SODIUM-DEXTROSE 1-4 GM-%(50ML) RECON SOLN, CEFAZOLIN SODIUM-DEXTROSE 1-4 GM/50ML-% SOLUTION, CEFAZOLIN SODIUM-DEXTROSE 2-3 GM-%(50ML) RECON SOLN)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>cephalexin (cephalexin 125 mg/5ml recon susp, cephalexin 250 mg cap, cephalexin 250 mg/5ml recon susp, cephalexin 500 mg cap)</i>	1	
<b>CEPHALOSPORINS - 2ND GENERATION</b>		
CEFACLOR (CEFACLOR 250 MG CAP, CEFACLOR 500 MG CAP)	2	
<i>cefotetan disodium</i>	4	
CEFOTETAN DISODIUM-DEXTROSE	4	
<i>cefoxitin sodium (cefoxitin sodium 1 gm recon soln, cefoxitin sodium 2 gm recon soln, cefoxitin sodium 10 gm recon soln)</i>	4	
CEFOXITIN SODIUM-DEXTROSE	4	
<i>cefprozil (cefprozil 125 mg/5ml recon susp, cefprozil 250 mg tab, cefprozil 250 mg/5ml recon susp, cefprozil 500 mg tab)</i>	2	
<i>cefuroxime axetil</i>	2	
<i>cefuroxime sodium</i>	2	
<b>CEPHALOSPORINS - 3RD GENERATION</b>		
<i>cefdinir (cefdinir 125 mg/5ml recon susp, cefdinir 250 mg/5ml recon susp, cefdinir 300 mg cap)</i>	2	
<i>cefixime (cefixime 100 mg/5ml recon susp, cefixime 200 mg/5ml recon susp, cefixime 400 mg cap)</i>	4	
<i>cefpodoxime proxetil (cefpodoxime proxetil 50 mg/5ml recon susp, cefpodoxime proxetil 100 mg tab, cefpodoxime proxetil 100 mg/5ml recon susp, cefpodoxime proxetil 200 mg tab)</i>	4	
<i>ceftazidime (ceftazidime 2 gm recon soln, ceftazidime 6 gm recon soln)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
CEFTAZIDIME AND DEXTROSE	4	
<i>ceftriaxone sodium (ceftriaxone sodium 1 gm recon soln, ceftriaxone sodium 2 gm recon soln, ceftriaxone sodium 10 gm recon soln, ceftriaxone sodium 100 gm recon soln)</i>	4	
<i>ceftriaxone sodium (ceftriaxone sodium 250 mg recon soln, ceftriaxone sodium 500 mg recon soln)</i>	2	
CEFTRIAZONE SODIUM IN DEXTROSE	4	
CEFTRIAZONE SODIUM-DEXTROSE	4	
<i>tazicef 1 gm recon soln</i>	4	
<i>tazicef 2 gm recon soln</i>	4	
TAZICEF 6 GM RECON SOLN	4	
<b>CEPHALOSPORINS - 4TH GENERATION</b>		
<i>cefepime hcl (cefepime hcl 1 gm recon soln, cefepime hcl 1 gm/50ml solution, cefepime hcl 2 gm recon soln, cefepime hcl 2 gm/100ml solution)</i>	4	
CEFEPIME-DEXTROSE	4	
<b>CEPHALOSPORINS - 5TH GENERATION</b>		
TEFLARO	5	 Non-Extended Day Supply
<b>CONTRACEPTIVES</b>		
<b>COMBINATION CONTRACEPTIVES - ORAL</b>		
<i>altavera</i>	2	
<i>alyacen 1/35</i>	2	
<i>apri</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>aranelle</i>	2	
<i>aubra</i>	2	
<i>aubra eq</i>	2	
<i>aviane</i>	2	
<i>blisovi 24 fe</i>	4	
<i>blisovi fe 1.5/30</i>	4	
<i>camrese</i>	2	
<i>camrese lo</i>	4	
<i>cryselle-28</i>	2	
<i>cyred</i>	2	
<i>cyred eq</i>	2	
<i>desogestrel-ethinyl estradiol 0.15-0.02/0.01 mg (21/5) tab</i>	4	
<i>desogestrel-ethinyl estradiol 0.15-30 mg-mcg tab</i>	2	
<i>drospirenone-ethinyl estradiol</i>	4	
<i>enpresse-28</i>	2	
<i>enskyce</i>	2	
<i>estarylla</i>	2	
<i>ethynodiol diac-eth estradiol</i>	2	
<i>falmina</i>	2	
<i>femynor</i>	2	
<i>hailey 24 fe</i>	4	
<i>introvale</i>	4	
<i>isibloom</i>	2	
<i>jasmiel</i>	4	
<i>joyeaux</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>juleber</i>	2	
<i>junel 1.5/30</i>	4	
<i>junel 1/20</i>	4	
<i>junel fe 1.5/30</i>	4	
<i>junel fe 1/20</i>	4	
<i>junel fe 24</i>	4	
<i>kaitlib fe</i>	4	
<i>kariva</i>	4	
<i>kelnor 1/35</i>	2	
<i>kelnor 1/50</i>	2	
<i>kurvelo</i>	2	
<i>larin 1.5/30</i>	2	
<i>larin 1/20</i>	2	
<i>larin fe 1.5/30</i>	2	
<i>larin fe 1/20</i>	2	
<i>larissia</i>	2	
<i>lessina</i>	2	
<i>levonest</i>	2	
<i>levonorg-eth estrad triphasic</i>	2	
<i>levonorgest-eth est &amp; eth est</i>	4	
<i>levonorgest-eth estrad 91-day</i> ( <i>levonorgest-eth estrad 91-day 0.1-0.02 &amp; 0.01 mg tab, levonorgest-eth estrad 91-day 0.15-0.03 &amp; 0.01 mg tab</i> )	4	
<i>levonorgest-eth estrad 91-day 0.15-0.03 mg tab</i>	2	
<i>levonorgest-eth estradiol-iron</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>levonorgestrel-ethinyl estrad (levonorgestrel-ethinyl estrad 0.1-20 mcg tab, levonorgestrel-ethinyl estrad 0.15-30 mg-mcg tab, levonorgestrel-ethinyl estrad 90-20 mcg tab)</i>	2	
<i>levora 0.15/30 (28)</i>	2	
<i>loryna</i>	2	
<i>low-ogestrel</i>	2	
<i>lutra</i>	2	
<i>marlissa</i>	2	
<i>melodetta 24 fe</i>	2	
<i>mibelas 24 fe</i>	2	
<i>microgestin 1.5/30</i>	2	
<i>microgestin 1/20</i>	2	
<i>microgestin fe 1.5/30</i>	2	
<i>microgestin fe 1/20</i>	2	
<i>mili</i>	2	
<i>nikki</i>	4	
<i>norethin ace-eth estrad-fe 1-20 mg-mcg tab</i>	2	
<i>norethindrone acet-ethinyl est 1-20 mg-mcg tab</i>	2	
<i>norgestim-eth estrad triphasic</i>	2	
<i>norgestimate-eth estradiol</i>	2	
<i>nortrel 0.5/35 (28)</i>	2	
<i>nortrel 1/35 (21)</i>	2	
<i>nortrel 1/35 (28)</i>	2	
<i>nortrel 7/7/7</i>	2	
<i>nylia 1/35</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pimtrea</i>	4	
<i>pirmella 1/35</i>	2	
<i>portia-28</i>	2	
<i>reclipsen</i>	2	
<i>setlakin</i>	2	
<i>sprintec 28</i>	2	
<i>sronyx</i>	2	
<i>syeda</i>	4	
<i>tarina 24 fe</i>	4	
<i>tarina fe 1/20</i>	2	
<i>tarina fe 1/20 eq</i>	2	
<i>tilia fe</i>	4	
<i>tri femynor</i>	2	
<i>tri-estarylla</i>	2	
<i>tri-legest fe</i>	2	
<i>tri-lo-estarylla</i>	2	
<i>tri-lo-sprintec</i>	2	
<i>tri-mili</i>	4	
<i>tri-sprintec</i>	2	
<i>tri-vylibra</i>	4	
<i>trivora (28)</i>	2	
<i>turqoz</i>	2	
TYBLUME	4	
<i>tydemy</i>	4	
VELIVET	2	
<i>vestura</i>	2	
<i>vienva</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>vyfemla</i>	4	
<i>vylibra</i>	4	
<i>wymzya fe</i>	4	
<i>zovia 1/35 (28)</i>	2	
<i>zovia 1/35e (28)</i>	2	
<b>COMBINATION CONTRACEPTIVES - TRANSDERMAL</b>		
<i>norelgestromin-eth estradiol</i>	4	
<i>xulane</i>	4	
<i>zafemy</i>	4	
<b>COMBINATION CONTRACEPTIVES - VAGINAL</b>		
ANNOVERA	4	QL 1 EA / 365 OVER TIME
<i>eluryng</i>	4	
<i>enilloring</i>	4	
<i>etonogestrel-ethinyl estradiol</i>	4	
<i>haloette</i>	4	
<b>PROGESTIN CONTRACEPTIVES - INJECTABLE</b>		
DEPO-SUBQ PROVERA 104	3	
<i>medroxyprogesterone acetate (medroxyprogesterone acetate 150 mg/ml susp prsyr, medroxyprogesterone acetate 150 mg/ml suspension)</i>	2	
<b>PROGESTIN CONTRACEPTIVES - ORAL</b>		
<i>camila</i>	2	
<i>deblitane</i>	2	
<i>emzahh</i>	2	
<i>errin</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>heather</i>	2	
<i>incassia</i>	2	
<i>jencycla</i>	2	
<i>lyleq</i>	2	
<i>lyza</i>	2	
<i>nora-be</i>	2	
<i>norethindrone</i>	2	
<i>norlyda</i>	2	
<i>norlyroc</i>	2	
<i>sharobel</i>	2	
SLYND	4	
<i>tulana</i>	2	
<b>CORTICOSTEROIDS</b>		
<b>GLUCOCORTICOSTEROIDS</b>		
<i>budesonide 3 mg cp dr part</i>	3	
<i>budesonide er</i>	5	<span>QL</span> 30 EA / 30 DAYS <span>PA</span> <span>NDS</span> Non-Extended Day Supply
<i>decadron (decadron 0.5 mg tab, decadron 0.75 mg tab)</i>	1	
<i>dexamethasone (dexamethasone 0.5 mg tab, dexamethasone 0.75 mg tab, dexamethasone 1 mg tab, dexamethasone 1.5 mg tab, dexamethasone 2 mg tab, dexamethasone 4 mg tab, dexamethasone 6 mg tab)</i>	1	
DEXAMETHASONE INTENSOL	2	
DEXAMETHASONE SOD PHOS +RFID	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>dexamethasone sodium phosphate (dexamethasone sodium phosphate 4 mg/ml soln prsyr, dexamethasone sodium phosphate 4 mg/ml solution)</i>	2	
<i>hydrocortisone (hydrocortisone 5 mg tab, hydrocortisone 10 mg tab, hydrocortisone 20 mg tab)</i>	2	
<i>methylprednisolone (methylprednisolone 4 mg tab, methylprednisolone 8 mg tab, methylprednisolone 16 mg tab, methylprednisolone 32 mg tab)</i>	2	PA <sup>3</sup>
<i>methylprednisolone 4 mg tab thpk</i>	2	
<i>prednisolone 15 mg/5ml solution</i>	3	PA <sup>3</sup>
<i>prednisolone sodium phosphate 15 mg/5ml solution</i>	3	PA <sup>3</sup>
<i>prednisolone sodium phosphate 20 mg/5ml solution</i>	4	PA <sup>3</sup>
<i>prednisolone sodium phosphate 25 mg/5ml solution</i>	2	PA <sup>3</sup>
<i>prednisolone sodium phosphate 6.7 (5 base) mg/5ml solution</i>	2	PA <sup>3</sup>
<i>prednisone (prednisone 1 mg tab, prednisone 2.5 mg tab, prednisone 5 mg tab, prednisone 10 mg tab, prednisone 20 mg tab, prednisone 50 mg tab)</i>	1	PA <sup>3</sup>
<i>prednisone (prednisone 5 mg (21) tab thpk, prednisone 5 mg (48) tab thpk, prednisone 10 mg (21) tab thpk, prednisone 10 mg (48) tab thpk)</i>	1	
PREDNISONE 5 MG/5ML SOLUTION	2	PA <sup>3</sup>
PREDNISONE INTENSOL	4	PA <sup>3</sup>
SOLU-CORTEF	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SOLU-MEDROL (PF)	4	
SOLU-MEDROL 1000 MG RECON SOLN	4	
SOLU-MEDROL 2 GM RECON SOLN	4	
SOLU-MEDROL 500 MG RECON SOLN	4	
<b>MINERALOCORTICOIDS</b>		
<i>fludrocortisone acetate</i>	2	
<b>COUGH/COLD/ALLERGY</b>		
<b>MUCOLYTICS</b>		
<i>acetylcysteine (acetylcysteine 10 % solution, acetylcysteine 20 % solution)</i>	2	PA <sup>3</sup>
<b>DERMATOLOGICALS</b>		
<b>ACNE PRODUCTS</b>		
<i>accutane</i>	4	
<i>amnestem</i>	4	
<i>avita 0.025 % cream</i>	4	QL 45 GM / 30 DAYS PA
<i>claravis</i>	4	
<i>clindamycin phosphate (clindamycin phosphate 1 % lotion, clindamycin phosphate 1 % solution)</i>	2	QL 60 ML / 30 DAYS
<i>clindamycin phosphate 1 % gel</i>	2	QL 75 GM / 30 DAYS
ERY	3	QL 60 EA / 30 DAYS
<i>erythromycin 2 % solution</i>	2	QL 60 ML / 30 DAYS
<i>isotretinoin</i>	4	
<i>sulfacetamide sodium (acne)</i>	4	QL 118 ML / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>tretinoin (tretinoin 0.01 % gel, tretinoin 0.025 % gel, tretinoin 0.05 % gel)</i>	3	QL 45 GM / 30 DAYS PA
<i>tretinoin (tretinoin 0.025 % cream, tretinoin 0.05 % cream, tretinoin 0.1 % cream)</i>	4	QL 45 GM / 30 DAYS PA
<i>zenatane</i>	4	
<b>ANTI-INFLAMMATORY AGENTS - TOPICAL</b>		
<i>diclofenac 1% gel</i>	2	QL 1000 GM / 30 DAYS
<b>ANTIBIOTICS - TOPICAL</b>		
<i>gentamicin sulfate 0.1 % cream</i>	2	QL 30 GM / 30 DAYS
<i>gentamicin sulfate 0.1 % ointment</i>	2	QL 120 GM / 30 DAYS
<i>mupirocin 2% ointment</i>	2	QL 220 GM / 30 DAYS
<b>ANTIFUNGALS - TOPICAL</b>		
<i>ciclopirox 0.77 % gel</i>	2	QL 100 GM / 30 DAYS
<i>ciclopirox 1 % shampoo</i>	2	QL 120 ML / 30 DAYS
<i>ciclopirox 8 % solution</i>	2	QL 13.2 ML / 30 DAYS
<i>ciclopirox olamine 0.77 % cream</i>	2	QL 90 GM / 30 DAYS
<i>ciclopirox olamine 0.77 % suspension</i>	2	QL 60 ML / 30 DAYS
<i>clotrimazole (lotrimin)</i>	2	QL 30 ML / 28 OVER TIME
<i>clotrimazole-betamethasone 1-0.05 % cream</i>	2	QL 90 GM / 30 DAYS
<i>econazole nitrate</i>	4	QL 85 GM / 30 DAYS
<i>ketconazole 2 % cream</i>	2	QL 120 GM / 30 DAYS
<i>ketconazole 2 % shampoo</i>	2	QL 240 ML / 30 DAYS
<i>klayesta</i>	2	QL 60 GM / 30 DAYS
<i>nyamyc</i>	2	QL 60 GM / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>nystatin (nystatin 100000 unit/gm cream, nystatin 100000 unit/gm ointment)</i>	2	QL 30 GM / 30 DAYS
<i>nystatin 100000 unit/gm powder</i>	2	QL 60 GM / 30 DAYS
<i>nystatin-triamcinolone</i>	3	QL 60 GM / 30 DAYS
<i>nystop</i>	2	QL 60 GM / 30 DAYS

### ANTINEOPLASTIC OR PREMALIGNANT LESION AGENTS - TOPICAL

<i>bexarotene 1 % gel</i>	5	QL 60 GM / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
<i>diclofenac sodium 3 % gel</i>	4	QL 100 GM / 30 DAYS PA
FLUOROURACIL (FLUOROURACIL 2 % SOLUTION, FLUOROURACIL 5 % SOLUTION)	2	QL 10 ML / 30 DAYS
<i>fluorouracil 5 % cream</i>	2	QL 40 GM / 30 DAYS
PANRETIN	5	PA <sup>2</sup> NDS Non-Extended Day Supply
VALCHLOR	5	QL 240 GM / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA

### ANTIPSORIATICS

<i>acitretin</i>	4	
<i>calcipotriene (calcipotriene 0.005 % cream, calcipotriene 0.005 % ointment)</i>	4	QL 120 GM / 30 DAYS
CALCIPOTRIENE 0.005 % SOLUTION	3	QL 120 ML / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
CALCITRIOL 3 MCG/GM OINTMENT	4	
METHOXSALLEN RAPID	5	NDS Non-Extended Day Supply
SKYRIZI 150 MG/ML SOLN PRSYR	5	QL 2 ML / 28 DAYS PA NDS Non-Extended Day Supply
SKYRIZI PEN	5	QL 2 ML / 28 DAYS PA NDS Non-Extended Day Supply
STELARA (STELARA 45 MG/0.5ML SOLN PRSYR, STELARA 45 MG/0.5ML SOLUTION)	5	QL 0.5 ML / 28 DAYS PA NDS Non-Extended Day Supply
STELARA 90 MG/ML SOLN PRSYR	5	QL 1 ML / 28 DAYS PA NDS Non-Extended Day Supply
TALTZ (TALTZ 80 MG/ML SOLN A-INJ, TALTZ 80 MG/ML SOLN PRSYR)	5	QL 1 ML / 28 DAYS PA NDS Non-Extended Day Supply LA
<i>tazarotene (tazarotene 0.05 % gel, tazarotene 0.1 % cream, tazarotene 0.1 % gel)</i>	4	QL 60 GM / 30 DAYS PA
<b>ANTISEBORRHEIC PRODUCTS</b>		
<i>selenium sulfide 2.5 % lotion</i>	2	
<b>ANTIVIRALS - TOPICAL</b>		
<i>acyclovir 5 % ointment</i>	4	QL 30 GM / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>penciclovir</i>	4	QL 5 GM / 7 OVER TIME
<b>BURN PRODUCTS</b>		
<i>silver sulfadiazine</i>	2	
<i>ssd</i>	2	
SULFAMYLON 85 MG/GM CREAM	3	QL 453.6 GM / 30 DAYS
<b>CORTICOSTEROIDS - TOPICAL</b>		
<i>betamethasone dipropionate (betamethasone dipropionate 0.05 % cream, betamethasone dipropionate 0.05 % ointment)</i>	2	QL 90 GM / 30 DAYS
<i>betamethasone dipropionate 0.05 % lotion</i>	2	QL 120 ML / 30 DAYS
<i>betamethasone dipropionate aug (betamethasone dipropionate aug 0.05 % cream, betamethasone dipropionate aug 0.05 % gel, betamethasone dipropionate aug 0.05 % ointment)</i>	2	QL 100 GM / 30 DAYS
<i>betamethasone dipropionate aug 0.05 % lotion</i>	2	QL 120 ML / 30 DAYS
<i>betamethasone valerate (betamethasone valerate 0.1 % cream, betamethasone valerate 0.1 % ointment)</i>	2	QL 180 GM / 30 DAYS
<i>betamethasone valerate 0.1 % lotion</i>	2	QL 120 ML / 30 DAYS
<i>clobetasol prop emollient base</i>	4	QL 120 GM / 30 DAYS
<i>clobetasol propionate (clobetasol propionate 0.05 % cream, clobetasol propionate 0.05 % gel, clobetasol propionate 0.05 % ointment)</i>	4	QL 120 GM / 30 DAYS
<i>clobetasol propionate 0.05 % foam</i>	4	QL 100 GM / 30 DAYS
<i>clobetasol propionate 0.05 % lotion</i>	4	QL 118 ML / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>clobetasol propionate 0.05 % shampoo</i>	4	QL 236 ML / 30 DAYS
<i>clobetasol propionate 0.05 % solution</i>	4	QL 100 ML / 30 DAYS
<i>clobetasol propionate e</i>	4	QL 120 GM / 30 DAYS
<i>clodan 0.05 % shampoo</i>	4	QL 236 ML / 30 DAYS
<i>desonide (desonide 0.05 % cream, desonide 0.05 % ointment)</i>	4	QL 120 GM / 30 DAYS
<i>fluocinolone acetonide 0.01 % solution</i>	4	QL 90 ML / 30 DAYS
<i>fluocinolone acetonide 0.025 % ointment</i>	4	QL 120 GM / 30 DAYS
<i>fluocinolone acetonide body</i>	4	QL 120 ML / 30 DAYS
<i>fluocinolone acetonide scalp</i>	4	QL 120 ML / 30 DAYS
<i>fluocinonide (fluocinonide 0.05 % cream, fluocinonide 0.05 % ointment)</i>	2	QL 60 GM / 30 DAYS
FLUOCINONIDE 0.05 % GEL	2	QL 60 GM / 30 DAYS
<i>fluocinonide 0.05 % solution</i>	2	QL 60 ML / 30 DAYS
<i>halobetasol propionate 0.05 % cream</i>	2	
<i>halobetasol propionate 0.05 % ointment</i>	4	QL 50 GM / 30 DAYS
<i>hydrocortisone</i>	2	QL 240 GM / 30 DAYS
HYDROCORTISONE 2.5 % LOTION	2	QL 118 ML / 30 DAYS
<i>mometasone furoate (mometasone furoate 0.1 % cream, mometasone furoate 0.1 % ointment)</i>	2	QL 180 GM / 30 DAYS
<i>mometasone furoate 0.1 % solution</i>	2	QL 180 ML / 30 DAYS
<i>triamcinolone acetonide (triamcinolone acetonide 0.025 % cream, triamcinolone acetonide 0.025 % ointment, triamcinolone acetonide 0.5 % cream)</i>	2	QL 454 GM / 30 DAYS
<i>triamcinolone acetonide (triamcinolone acetonide 0.025 % lotion, triamcinolone acetonide 0.1 % lotion)</i>	2	QL 120 ML / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.





DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>triamcinolone acetonide (triamcinolone acetonide 0.1 % cream, triamcinolone acetonide 0.1 % ointment)</i>	1	QL 454 GM / 30 DAYS
<i>triamcinolone acetonide 0.5 % ointment</i>	2	QL 120 GM / 30 DAYS
<i>triderm</i>	2	QL 454 GM / 30 DAYS
<b>ECZEMA AGENTS</b>		
ADBRY 150 MG/ML SOLN PRSYR	5	QL 6 ML / 28 DAYS PA NDS Non-Extended Day Supply LA
DUPIXENT (DUPIXENT 200 MG/1.14ML SOLN PEN, DUPIXENT 200 MG/1.14ML SOLN PRSYR)	5	QL 4.56 ML / 28 DAYS PA NDS Non-Extended Day Supply
DUPIXENT (DUPIXENT 300 MG/2ML SOLN PEN, DUPIXENT 300 MG/2ML SOLN PRSYR)	5	QL 8 ML / 28 DAYS PA NDS Non-Extended Day Supply
DUPIXENT 100 MG/0.67ML SOLN PRSYR	5	QL 1.34 ML / 28 DAYS PA NDS Non-Extended Day Supply
<b>EMOLLIENTS</b>		
<i>ammonium lactate (amlactin)</i>	2	
<b>ENZYMES - TOPICAL</b>		
SANTYL	3	QL 180 GM / 30 OVER TIME
<b>IMMUNOMODULATING AGENTS - TOPICAL</b>		
<i>imiquimod 5 % cream</i>	2	QL 24 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>IMMUNOSUPPRESSIVE AGENTS - TOPICAL</b>		
<i>pimecrolimus</i>	4	QL 100 GM / 30 DAYS
<i>tacrolimus (tacrolimus 0.03 % ointment, tacrolimus 0.1 % ointment)</i>	4	QL 100 GM / 30 DAYS
<b>KERATOLYTIC/ANTIMITOTIC AGENTS</b>		
PODOFILOX 0.5 % SOLUTION	2	QL 7 ML / 30 DAYS
<b>LOCAL ANESTHETICS - TOPICAL</b>		
<i>lidocaine hcl 4 % solution</i>	2	QL 50 ML / 30 DAYS
LIDOCAINE HCL URETHRAL/MUCOSAL (LIDOCAINE HCL URETHRAL/MUCOSAL 2 % GEL, LIDOCAINE HCL URETHRAL/MUCOSAL 2 % PRSYR)	2	QL 60 ML / 7 OVER TIME
<i>lidocaine patches</i>	4	QL 90 EA / 30 DAYS PA
<i>lidocaine-prilocaine 2.5-2.5 % cream</i>	2	QL 30 GM / 30 DAYS
<b>ROSACEA AGENTS</b>		
<i>azelaic acid</i>	4	QL 50 GM / 30 DAYS
<i>ivermectin 1 % cream</i>	2	QL 60 GM / 30 OVER TIME
<i>metronidazole (metronidazole 0.75 % cream, metronidazole 0.75 % gel)</i>	4	QL 45 GM / 30 DAYS
<i>metronidazole 0.75 % lotion</i>	4	QL 59 ML / 30 DAYS
<i>metronidazole 1 % gel</i>	4	QL 60 GM / 30 DAYS
<b>SCABICIDES PEDICULICIDES</b>		
LINDANE	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>malathion</i>	4	
<i>permethrin (nix)</i>	3	
<b>WOUND CARE PRODUCTS</b>		
REGRANEX	5	 Non-Extended Day Supply
<b>DIAGNOSTIC PRODUCTS</b>		
<b>DIAGNOSTIC TESTS</b>		
ONETOUCH ULTRA	Part B Covered	
ONETOUCH ULTRA TEST	Part B Covered	
ONETOUCH VERIO STRIP	Part B Covered	
<b>DIGESTIVE AIDS</b>		
<b>DIGESTIVE ENZYMES</b>		
CREON	3	
SUCRAID	5	  Non-Extended Day Supply 
<b>DIURETICS</b>		
<b>CARBONIC ANHYDRASE INHIBITORS</b>		
<i>acetazolamide (acetazolamide 125 mg tab, acetazolamide 250 mg tab)</i>	2	
<i>acetazolamide er</i>	2	
<i>methazolamide (methazolamide 25 mg tab, methazolamide 50 mg tab)</i>	4	
<b>DIURETIC COMBINATIONS</b>		
AMILORIDE-HYDROCHLOROTHIAZIDE 5-50 MG TAB	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS / LIMITS</b>
<i>spironolactone-hctz</i>	2	
<i>triamterene-hctz</i>	1	
<b>LOOP DIURETICS</b>		
<i>bumetanide (bumetanide 0.25 mg/ml solution, bumetanide 0.5 mg tab, bumetanide 1 mg tab, bumetanide 2 mg tab)</i>	2	
<i>ethacrynic acid</i>	4	
<i>furosemide (furosemide 20 mg tab, furosemide 40 mg tab, furosemide 80 mg tab)</i>	1	
<i>furosemide (furosemide 8 mg/ml solution, furosemide 10 mg/ml solution)</i>	2	
<i>torseamide</i>	2	
<b>POTASSIUM SPARING DIURETICS</b>		
<i>amiloride hcl</i>	2	
<i>spironolactone (spironolactone 25 mg tab, spironolactone 50 mg tab, spironolactone 100 mg tab)</i>	1	
<b>THIAZIDES AND THIAZIDE-LIKE DIURETICS</b>		
<i>chlorthalidone</i>	1	
<i>hydrochlorothiazide (hydrochlorothiazide 12.5 mg cap, hydrochlorothiazide 12.5 mg tab, hydrochlorothiazide 25 mg tab, hydrochlorothiazide 50 mg tab)</i>	1	
<i>indapamide</i>	1	
<i>metolazone</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ENDOCRINE AND METABOLIC AGENTS - MISC.</b>		
<b>BONE DENSITY REGULATORS</b>		
<i>alendronate sodium (alendronate sodium 10 mg tab, alendronate sodium 35 mg tab, alendronate sodium 70 mg tab)</i>	1	
<i>alendronate sodium 70 mg/75ml solution</i>	4	
<i>calcitonin (salmon) 200 unit/act solution</i>	3	
<i>ibandronate sodium 150 mg tab</i>	2	QL 1 EA / 30 DAYS
<i>risedronate sodium (risedronate sodium 5 mg tab, risedronate sodium 30 mg tab, risedronate sodium 35 mg tab, risedronate sodium 150 mg tab)</i>	2	
<i>risedronate sodium 35 mg tab dr</i>	4	
<i>teriparatide</i>	5	QL 2.48 ML / 28 DAYS PA NDS Non-Extended Day Supply
TERIPARATIDE (RECOMBINANT) (TERIPARATIDE (RECOMBINANT) 600 MCG/2.4ML SOLN PEN, TERIPARATIDE (RECOMBINANT) 620 MCG/2.48ML SOLN PEN)	5	QL 2.48 ML / 28 DAYS PA NDS Non-Extended Day Supply
XGEVA	5	QL 1.7 ML / 28 DAYS PA NDS Non-Extended Day Supply
<b>GROWTH HORMONE RECEPTOR ANTAGONISTS</b>		
SOMAVERT	5	PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>GROWTH HORMONES</b>		
OMNITROPE (OMNITROPE 5 MG/1.5ML SOLN CART, OMNITROPE 5.8 MG RECON SOLN, OMNITROPE 10 MG/1.5ML SOLN CART)	5	PA NDS Non-Extended Day Supply
SKYTROFA	5	PA NDS Non-Extended Day Supply LA
<b>HORMONE RECEPTOR MODULATORS</b>		
OSPHENA	4	
<i>raloxifene hcl</i>	2	
<b>INSULIN-LIKE GROWTH FACTORS (SOMATOMEDINS)</b>		
INCRELEX	5	PA NDS Non-Extended Day Supply LA
<b>METABOLIC MODIFIERS</b>		
<i>betaine</i>	5	NDS Non-Extended Day Supply LA
<i>calcitriol (calcitriol 0.25 mcg cap, calcitriol 0.5 mcg cap)</i>	2	
<i>calcitriol 1 mcg/ml solution</i>	4	
<i>carglumic acid</i>	5	PA NDS Non-Extended Day Supply LA
<i>cinacalcet hcl</i>	4	PA
<i>doxercalciferol (doxercalciferol 0.5 mcg cap, doxercalciferol 1 mcg cap, doxercalciferol 2.5 mcg cap)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>levocarnitine (levocarnitine 1 gm/10ml solution, levocarnitine 330 mg tab)</i>	2	
<i>levocarnitine sf</i>	2	
NEXVIAZYME	5	PA NDS Non-Extended Day Supply LA
<i>nitisinone</i>	5	PA NDS Non-Extended Day Supply
OPFOLDA	4	QL 8 EA / 28 DAYS
<i>paricalcitol (paricalcitol 1 mcg cap, paricalcitol 2 mcg cap, paricalcitol 4 mcg cap)</i>	4	
<i>sapropterin dihydrochloride (sapropterin dihydrochloride 100 mg packet, sapropterin dihydrochloride 500 mg packet)</i>	5	PA NDS Non-Extended Day Supply LA
<i>sodium phenylbutyrate 500 mg tab</i>	5	PA NDS Non-Extended Day Supply
<b>MINERALOCORTICOID RECEPTOR ANTAGONISTS</b>		
KERENDIA	3	QL 30 EA / 30 DAYS PA
<b>POSTERIOR PITUITARY HORMONES</b>		
<i>desmopressin ace spray refrig</i>	4	
<i>desmopressin acetate (desmopressin acetate 0.1 mg tab, desmopressin acetate 0.2 mg tab)</i>	2	
<i>desmopressin acetate spray</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PROLACTIN INHIBITORS</b>		
<i>cabergoline</i>	3	
<b>SOMATOSTATIC AGENTS</b>		
<i>octreotide acetate (octreotide acetate 50 mcg/ml solution, octreotide acetate 100 mcg/ml solution, octreotide acetate 200 mcg/ml solution, octreotide acetate 500 mcg/ml solution, octreotide acetate 1000 mcg/ml solution)</i>	4	PA
SIGNIFOR	5	QL 60 ML / 30 DAYS PA NDS Non-Extended Day Supply LA
<b>ESTROGENS</b>		
<b>ESTROGEN COMBINATIONS</b>		
<i>estradiol-norethindrone acet</i>	4	
<i>fyavolv</i>	4	
<i>jinteli</i>	4	
<i>norethindrone-eth estradiol</i>	4	
<b>ESTROGENS</b>		
<i>dotti</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>estradiol (estradiol 0.025 mg/24hr patch tw, estradiol 0.025 mg/24hr patch wk, estradiol 0.0375 mg/24hr patch tw, estradiol 0.0375 mg/24hr patch wk, estradiol 0.05 mg/24hr patch tw, estradiol 0.05 mg/24hr patch wk, estradiol 0.06 mg/24hr patch wk, estradiol 0.075 mg/24hr patch tw, estradiol 0.075 mg/24hr patch wk, estradiol 0.1 mg/24hr patch tw, estradiol 0.1 mg/24hr patch wk)</i>	4	
<i>estradiol (estradiol 0.5 mg tab, estradiol 1 mg tab, estradiol 2 mg tab)</i>	2	
<i>estradiol valerate</i>	4	
<i>lyllana</i>	4	
MENEST	4	
<b>FLUROQUINOLONES</b>		
<b>FLUROQUINOLONES</b>		
<i>ciprofloxacin hcl (ciprofloxacin hcl 250 mg tab, ciprofloxacin hcl 500 mg tab, ciprofloxacin hcl 750 mg tab)</i>	1	
CIPROFLOXACIN HCL 100 MG TAB	4	
<i>ciprofloxacin in d5w</i>	2	
<i>levofloxacin (levofloxacin 250 mg tab, levofloxacin 500 mg tab, levofloxacin 750 mg tab)</i>	2	
<i>levofloxacin 25 mg/ml solution</i>	4	
<i>levofloxacin in d5w (levofloxacin in d5w 500 mg/100ml solution, levofloxacin in d5w 750 mg/150ml solution)</i>	4	
<i>levofloxacin in d5w 250 mg/50ml solution</i>	2	
MOXIFLOXACIN HCL (MOXIFLOXACIN HCL 400 MG TAB, MOXIFLOXACIN HCL 400 MG/250ML SOLUTION)	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
MOXIFLOXACIN HCL IN NAACL	4	
OFLOXACIN (OFLOXACIN 300 MG TAB, OFLOXACIN 400 MG TAB)	4	
<b>GASTROINTESTINAL AGENTS - MISC.</b>		
<b>GALLSTONE SOLUBILIZING AGENTS</b>		
RELTONE	4	PA
<i>ursodiol (ursodiol 250 mg tab, ursodiol 300 mg cap, ursodiol 500 mg tab)</i>	3	
<b>GASTROINTESTINAL ANTIALLERGY AGENTS</b>		
<i>cromolyn sodium 100 mg/5ml conc</i>	4	
<b>GASTROINTESTINAL CHLORIDE CHANNEL ACTIVATORS</b>		
<i>lubiprostone</i>	2	
<b>GASTROINTESTINAL STIMULANTS</b>		
<i>metoclopramide hcl (metoclopramide hcl 5 mg tab, metoclopramide hcl 5 mg/5ml solution, metoclopramide hcl 10 mg tab, metoclopramide hcl 10 mg/10ml solution)</i>	2	
<b>INFLAMMATORY BOWEL AGENTS</b>		
<i>balsalazide disodium</i>	4	
DIPENTUM	5	NDS Non-Extended Day Supply
<i>mesalamine (mesalamine 1.2 gm tab dr, mesalamine 400 mg cap dr, mesalamine 1000 mg suppos)</i>	3	
<i>mesalamine 4 gm enema</i>	4	
MESALAMINE 800 MG TAB DR	3	
<i>mesalamine er 0.375 gm cap er 24h</i>	3	
<i>mesalamine er 500 mg cap er</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>mesalamine-cleanser</i>	4	
SKYRIZI 180 MG/1.2ML SOLN CART	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1.2 ML / 56 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> </div>
SKYRIZI 360 MG/2.4ML SOLN CART	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">2.4 ML / 56 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> </div>
<i>sulfasalazine</i>	2	
<b>INTESTINAL ACIDIFIERS</b>		
<i>enulose</i>	2	
<i>generlac</i>	2	
<i>lactulose encephalopathy</i>	2	
<b>IRRITABLE BOWEL SYNDROME (IBS) AGENTS</b>		
<i>alosetron hcl</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div>
LINZESS	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">30 EA / 30 DAYS</div> </div>
<b>PERIPHERAL OPIOID RECEPTOR ANTAGONISTS</b>		
MOVANTIK	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">30 EA / 30 DAYS</div> </div>
RELISTOR 12 MG/0.6ML SOLUTION	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">18 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> </div>
RELISTOR 8 MG/0.4ML SOLUTION	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">12 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-bottom: 5px;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PHOSPHATE BINDER AGENTS</b>		
<i>calcium acetate (phos binder)</i>	2	
<i>calcium acetate 667 mg tab</i>	2	
<i>lanthanum carbonate</i>	5	NDS Non-Extended Day Supply
<i>sevelamer carbonate</i>	4	
<b>TRYPTOPHAN HYDROXYLASE INHIBITORS</b>		
		QL 90 EA / 30 DAYS
		PA
XERMELO	5	NDS Non-Extended Day Supply
		LA
<b>GENITOURINARY AGENTS - MISCELLANEOUS</b>		
<b>ACIDIFIERS</b>		
K-PHOS NO 2	3	
<b>ALKALINIZERS</b>		
<i>potassium citrate er</i>	2	
<b>CYSTINOSIS AGENTS</b>		
CYSTAGON	4	PA LA
<b>GENITOURINARY IRRIGANTS</b>		
<i>acetic acid 0.25 % solution</i>	2	
RENACIDIN	3	
<i>sodium chloride 0.9 % solution</i>	4	
<b>INTERSTITIAL CYSTITIS AGENTS</b>		
ELMIRON	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PROSTATIC HYPERTROPHY AGENTS</b>		
<i>alfuzosin hcl er</i>	2	
<i>dutasteride</i>	2	
<i>dutasteride-tamsulosin hcl</i>	2	
<i>finasteride 5 mg tab</i>	2	
<i>silodosin</i>	2	
<i>tamsulosin hcl</i>	1	
<b>URINARY STONE AGENTS</b>		
LITHOSTAT	4	
<i>tiopronin 100 mg tab</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>           Non-Extended Day Supply         </div> </div>
<b>GOUT AGENTS</b>		
<b>GOUT AGENT COMBINATIONS</b>		
<i>colchicine-probenecid</i>	3	
<b>GOUT AGENTS</b>		
<i>allopurinol (allopurinol 100 mg tab, allopurinol 300 mg tab)</i>	1	
<i>colchicine 0.6 mg tab</i>	2	
<i>febuxostat</i>	2	
<b>URICOSURICS</b>		
<i>probenecid</i>	3	
<b>HEMATOLOGICAL AGENTS - MISC.</b>		
<b>BRADYKININ B2 RECEPTOR ANTAGONISTS</b>		
<i>icatibant acetate</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>           Non-Extended Day Supply         </div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
-----------	-----------	-----------------------

<i>sajazir</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
----------------	---	---

### COMPLEMENT INHIBITORS

CINRYZE	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
---------	---	---

HAEGARDA	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
----------	---	---

RUCONEST	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 2px;">PA</div> <div style="margin-bottom: 2px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
----------	---	---

### HEMATORHEOLOGIC AGENTS

<i>pentoxifylline er</i>	2	
--------------------------	---	--

### PLATELET AGGREGATION INHIBITORS

<i>anagrelide hcl</i>	2	
<i>aspirin-dipyridamole er</i>	4	
BRILINTA	3	
<i>cilostazol</i>	2	
<i>clopidogrel bisulfate 75 mg tab</i>	1	
<i>dipyridamole (dipyridamole 25 mg tab, dipyridamole 50 mg tab, dipyridamole 75 mg tab)</i>	4	
<i>prasugrel hcl</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>HEMATOPOIETIC AGENTS</b>		
<b>AGENTS FOR GAUCHER DISEASE</b>		
CERDELGA	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>miglustat</i>	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>yargesa</i>	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>AGENTS FOR SICKLE CELL DISEASE</b>		
DROXIA	3	
l-glutamine 5 gm packet	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>HEMATOPOIETIC GROWTH FACTORS</b>		
PROMACTA (PROMACTA 12.5 MG PACKET, PROMACTA 25 MG PACKET)	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
PROMACTA (PROMACTA 12.5 MG TAB, PROMACTA 25 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
PROMACTA (PROMACTA 50 MG TAB, PROMACTA 75 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
RETACRIT (RETACRIT 2000 UNIT/ML SOLUTION, RETACRIT 3000 UNIT/ML SOLUTION, RETACRIT 4000 UNIT/ML SOLUTION, RETACRIT 10000 UNIT/ML SOLUTION, RETACRIT 20000 UNIT/ML SOLUTION)	3	PA
RETACRIT 40000 UNIT/ML SOLUTION	5	PA NDS Non-Extended Day Supply
UDENYCA	5	NDS Non-Extended Day Supply
ZARXIO	5	NDS Non-Extended Day Supply
ZIEXTENZO	5	NDS Non-Extended Day Supply
<b>HEMOSTATICS</b>		
<b>HEMOSTATICS - SYSTEMIC</b>		
<i>tranexamic acid 650 mg tab</i>	2	
<b>HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS</b>		
<b>BARBITURATE HYPNOTICS</b>		
<i>phenobarbital (phenobarbital 15 mg tab, phenobarbital 16.2 mg tab, phenobarbital 20 mg/5ml elixir, phenobarbital 20 mg/5ml solution, phenobarbital 30 mg tab, phenobarbital 32.4 mg tab, phenobarbital 60 mg tab, phenobarbital 64.8 mg tab, phenobarbital 97.2 mg tab, phenobarbital 100 mg tab)</i>	4	
<b>HYPNOTICS - TRICYCLIC AGENTS</b>		
<i>doxepin hcl (doxepin hcl 3 mg tab, doxepin hcl 6 mg tab)</i>	2	QL 30 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>NON-BARBITURATE HYPNOTICS</b>		
<i>eszopiclone</i>	4	QL 30 EA / 30 DAYS
<i>temazepam (temazepam 15 mg cap, temazepam 30 mg cap)</i>	2	QL 30 EA / 30 DAYS PA <sup>2</sup>
<i>zaleplon 10 mg cap</i>	4	QL 60 EA / 30 DAYS
<i>zaleplon 5 mg cap</i>	4	QL 30 EA / 30 DAYS
<i>zolpidem tartrate 10 mg tab</i>	2	QL 30 EA / 30 DAYS
<i>zolpidem tartrate 5 mg tab</i>	2	QL 60 EA / 30 DAYS
<i>zolpidem tartrate er</i>	4	QL 30 EA / 30 DAYS
<b>OREXIN RECEPTOR ANTAGONISTS</b>		
BELSOMRA	4	QL 30 EA / 30 DAYS
DAYVIGO	4	QL 30 EA / 30 DAYS
<b>SELECTIVE MELATONIN RECEPTOR AGONISTS</b>		
HETLIOZ	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply LA
<i>ramelteon</i>	3	QL 30 EA / 30 DAYS
<i>tasimelteon</i>	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply
<b>LAXATIVES</b>		
<b>LAXATIVE COMBINATIONS</b>		
GAVILYTE-C	2	
<i>gavilyte-g</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>gavilyte-n with flavor pack</i>	2	
GOLYTELY	2	
<i>na sulfate-k sulfate-mg sulf</i>	2	
<i>peg 3350-kcl-na bicarb-nacl</i>	2	
<i>peg-3350/electrolytes</i>	2	
<i>peg-3350/electrolytes/ascorbat</i>	2	
<i>peg-kcl-nacl-nasulf-na asc-c</i>	2	
SUFLAVE	3	
<b>LAXATIVES - MISCELLANEOUS</b>		
<i>constulose</i>	2	
<i>lactulose (lactulose 10 gm/15ml solution, lactulose 20 gm/30ml solution)</i>	2	
<b>MACROLIDES</b>		
<b>AZITHROMYCIN</b>		
<i>azithromycin (azithromycin 1 gm packet, azithromycin 100 mg/5ml recon susp, azithromycin 200 mg/5ml recon susp, azithromycin 250 mg tab, azithromycin 500 mg recon soln, azithromycin 500 mg tab, azithromycin 600 mg tab)</i>	2	
<b>CLARITHROMYCIN</b>		
CLARITHROMYCIN (CLARITHROMYCIN 125 MG/5ML RECON SUSP, CLARITHROMYCIN 250 MG/5ML RECON SUSP)	4	
<i>clarithromycin (clarithromycin 250 mg tab, clarithromycin 500 mg tab)</i>	2	
<i>clarithromycin er</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ERYTHROMYCINS</b>		
<i>ery-tab</i>	4	
ERYTHROCIN STEARATE	4	
<i>erythromycin (erythromycin 250 mg tab dr, erythromycin 333 mg tab dr, erythromycin 500 mg tab dr)</i>	4	
<i>erythromycin base (erythromycin base 250 mg tab, erythromycin base 250 mg tab dr, erythromycin base 333 mg tab dr, erythromycin base 500 mg tab, erythromycin base 500 mg tab dr)</i>	4	
ERYTHROMYCIN BASE 250 MG CP DR PART	4	
<i>erythromycin ethylsuccinate (erythromycin ethylsuccinate 200 mg/5ml recon susp, erythromycin ethylsuccinate 400 mg tab, erythromycin ethylsuccinate 400 mg/5ml recon susp)</i>	4	
<b>FIDAXOMICIN</b>		
DIFICID 200 MG TAB	3	QL 20 EA / 10 OVER TIME
DIFICID 40 MG/ML RECON SUSP	3	QL 136 ML / 10 OVER TIME
<b>MEDICAL DEVICES AND SUPPLIES</b>		
<b>BANDAGES-DRESSINGS-TAPE</b>		
GAUZE PADS	3	
<i>gauze pads and dressings</i>	3	
<b>DIABETIC SUPPLIES</b>		
<i>blood glucose monitoring supplies</i>	Part B Covered	
DEXCOM G5 MOB/G4 PLAT SENSOR	Part B Covered	PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
DEXCOM G5 MOBILE RECEIVER	Part B Covered	PA
DEXCOM G5 MOBILE TRANSMITTER	Part B Covered	PA
DEXCOM G5 RECEIVER KIT	Part B Covered	PA
DEXCOM G6 RECEIVER	Part B Covered	QL 1 EA / 274 OVER TIME PA
DEXCOM G6 SENSOR	Part B Covered	QL 3 EA / 30 DAYS PA
DEXCOM G6 TRANSMITTER	Part B Covered	QL 1 EA / 68 OVER TIME PA
DEXCOM G7 RECEIVER	Part B Covered	QL 1 EA / 275 OVER TIME PA
DEXCOM G7 SENSOR	Part B Covered	QL 3 EA / 30 DAYS PA
FREESTYLE LIBRE 14 DAY READER	Part B Covered	QL 1 EA / 274 OVER TIME PA
FREESTYLE LIBRE 14 DAY SENSOR	Part B Covered	QL 2 EA / 28 DAYS PA
FREESTYLE LIBRE 2 READER	Part B Covered	QL 1 EA / 274 OVER TIME PA
FREESTYLE LIBRE 2 SENSOR	Part B Covered	QL 2 EA / 28 DAYS PA
FREESTYLE LIBRE 3 PLUS SENSOR	Part B Covered	QL 2 EA / 30 DAYS PA
FREESTYLE LIBRE 3 READER	Part B Covered	QL 1 EA / 274 OVER TIME PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
FREESTYLE LIBRE 3 SENSOR	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">2 EA / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
FREESTYLE LIBRE READER	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 EA / 274 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
FREESTYLE LIBRE SENSOR SYSTEM	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">2 EA / 20 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>lancet device</i>	Part B Covered	
<i>lancets</i>	Part B Covered	
OMNIPOD 5 G6 INTRO (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 EA / 275 OVER TIME</div> </div>
OMNIPOD 5 G6 PODS (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">15 EA / 30 DAYS</div> </div>
OMNIPOD 5 G7 INTRO (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 EA / 275 OVER TIME</div> </div>
OMNIPOD 5 G7 PODS (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">15 EA / 30 DAYS</div> </div>
OMNIPOD 5 PACK	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">15 EA / 30 DAYS</div> </div>
OMNIPOD CLASSIC PDM (GEN 3)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 EA / 275 OVER TIME</div> </div>
OMNIPOD DASH INTRO (GEN 4)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 EA / 275 OVER TIME</div> </div>
OMNIPOD DASH PDM (GEN 4)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 EA / 275 OVER TIME</div> </div>
OMNIPOD DASH PODS (GEN 4)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">15 EA / 30 DAYS</div> </div>
<b>MISC. DEVICES</b>		
<i>alcohol swabs</i>	3	
ALCOHOL SWABS 1X1	3	
<b>PARENTERAL THERAPY SUPPLIES</b>		
INSULIN PEN NEEDLE	3	
INSULIN SYRINGE (DISP) U-100 0.3 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
INSULIN SYRINGE (DISP) U-100 1 ML	3	
INSULIN SYRINGE (DISP) U-100 1/2 ML	3	
<i>needles and syringes</i>	3	
<b>MIGRAINE PRODUCTS</b>		
<b>CALCITONIN GENE-RELATED PEPTIDE (CGRP) RECEPTOR ANTAG</b>		
AIMOVIG	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
AJOVY	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1.5 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
EMGALITY	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">2 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
EMGALITY (300 MG DOSE)	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">3 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
NURTEC	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">16 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<b>MIGRAINE COMBINATIONS</b>		
ERGOTAMINE-CAFFEINE	2	
MIGERGOT	4	
<i>sumatriptan-naproxen sodium</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">18 EA / 30 OVER TIME</div> </div>
<b>MIGRAINE PRODUCTS</b>		
<i>dihydroergotamine mesylate 4 mg/ml solution</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">16 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<b>SEROTONIN AGONISTS</b>		
<i>eletriptan hydrobromide</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">18 EA / 30 OVER TIME</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>naratriptan hcl</i>	2	QL 18 EA / 30 OVER TIME
<i>rizatriptan benzoate</i>	2	QL 36 EA / 28 OVER TIME
<i>sumatriptan</i>	4	QL 12 EA / 30 OVER TIME
<i>sumatriptan succinate (sumatriptan succinate 25 mg tab, sumatriptan succinate 50 mg tab, sumatriptan succinate 100 mg tab)</i>	1	QL 18 EA / 30 OVER TIME
<i>sumatriptan succinate (sumatriptan succinate 4 mg/0.5ml soln a-inj, sumatriptan succinate 6 mg/0.5ml soln a-inj, sumatriptan succinate 6 mg/0.5ml solution)</i>	4	QL 8 ML / 28 DAYS
<i>sumatriptan succinate refill</i>	4	QL 8 ML / 28 DAYS
<i>zolmitriptan (zolmitriptan 2.5 mg tab, zolmitriptan 2.5 mg tab disp, zolmitriptan 5 mg tab, zolmitriptan 5 mg tab disp)</i>	4	QL 18 EA / 30 OVER TIME
<i>zomig (zomig 2.5 mg tab, zomig 5 mg tab)</i>	4	QL 18 EA / 30 OVER TIME

## MINERALS ELECTROLYTES

### CALCIUM

*calcium gluconate 10 % solution* 2

### ELECTROLYTE MIXTURES

DEXTROSE-SODIUM CHLORIDE (DEXTROSE-SODIUM CHLORIDE 10-0.2 % SOLUTION, DEXTROSE-SODIUM CHLORIDE 10-0.45 % SOLUTION) 4

PA<sup>3</sup>

*dextrose-sodium chloride (dextrose-sodium chloride 5-0.2 % solution, dextrose-sodium chloride 5-0.45 % solution, dextrose-sodium chloride 5-0.9 % solution)* 4

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
DEXTROSE-SODIUM CHLORIDE 2.5-0.45 % SOLUTION	4	
KCL (0.149%) IN NAACL	4	
KCL (0.298%) IN NAACL	4	
<i>kcl in dextrose-nacl (kcl in dextrose-nacl, kcl in dextrose-nacl 20-5-0.225 meq/l-%-% solution, kcl in dextrose-nacl 40-5-0.9 meq/l-%-% solution)</i>	4	
KCL-LACTATED RINGERS-D5W	4	
<i>lactated ringers</i>	2	
<i>potassium chloride in dextrose 20-5 meq/l-% solution</i>	4	
<i>potassium chloride in nacl 20-0.45 meq/l-% solution</i>	4	
<i>potassium chloride in nacl 20-0.9 meq/l-% solution</i>	4	
<i>potassium chloride in nacl 40-0.9 meq/l-% solution</i>	4	
<b>FLUORIDE</b>		
<i>sodium fluoride</i>	2	
<i>sodium fluoride chewable tablet</i>	2	
<b>MAGNESIUM</b>		
<i>magnesium sulfate 50 % solution</i>	4	
<b>PHOSPHATE</b>		
K-PHOS	3	
<b>POTASSIUM</b>		
<i>klor-con 10</i>	2	
<i>klor-con 20 meq packet</i>	4	
<i>klor-con 8 meq tab er</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>klor-con m10</i>	2	
<i>klor-con m15</i>	2	
<i>klor-con m20</i>	2	
<i>potassium chloride (potassium chloride 10 % solution, potassium chloride 10 meq/50ml solution, potassium chloride 20 meq/15ml (10%) solution, potassium chloride 20 meq/50ml solution, potassium chloride 40 meq/15ml (20%) solution)</i>	2	
POTASSIUM CHLORIDE (POTASSIUM CHLORIDE 10 MEQ/100ML SOLUTION, POTASSIUM CHLORIDE 20 MEQ/100ML SOLUTION, POTASSIUM CHLORIDE 40 MEQ/100ML SOLUTION)	4	
<i>potassium chloride 2 meq/ml solution</i>	4	
<i>potassium chloride 20 meq packet</i>	4	
<i>potassium chloride crys er (potassium chloride crys er 10 meq tab er, potassium chloride crys er 20 meq tab er)</i>	2	
<i>potassium chloride er (potassium chloride er 8 meq cap er, potassium chloride er 8 meq tab er, potassium chloride er 10 meq cap er, potassium chloride er 10 meq tab er, potassium chloride er 20 meq tab er)</i>	2	
<b>SODIUM</b>		
<i>sodium chloride</i>	4	
<b>MISCELLANEOUS THERAPEUTIC CLASSES</b>		
<b>CHELATING AGENTS</b>		
<i>penicillamine 250 mg tab</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> <div style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>trientine hcl 250 mg cap</i>	5	<div data-bbox="1133 170 1192 212">PA</div> <div data-bbox="1133 222 1479 289">NDS Non-Extended Day Supply</div>
<b>IMMUNOMODULATORS</b>		
<i>lenalidomide</i>	5	<div data-bbox="1133 380 1451 422">QL 28 EA / 28 DAYS</div> <div data-bbox="1133 432 1192 474">PA<sup>2</sup></div> <div data-bbox="1133 485 1479 552">NDS Non-Extended Day Supply</div> <div data-bbox="1133 562 1192 604">LA</div>
REVLIMID	5	<div data-bbox="1133 600 1451 642">QL 30 EA / 30 DAYS</div> <div data-bbox="1133 653 1192 695">PA<sup>2</sup></div> <div data-bbox="1133 705 1479 772">NDS Non-Extended Day Supply</div> <div data-bbox="1133 783 1192 825">LA</div>
REZUROCK	5	<div data-bbox="1133 842 1451 884">QL 30 EA / 30 DAYS</div> <div data-bbox="1133 894 1192 936">PA</div> <div data-bbox="1133 947 1479 1014">NDS Non-Extended Day Supply</div> <div data-bbox="1133 1024 1192 1066">LA</div>
THALOMID (THALOMID 150 MG CAP, THALOMID 200 MG CAP)	5	<div data-bbox="1133 1062 1451 1104">QL 60 EA / 30 DAYS</div> <div data-bbox="1133 1115 1479 1182">NDS Non-Extended Day Supply</div> <div data-bbox="1133 1192 1192 1234">LA</div>
THALOMID (THALOMID 50 MG CAP, THALOMID 100 MG CAP)	5	<div data-bbox="1133 1262 1451 1304">QL 30 EA / 30 DAYS</div> <div data-bbox="1133 1314 1479 1381">NDS Non-Extended Day Supply</div> <div data-bbox="1133 1392 1192 1434">LA</div>
<b>IMMUNOSUPPRESSIVE AGENTS</b>		
<i>azathioprine 50 mg tab</i>	2	<div data-bbox="1133 1524 1192 1566">PA<sup>3</sup></div>
<i>cyclosporine (cyclosporine 25 mg cap, cyclosporine 100 mg cap)</i>	4	<div data-bbox="1133 1577 1192 1619">PA<sup>3</sup></div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>cyclosporine modified (cyclosporine modified 25 mg cap, cyclosporine modified 50 mg cap, cyclosporine modified 100 mg cap, cyclosporine modified 100 mg/ml solution)</i>	4	PA <sup>3</sup>
ENVARBUS XR (ENVARBUS XR 0.75 MG TAB ER 24H, ENVARBUS XR 1 MG TAB ER 24H)	4	PA <sup>3</sup>
ENVARBUS XR 4 MG TAB ER 24H	5	PA <sup>3</sup> NDS Non-Extended Day Supply
<i>everolimus (everolimus 0.25 mg tab, everolimus 0.5 mg tab, everolimus 0.75 mg tab, everolimus 1 mg tab)</i>	5	PA <sup>3</sup> NDS Non-Extended Day Supply
<i>gengraf (gengraf 25 mg cap, gengraf 100 mg cap, gengraf 100 mg/ml solution)</i>	4	PA <sup>3</sup>
<i>mycophenolate mofetil (mycophenolate mofetil 250 mg cap, mycophenolate mofetil 500 mg tab)</i>	2	PA <sup>3</sup>
<i>mycophenolate mofetil 200 mg/ml recon susp</i>	5	PA <sup>3</sup> NDS Non-Extended Day Supply
<i>mycophenolate sodium</i>	3	PA <sup>3</sup>
<i>mycophenolic acid</i>	3	PA <sup>3</sup>
PROGRAF (PROGRAF 0.2 MG PACKET, PROGRAF 1 MG PACKET)	4	PA <sup>3</sup>
<i>sirolimus (sirolimus 0.5 mg tab, sirolimus 1 mg tab, sirolimus 2 mg tab)</i>	4	PA <sup>3</sup>
<i>sirolimus 1 mg/ml solution</i>	5	PA <sup>3</sup> NDS Non-Extended Day Supply
<i>tacrolimus (tacrolimus 0.5 mg cap, tacrolimus 1 mg cap, tacrolimus 5 mg cap)</i>	2	PA <sup>3</sup>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PIK3CA-RELATED OVERGROWTH SPECTRUM (PROS) AGENTS</b>		
VIJOICE (VIJOICE 50 MG TAB THPK, VIJOICE 125 MG TAB THPK)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
VIJOICE 200 & 50 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>POTASSIUM REMOVING AGENTS</b>		
<i>kionex</i>	2	
LOKELMA	4	
<i>sodium polystyrene sulfonate (sodium polystyrene sulfonate powder, sodium polystyrene sulfonate 15 gm/60ml suspension)</i>	2	
<i>sps</i>	2	
VELTASSA	3	
<b>SYSTEMIC LUPUS ERYTHEMATOSUS AGENTS</b>		
BENLYSTA (BENLYSTA 200 MG/ML SOLN A-INJ, BENLYSTA 200 MG/ML SOLN PRSYR)	5	<ul style="list-style-type: none"> <li>QL 4 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>MOUTH/THROAT/DENTAL AGENTS</b>		
<b>ANESTHETICS TOPICAL ORAL</b>		
LIDOCAINE HCL 4 % SOLUTION	2	QL 50 ML / 30 DAYS
<i>lidocaine viscous hcl</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTI-INFECTIVES - THROAT</b>		
<i>clotrimazole 10 mg troche</i>	2	
<i>nystatin 100000 unit/ml suspension</i>	2	
NYSTATIN 100000 UNIT/ML SUSPENSION	2	
<b>ANTISEPTICS - MOUTH/THROAT</b>		
<i>chlorhexidine gluconate 0.12 % solution</i>	2	
<i>periogard</i>	2	
<b>DENTAL PRODUCTS</b>		
<i>cavarest</i>	2	
<i>clinpro 5000</i>	2	
<i>denta 5000 plus</i>	2	
<i>dentagel</i>	2	
<i>fluoridex</i>	2	
<i>fluoridex enhanced whitening</i>	2	
<i>fluorimax 5000</i>	2	
<i>just right 5000</i>	2	
PREVIDENT 5000 ENAMEL PROTECT	2	
PREVIDENT 5000 SENSITIVE	2	
<i>sf</i>	2	
<i>sf 5000 plus</i>	2	
<i>sod fluoride-potassium nitrate</i>	2	
<i>sodium fluoride (sodium fluoride 1.1 % cream, sodium fluoride 1.1 % gel)</i>	2	
<i>sodium fluoride 5000 enamel</i>	2	
<i>sodium fluoride 5000 plus</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>sodium fluoride 5000 ppm (sodium fluoride 5000 ppm 1.1 % cream, sodium fluoride 5000 ppm 1.1 % gel, sodium fluoride 5000 ppm 1.1 % paste)</i>	2	
<i>sodium fluoride 5000 sensitive</i>	2	
<b>STEROIDS - MOUTH/THROAT/DENTAL</b>		
<i>kourzeq</i>	2	
<i>triamcinolone acetonide 0.1 % paste</i>	2	
<b>THROAT PRODUCTS - MISC.</b>		
<i>cevimeline hcl</i>	3	
<i>pilocarpine hcl (pilocarpine hcl 5 mg tab, pilocarpine hcl 7.5 mg tab)</i>	2	
<b>MULTIVITAMINS</b>		
<b>PRENATAL VITAMINS</b>		
<i>prenatal vitamin</i>	4	
PRENATAL VITAMIN WITH MINERALS AND FOLIC ACID GREATER THAN 0.8 MG ORAL TABLET	4	
<b>MUSCULOSKELETAL THERAPY AGENTS</b>		
<b>CENTRAL MUSCLE RELAXANTS</b>		
<i>baclofen (baclofen 5 mg tab, baclofen 10 mg tab, baclofen 20 mg tab)</i>	2	
<i>chlorzoxazone 500 mg tab</i>	4	
<i>cyclobenzaprine hcl (cyclobenzaprine hcl 5 mg tab, cyclobenzaprine hcl 10 mg tab)</i>	4	
<i>methocarbamol (methocarbamol 500 mg tab, methocarbamol 750 mg tab)</i>	4	
<i>tizanidine hcl (tizanidine hcl 2 mg tab, tizanidine hcl 4 mg tab)</i>	2	









You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>DIRECT MUSCLE RELAXANTS</b>		
<i>dantrolene sodium (dantrolene sodium 25 mg cap, dantrolene sodium 50 mg cap, dantrolene sodium 100 mg cap)</i>	4	
<b>NASAL AGENTS - SYSTEMIC AND TOPICAL</b>		
<b>NASAL ANTIALLERGY</b>		
<i>azelastine hcl (azelastine hcl 0.1 % solution, azelastine hcl 137 mcg/spray solution)</i>	2	
<i>olopatadine hcl 0.6 % solution</i>	4	
<b>NASAL ANTICHOLINERGICS</b>		
<i>ipratropium bromide (ipratropium bromide 0.03 % solution, ipratropium bromide 0.06 % solution)</i>	2	
<b>NASAL STEROIDS</b>		
<i>flunisolide</i>	2	QL 50 ML / 30 DAYS
<i>fluticasone propionate 50 mcg/act suspension</i>	2	QL 32 GM / 30 DAYS
<i>mometasone furoate 50 mcg/act suspension</i>	2	QL 34 GM / 30 DAYS
<b>NEUROMUSCULAR AGENTS</b>		
<b>ALS AGENTS</b>		
RADICAVA ORS	5	QL 70 ML / 28 DAYS PA NDS Non-Extended Day Supply LA
RADICAVA ORS STARTER KIT	5	QL 70 ML / 28 DAYS PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>riluzole</i>	4	PA
<b>NUTRIENTS</b>		
<b>CARBOHYDRATES</b>		
<i>dextrose 10 % solution</i>	4	PA <sup>3</sup>
<i>dextrose 5 % solution</i>	4	
<b>PROTEINS</b>		
CLINIMIX/DEXTROSE (4.25/10)	4	PA <sup>3</sup>
CLINIMIX/DEXTROSE (4.25/5)	4	PA <sup>3</sup>
CLINIMIX/DEXTROSE (5/15)	4	PA <sup>3</sup>
CLINIMIX/DEXTROSE (5/20)	4	PA <sup>3</sup>
<i>plenamine</i>	4	PA <sup>3</sup>
<b>OPHTHALMIC AGENTS</b>		
<b>BETA-BLOCKERS - OPTHALMIC</b>		
BETAXOLOL HCL 0.5 % SOLUTION	2	
<i>brimonidine tartrate-timolol</i>	3	
CARTEOLOL HCL	2	
<i>dorzolamide hcl-timolol mal</i>	2	
<i>dorzolamide hcl-timolol mal pf</i>	3	
LEVOBUNOLOL HCL	2	
<i>timolol maleate (timolol maleate 0.25 % solution, timolol maleate 0.5 % solution)</i>	1	
<b>CYCLOPLEGIC MYDRIATICS</b>		
ATROPINE SULFATE 1 % SOLUTION	2	
<i>atropine sulfate 1 % solution</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>MIOTICS</b>		
PHOSPHOLINE IODIDE	5	 Non-Extended Day Supply
<i>pilocarpine hcl (pilocarpine hcl 1 % solution, pilocarpine hcl 2 % solution, pilocarpine hcl 4 % solution)</i>	2	
<b>OPHTHALMIC ADRENERGIC AGENTS</b>		
APRACLONIDINE HCL	3	
<i>brimonidine tartrate (brimonidine tartrate 0.1 % solution, brimonidine tartrate 0.15 % solution)</i>	3	
<i>brimonidine tartrate 0.2 % solution</i>	2	
<b>OPHTHALMIC ANTI-INFECTIVES</b>		
<i>ak-poly-bac</i>	2	 7 GM / 7 OVER TIME
BACITRACIN 500 UNIT/GM OINTMENT	2	
<i>bacitracin-polymyxin b</i>	2	 7 GM / 7 OVER TIME
<i>ciprofloxacin hcl 0.3 % solution</i>	2	 60 ML / 30 OVER TIME
<i>erythromycin 5 mg/gm ointment</i>	2	 7 GM / 7 OVER TIME
<i>gatifloxacin</i>	4	 5 ML / 7 OVER TIME
<i>gentamicin sulfate 0.3 % solution</i>	2	 10 ML / 7 OVER TIME
LEVOFLOXACIN 0.5 % SOLUTION	2	 60 ML / 30 OVER TIME
LEVOFLOXACIN 1.5 % SOLUTION	2	
MOXIFLOXACIN HCL (2X DAY)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>moxifloxacin hcl 0.5 % solution</i>	2	QL 6 ML / 7 OVER TIME
NATACYN	4	QL 15 ML / 7 OVER TIME
<i>neomycin-bacitracin zn-polymyx</i>	2	QL 7 GM / 7 OVER TIME
NEOMYCIN-POLYMYXIN-GRAMICIDIN	2	QL 10 ML / 7 OVER TIME
<i>ofloxacin 0.3 % solution</i>	2	QL 60 ML / 30 OVER TIME
<i>polymyxin b-trimethoprim</i>	2	QL 10 ML / 7 OVER TIME
SULFACETAMIDE SODIUM 10 % OINTMENT	2	
<i>sulfacetamide sodium 10 % solution</i>	2	QL 15 ML / 7 OVER TIME
<i>tobramycin 0.3 % solution</i>	2	QL 60 ML / 30 OVER TIME
TRIFLURIDINE	2	QL 15 ML / 7 OVER TIME
XDEMZY	5	QL 10 ML / 42 DAYS PA NDS Non-Extended Day Supply
ZIRGAN	4	
<b>OPHTHALMIC IMMUNOMODULATORS</b>		
<i>cyclosporine 0.05 % emulsion</i>	2	QL 60 EA / 30 DAYS
RESTASIS	3	QL 60 EA / 30 DAYS
RESTASIS MULTIDOSE	3	QL 5.5 ML / 30 DAYS
VERKAZIA	5	QL 120 EA / 30 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>OPHTHALMIC INTEGRIN ANTAGONISTS</b>		
XIIDRA	3	QL 60 EA / 30 DAYS
<b>OPHTHALMIC KINASE INHIBITORS</b>		
RHOPRESSA	3	
ROCKLATAN	4	
<b>OPHTHALMIC NERVE GROWTH FACTORS</b>		
OXERVATE	5	QL 112 ML / 365 OVER TIME PA NDS Non-Extended Day Supply LA
<b>OPHTHALMIC STEROIDS</b>		
<i>bacitra-neomycin-polymyxin-hc</i>	2	
DEXAMETHASONE SODIUM PHOSPHATE 0.1 % SOLUTION	2	
<i>fluorometholone</i>	2	
<i>loteprednol etabonate 0.5 % gel</i>	3	
<i>loteprednol etabonate 0.5 % suspension</i>	4	
<i>neomycin-polymyxin-dexameth (neomycin-polymyxin-dexameth 3.5-10000-0.1 ointment, neomycin-polymyxin-dexameth 3.5-10000-0.1 suspension)</i>	2	
NEOMYCIN-POLYMYXIN-HC 3.5-10000-1 SUSPENSION	4	
PREDNISOLONE ACETATE	2	
PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION	2	
SULFACETAMIDE-PREDNISOLONE	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>tobramycin-dexamethasone</i>	2	
<b>OPHTHALMICS - MISC.</b>		
<i>azelastine hcl 0.05 % solution</i>	2	
CROMOLYN SODIUM 4 % SOLUTION	2	
CYSTARAN	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #8e44ad; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">60 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #f39c12; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="margin-left: 5px;"></div> </div> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #e67e22; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #3498db; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> <div style="margin-left: 5px;"></div> </div> </div>
<i>diclofenac sodium 0.1 % solution</i>	2	
<i>dorzolamide hcl</i>	2	
<i>epinastine hcl</i>	4	
FLURBIPROFEN SODIUM	2	
<i>ketorolac tromethamine (ketorolac tromethamine 0.4 % solution, ketorolac tromethamine 0.5 % solution)</i>	2	
<i>olopatadine</i>	2	
<b>PROSTAGLANDINS - OPHTHALMIC</b>		
<i>bimatoprost</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #8e44ad; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">5 ML / 30 DAYS</div> </div>
<i>latanoprost</i>	1	<div style="display: flex; align-items: center;"> <div style="background-color: #8e44ad; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">5 ML / 30 DAYS</div> </div>
LUMIGAN	4	
<i>travoprost (bak free)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #8e44ad; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">5 ML / 30 DAYS</div> </div>
<b>OTIC AGENTS</b>		
<b>OTIC AGENTS - MISCELLANEOUS</b>		
<i>acetic acid 2 % solution</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>OTIC ANTI-INFECTIVES</b>		
CIPROFLOXACIN HCL 0.2 % SOLUTION	4	
<b>OTIC COMBINATIONS</b>		
<i>ciprofloxacin-dexamethasone</i>	2	
<i>neomycin-polymyxin-hc (neomycin-polymyxin-hc 1 % solution, neomycin-polymyxin-hc 3.5-10000-1 solution)</i>	2	
<i>neomycin-polymyxin-hc 3.5-10000-1 suspension</i>	2	
<b>OTIC STEROIDS</b>		
<i>flac</i>	4	
<i>fluocinolone acetonide 0.01 % oil</i>	4	
HYDROCORTISONE-ACETIC ACID	2	
<i>hydrocortisone-acetic acid</i>	2	
<b>PASSIVE IMMUNIZING AND TREATMENT AGENTS</b>		
<b>IMMUNE SERUMS</b>		
GAMMAKED 1 GM/10ML SOLUTION	5	PA NDS Non-Extended Day Supply
GAMUNEX-C 1 GM/10ML SOLUTION	5	PA NDS Non-Extended Day Supply
PRIVIGEN 20 GM/200ML SOLUTION	5	PA NDS Non-Extended Day Supply
VARIZIG	1	VAC \$0 Part D Adult Vaccine



You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>MONOCLONAL ANTIBODIES</b>		
BEYFORTUS	1	
<b>PASSIVE IMMUNIZING AGENTS - COMBINATIONS</b>		
HYQVIA	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #c9583d; color: white; border-radius: 5px; padding: 2px 5px; display: inline-block;">PA</div> <div style="background-color: #c9583d; color: white; border-radius: 5px; padding: 2px 5px; display: inline-block; margin-top: 5px;">NDS</div> </div> <div>           Non-Extended Day Supply         </div> </div> <div style="margin-top: 5px; margin-left: 10px;"> <div style="background-color: #0070c0; color: white; border-radius: 5px; padding: 2px 5px; display: inline-block;">LA</div> </div>
<b>PENICILLINS</b>		
<b>AMINOPENICILLINS</b>		
AMOXICILLIN (AMOXICILLIN 125 MG CHEW TAB, AMOXICILLIN 125 MG/5ML RECON SUSP, AMOXICILLIN 200 MG/5ML RECON SUSP, AMOXICILLIN 250 MG CAP, AMOXICILLIN 250 MG CHEW TAB, AMOXICILLIN 250 MG/5ML RECON SUSP, AMOXICILLIN 400 MG/5ML RECON SUSP, AMOXICILLIN 500 MG CAP, AMOXICILLIN 500 MG TAB, AMOXICILLIN 875 MG TAB)	1	
AMOXICILLIN 400 MG/5ML RECON SUSP	1	
<i>ampicillin</i>	1	
<i>ampicillin sodium 1 gm recon soln</i>	4	
<i>ampicillin sodium 10 gm recon soln</i>	4	
AMPICILLIN SODIUM 125 MG RECON SOLN	4	
AMPICILLIN SODIUM 2 GM RECON SOLN	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>NATURAL PENICILLINS</b>		
BICILLIN L-A	4	
<i>penicillin g potassium</i>	4	
PENICILLIN G PROCAINE	4	
PENICILLIN G SODIUM	4	
<i>penicillin v potassium (penicillin v potassium 125 mg/5ml recon soln, penicillin v potassium 250 mg tab, penicillin v potassium 250 mg/5ml recon soln, penicillin v potassium 500 mg tab)</i>	1	
PFIZERPEN	2	
<b>PENICILLIN COMBINATIONS</b>		
AMOXICILLIN-POT CLAVULANATE (AMOXICILLIN- POT CLAVULANATE 200-28.5 MG CHEW TAB, AMOXICILLIN-POT CLAVULANATE 200-28.5 MG/5ML RECON SUSP, AMOXICILLIN- POT CLAVULANATE 250-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 250-62.5 MG/5ML RECON SUSP, AMOXICILLIN- POT CLAVULANATE 400-57 MG CHEW TAB, AMOXICILLIN-POT CLAVULANATE 400-57 MG/5ML RECON SUSP, AMOXICILLIN- POT CLAVULANATE 500-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 600-42.9 MG/5ML RECON SUSP, AMOXICILLIN- POT CLAVULANATE 875-125 MG TAB)	2	
AMOXICILLIN-POT CLAVULANATE ER	4	
<i>ampicillin-sulbactam sodium 1.5 (1-0.5) gm recon soln</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>ampicillin-sulbactam sodium 15 (10-5) gm recon soln</i>	4	
<i>ampicillin-sulbactam sodium 3 (2-1) gm recon soln</i>	4	
<i>piperacillin sod-tazobactam so</i>	4	
<b>PENICILLINASE-RESISTANT PENICILLINS</b>		
<i>dicloxacillin sodium</i>	2	
<i>nafcillin sodium (nafcillin sodium 1 gm recon soln, nafcillin sodium 2 gm recon soln)</i>	4	
<i>nafcillin sodium 10 gm recon soln</i>	5	 Non-Extended Day Supply
NAFCILLIN SODIUM IN DEXTROSE	4	
<i>oxacillin sodium</i>	4	
OXACILLIN SODIUM IN DEXTROSE	4	
<b>PROGESTINS</b>		
<b>PROGESTINS</b>		
<i>medroxyprogesterone acetate (medroxyprogesterone acetate 2.5 mg tab, medroxyprogesterone acetate 5 mg tab, medroxyprogesterone acetate 10 mg tab)</i>	2	
MEGESTROL ACETATE 625 MG/5ML SUSPENSION	4	
<i>norethindrone acetate</i>	2	
<i>progesterone (progesterone 100 mg cap, progesterone 200 mg cap)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC.</b>		
<b>AGENTS FOR CHEMICAL DEPENDENCY</b>		
<i>acamprosate calcium</i>	4	
<i>disulfiram</i>	2	
<b>ANTI-CATAPLECTIC AGENTS</b>		
SODIUM OXYBATE	5	QL 540 ML / 30 DAYS PA NDS Non-Extended Day Supply LA
XYWAV	5	QL 540 ML / 30 DAYS PA NDS Non-Extended Day Supply LA
<b>ANTIDEMENTIA AGENTS</b>		
<i>donepezil hcl (donepezil hcl 5 mg tab disp, donepezil hcl 10 mg tab disp)</i>	2	QL 30 EA / 30 DAYS
<i>donepezil hcl (donepezil hcl 5 mg tab, donepezil hcl 10 mg tab)</i>	2	
<i>donepezil hcl 23 mg tab</i>	4	QL 30 EA / 30 DAYS
<i>galantamine hydrobromide (galantamine hydrobromide 4 mg tab, galantamine hydrobromide 8 mg tab, galantamine hydrobromide 12 mg tab)</i>	3	
GALANTAMINE HYDROBROMIDE 4 MG/ML SOLUTION	4	
<i>galantamine hydrobromide er</i>	3	
<i>memantine hcl (memantine hcl 2 mg/ml solution, memantine hcl 10 mg/5ml solution)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>memantine hcl (memantine hcl 5 mg tab, memantine hcl 10 mg tab)</i>	2	
<i>memantine hcl er</i>	4	
<i>rivastigmine</i>	4	
<i>rivastigmine tartrate</i>	3	

## MOVEMENT DISORDER DRUG THERAPY

AUSTEDO (AUSTEDO 9 MG TAB, AUSTEDO 12 MG TAB)	5	QL 120 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO 6 MG TAB	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR (AUSTEDO XR 12 MG TAB ER 24H, AUSTEDO XR 24 MG TAB ER 24H)	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR (AUSTEDO XR 30 MG TAB ER 24H, AUSTEDO XR 36 MG TAB ER 24H, AUSTEDO XR 42 MG TAB ER 24H, AUSTEDO XR 48 MG TAB ER 24H)	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR 6 MG TAB ER 24H	5	QL 90 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR PATIENT TITRATION 6 & 12 & 24 MG TBER THPK	5	QL 42 EA / 28 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
INGREZZA (INGREZZA 40 MG CAP, INGREZZA 40 MG CAP SPRINK, INGREZZA 60 MG CAP, INGREZZA 60 MG CAP SPRINK, INGREZZA 80 MG CAP, INGREZZA 80 MG CAP SPRINK)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
INGREZZA 40 & 80 MG CAP THPK	5	<ul style="list-style-type: none"> <li>QL 28 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>tetrabenazine</i>	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> </ul>
<b>MULTIPLE SCLEROSIS AGENTS</b>		
AVONEX PEN	5	<ul style="list-style-type: none"> <li>QL 1 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
AVONEX PREFILLED	5	<ul style="list-style-type: none"> <li>QL 1 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>dalfampridine er</i>	3	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> </ul>
<i>dimethyl fumarate 120 mg cap dr</i>	5	<ul style="list-style-type: none"> <li>QL 14 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>dimethyl fumarate 240 mg cap dr</i>	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>dimethyl fumarate starter pack</i>	5	<ul style="list-style-type: none"> <li>QL 120 EA / 180 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i> fingolimod hcl </i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i> glatiramer acetate 20 mg/ml soln prsy </i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 ML / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i> glatiramer acetate 40 mg/ml soln prsy </i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 12 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i> glatopa 20 mg/ml soln prsy </i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 ML / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i> glatopa 40 mg/ml soln prsy </i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 12 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
KESIMPTA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 1.6 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PLEGRIDY	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 1 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
REBIF	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 6 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
REBIF REBIDOSE	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 6 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
REBIF REBIDOSE TITRATION PACK	5	<ul style="list-style-type: none"> <li>QL 4.2 ML / 180 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
REBIF TITRATION PACK	5	<ul style="list-style-type: none"> <li>QL 4.2 ML / 180 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>teriflunomide</i>	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
VUMERITY	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>PSEUDOBULBAR AFFECT (PBA) AGENTS</b>		
NUEDEXTA	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC.</b>		
ERGOLOID MESYLATES	4	
PIMOZIDE	4	
<b>SMOKING DETERRENTS</b>		
NICOTROL INHALER	3	
NICOTROL NASAL SPRAY	3	
<i>varenicline tartrate</i>	2	
<i>varenicline tartrate (starter)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>varenicline tartrate(continue)</i>	2	
<b>RESPIRATORY AGENTS - MISC.</b>		
<b>CYSTIC FIBROSIS AGENTS</b>		
BRONCHITOL	5	<ul style="list-style-type: none"> <li>QL 560 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
BRONCHITOL TOLERANCE TEST	5	<ul style="list-style-type: none"> <li>QL 560 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KALYDECO (KALYDECO 25 MG PACKET, KALYDECO 50 MG PACKET, KALYDECO 75 MG PACKET)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KALYDECO 13.4 MG PACKET	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KALYDECO 5.8 MG PACKET	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ORKAMBI (ORKAMBI 100-125 MG PACKET, ORKAMBI 150-188 MG PACKET)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ORKAMBI (ORKAMBI 100-125 MG TAB, ORKAMBI 200-125 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ORKAMBI 75-94 MG PACKET	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
PULMOZYME	5	<ul style="list-style-type: none"> <li>QL 150 ML / 30 DAYS</li> <li>PA<sup>3</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TRIKAFTA (TRIKAFTA 80-40-60 & 59.5 MG THER PACK, TRIKAFTA 100-50-75 & 75 MG THER PACK)	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TRIKAFTA 100-50-75 & 150 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TRIKAFTA 50-25-37.5 & 75 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 84 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>PULMONARY FIBROSIS AGENTS</b>		
OFEV	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pirfenidone (pirfenidone 267 mg cap, pirfenidone 267 mg tab)</i>	5	<span>QL</span> 270 EA / 30 DAYS <span>PA</span> <span>NDS</span> Non-Extended Day Supply
<i>pirfenidone 801 mg tab</i>	5	<span>QL</span> 90 EA / 30 DAYS <span>PA</span> <span>NDS</span> Non-Extended Day Supply
<b>SULFONAMIDES</b>		
<b>SULFONAMIDES</b>		
SULFADIAZINE	4	
<b>TETRACYCLINES</b>		
<b>GLYCYLCYCLINES</b>		
TIGECYCLINE	5	<span>NDS</span> Non-Extended Day Supply
<i>tigecycline 50 mg recon soln</i>	5	<span>NDS</span> Non-Extended Day Supply
<b>TETRACYCLINES</b>		
<i>demeclocycline hcl</i>	4	
<i>doxy 100</i>	4	
<i>doxycycline hyclate (doxycycline hyclate 20 mg tab, doxycycline hyclate 50 mg cap, doxycycline hyclate 100 mg cap, doxycycline hyclate 100 mg tab)</i>	2	
<i>doxycycline hyclate 100 mg recon soln</i>	4	
<i>doxycycline monohydrate (doxycycline monohydrate 50 mg cap, doxycycline monohydrate 50 mg tab, doxycycline monohydrate 75 mg tab, doxycycline monohydrate 100 mg cap, doxycycline monohydrate 100 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS / LIMITS</b>
<i>doxycycline monohydrate 25 mg/5ml recon susp</i>	4	
<i>minocycline hcl (minocycline hcl 50 mg cap, minocycline hcl 75 mg cap, minocycline hcl 100 mg cap)</i>	2	
<i>minocycline hcl (minocycline hcl 50 mg tab, minocycline hcl 75 mg tab, minocycline hcl 100 mg tab)</i>	4	
<i>tetracycline hcl (tetracycline hcl 250 mg cap, tetracycline hcl 500 mg cap)</i>	4	
<b>THYROID AGENTS</b>		
<b>ANTITHYROID AGENTS</b>		
<i>methimazole</i>	1	
<i>propylthiouracil</i>	2	
<b>THYROID HORMONES</b>		
<i>euthyrox</i>	1	
<i>levothyroxine sodium (levothyroxine sodium 25 mcg tab, levothyroxine sodium 50 mcg tab, levothyroxine sodium 75 mcg tab, levothyroxine sodium 88 mcg tab, levothyroxine sodium 100 mcg tab, levothyroxine sodium 112 mcg tab, levothyroxine sodium 125 mcg tab, levothyroxine sodium 137 mcg tab, levothyroxine sodium 150 mcg tab, levothyroxine sodium 175 mcg tab, levothyroxine sodium 200 mcg tab, levothyroxine sodium 300 mcg tab)</i>	1	
<i>levoxyl</i>	1	
<i>liothyronine sodium (liothyronine sodium 5 mcg tab, liothyronine sodium 25 mcg tab, liothyronine sodium 50 mcg tab)</i>	2	
<b>SYNTHROID</b>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.


DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>unithroid</i>	1	
<b>TOXOIDS</b>		
<b>TOXOID COMBINATIONS</b>		
ADACEL	1	VAC \$0 Part D Adult Vaccine
BOOSTRIX	1	VAC \$0 Part D Adult Vaccine
DAPTACEL	1	
DIPHThERIA-TETANUS TOXOIDS DT	1	PA <sup>3</sup>
INFANRIX	1	
KINRIX	1	
PEDIARIX	1	
PENTACEL	1	
QUADRACEL	1	
TDVAX	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
TENIVAC	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
TETANUS-DIPHThERIA TOXOIDS TD	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
<b>ULCER DRUGS/ANTISPASMODICS/ANTICHOLINERGICS</b>		
<b>ANTISPASMODICS</b>		
<i>dicyclomine hcl (dicyclomine hcl 10 mg cap, dicyclomine hcl 20 mg tab)</i>	2	
<i>dicyclomine hcl 10 mg/5ml solution</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



<b>DRUG NAME</b>	<b>DRUG TIER</b>	<b>REQUIREMENTS / LIMITS</b>
<i>glycopyrrolate (glycopyrrolate 1 mg tab, glycopyrrolate 2 mg tab)</i>	4	
<b>H-2 ANTAGONISTS</b>		
<i>cimetidine</i>	2	
<i>famotidine (pepcid)</i>	1	
<b>MISC. ANTI-ULCER</b>		
<i>sucralfate 1 gm tab</i>	2	
<i>sucralfate 1 gm/10ml suspension</i>	4	
<b>PROTON PUMP INHIBITORS</b>		
<i>esomeprazole magnesium (esomeprazole magnesium 20 mg cap dr, esomeprazole magnesium 40 mg cap dr)</i>	3	
<i>lansoprazole (prevacid)</i>	3	
<i>omeprazole (omeprazole 10 mg cap dr, omeprazole 20 mg cap dr, omeprazole 40 mg cap dr)</i>	1	
<i>pantoprazole sodium (pantoprazole sodium 20 mg tab dr, pantoprazole sodium 40 mg tab dr)</i>	2	
<i>rabeprazole sodium 20 mg tab dr</i>	2	
<b>ULCER DRUGS - PROSTAGLANDINS</b>		
<i>misoprostol (misoprostol 100 mcg tab, misoprostol 200 mcg tab)</i>	2	
<b>ULCER THERAPY COMBINATIONS</b>		
<i>bis subcit-metronid-tetracyc</i>	4	
<i>bismuth/metronidaz/tetracyclin</i>	4	

















You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>URINARY ANTISPASMODICS</b>		
<b>URINARY ANTISPASMODIC - ANTIMUSCARINICS (ANTICHOLINERGIC)</b>		
<i>darifenacin hydrobromide er</i>	2	
<i>oxybutynin chloride (oxybutynin chloride 5 mg tab, oxybutynin chloride 5 mg/5ml solution)</i>	2	
<i>oxybutynin chloride er</i>	2	
<i>solifenacin succinate</i>	2	
<i>tolterodine tartrate</i>	2	
<i>tolterodine tartrate er</i>	3	
<i>trospium chloride</i>	2	
<i>trospium chloride er</i>	2	
<b>URINARY ANTISPASMODICS - BETA-3 ADRENERGIC AGONISTS</b>		
GEMTESA	3	
MYRBETRIQ (MYRBETRIQ 25 MG TAB ER 24H, MYRBETRIQ 50 MG TAB ER 24H)	3	
MYRBETRIQ 8 MG/ML SRER	3	
<b>URINARY ANTISPASMODICS - CHOLINERGIC AGONISTS</b>		
<i>bethanechol chloride</i>	2	
<b>URINARY ANTISPASMODICS - DIRECT MUSCLE RELAXANTS</b>		
<i>flavoxate hcl</i>	4	
<b>VACCINES</b>		
<b>BACTERIAL VACCINES</b>		
ACTHIB	1	
BCG VACCINE	1	 \$0 Part D Adult Vaccine

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
BEXSERO	1	VAC \$0 Part D Adult Vaccine
CAPVAXIVE	Part B Covered	
HIBERIX	1	
MENACTRA	1	VAC \$0 Part D Adult Vaccine
MENQUADFI	1	VAC \$0 Part D Adult Vaccine
MENVEO (MENVEO RECON SOLN, MENVEO SOLUTION)	1	VAC \$0 Part D Adult Vaccine
PEDVAX HIB	1	
PENBRAYA	1	VAC \$0 Part D Adult Vaccine
PNEUMOVAX 23	Part B Covered	
PREVNAR 20	Part B Covered	
TRUMENBA	1	VAC \$0 Part D Adult Vaccine
TYPHIM VI	1	VAC \$0 Part D Adult Vaccine
VAXCHORA	1	INS \$0 Part D Adult Vaccine
VAXNEUVANCE	Part B Covered	
<b>VIRAL VACCINES</b>		
ABRYSVO	1	VAC \$0 Part D Adult Vaccine
AREXVY	1	VAC \$0 Part D Adult Vaccine
COVID-19 VACCINES	Part B Covered	
ENGERIX-B	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
ERVEBO	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
GARDASIL 9	1	 \$0 Part D Adult Vaccine (ages 19 – 45)
HAVRIX 1440 EL U/ML SUSPENSION	1	 \$0 Part D Adult Vaccine
HAVRIX 720 EL U/0.5ML SUSPENSION	1	
HEPLISAV-B	1	  \$0 Part D Adult Vaccine
IMOVAX RABIES	1	  \$0 Part D Adult Vaccine
IPOL	1	 \$0 Part D Adult Vaccine
IXCHIQ	1	 \$0 Part D Adult Vaccine
IXIARO	1	 \$0 Part D Adult Vaccine
JYNNEOS	1	 \$0 Part D Adult Vaccine
M-M-R II	1	 \$0 Part D Adult Vaccine
MRESVIA	1	
PREHEVBRIO	1	  \$0 Part D Adult Vaccine
PRIORIX	1	 \$0 Part D Adult Vaccine
PROQUAD	1	
QUADRIVALENT INFLUENZA VACCINES	Part B Covered	
RABAVERT	1	  \$0 Part D Adult Vaccine

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
RECOMBIVAX HB (RECOMBIVAX HB 10 MCG/ML SUSP PRSYR, RECOMBIVAX HB 10 MCG/ML SUSPENSION, RECOMBIVAX HB 40 MCG/ML SUSPENSION)	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
RECOMBIVAX HB 5 MCG/0.5ML SUSP PRSYR	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
RECOMBIVAX HB 5 MCG/0.5ML SUSPENSION	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
ROTARIX	1	
ROTATEQ	1	
SHINGRIX	1	QL 2 EA / 365 OVER TIME VAC \$0 Part D Adult Vaccine
STAMARIL	1	VAC \$0 Part D Adult Vaccine
TICOVAC 1.2 MCG/0.25ML SUSP PRSYR	1	
TICOVAC 2.4 MCG/0.5ML SUSP PRSYR	1	VAC \$0 Part D Adult Vaccine
TWINRIX	1	VAC \$0 Part D Adult Vaccine
VAQTA 25 UNIT/0.5ML SUSPENSION	1	
VAQTA 50 UNIT/ML SUSPENSION	1	VAC \$0 Part D Adult Vaccine
VARIVAX	1	VAC \$0 Part D Adult Vaccine
YF-VAX	1	VAC \$0 Part D Adult Vaccine

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>VAGINAL AND RELATED PRODUCTS</b>		
<b>VAGINAL ANTI-INFECTIVES</b>		
<i>clindamycin phosphate 2 % cream</i>	2	
<i>metronidazole vaginal 0.75% gel</i>	2	
<i>terconazole (terconazole 0.4 % cream, terconazole 0.8 % cream, terconazole 80 mg suppos)</i>	2	
VANDAZOLE	2	
<b>VAGINAL ESTROGENS</b>		
<i>estradiol (estradiol 0.1 mg/gm cream, estradiol 10 mcg tab)</i>	2	
ESTRING	4	
PREMARIN 0.625 MG/GM CREAM	4	
<i>yuvafem</i>	2	
<b>VASOPRESSORS</b>		
<b>ANAPHYLAXIS THERAPY AGENTS</b>		
<i>epinephrine 0.15/3ml, 0.30/3ml auto-injector (teva and mylan only)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div style="margin-right: 5px;">2 EA / 30 OVER TIME</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #333; color: white; padding: 2px 5px; margin-right: 5px;">MFG</div> <div>Drug coverage is limited to certain manufacturers</div> </div>
SYMJEPI	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>2 EA / 30 OVER TIME</div> </div>
<b>NEUROGENIC ORTHOSTATIC HYPOTENSION (NOH) - AGENTS</b>		
<i>droxidopa</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #c85135; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> <div style="margin-right: 5px;"></div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c85135; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<i>midodrine hcl</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

# Index

<b>A</b>		
abacavir sulfate	99	albuterol sulfate hfa (proventil equivalent) 36
abacavir sulfate-lamivudine	99	albuterol sulfate hfa (Ventolin Equivalent) 36
abacavir-lamivudine-zidovudine	99	albuterol sulfate hfa 108 (proair equivalent) 36
ABELCET	56	alcohol swabs 147
ABILIFY ASIMTUFII	98	ALCOHOL SWABS 1x1 147
ABILIFY MAINTENA	98	ALECENSA 74
abiraterone acetate	69	alendronate sodium 131
ABRYSSVO	179	alfuzosin hcl er 139
acamprosate calcium	167	aliskiren fumarate 62
acarbose	49	allopurinol 139
accutane	121	alosetron hcl 137
acebutolol hcl	106	alprazolam 31
acetaminophen-codeine	23	altavera 113
ACETAMINOPHEN-CODEINE 120-12 MG/5ML SOLUTION	23	ALUNBRIG 74
acetazolamide	129	alyacen 1/35 113
acetazolamide er	129	alyq 110
acetic acid	138,162	amantadine hcl 91
acetylcysteine	121	ambrisentan 109
acitretin	123	amikacin sulfate 14
ACTEMRA	18	amiloride hcl 130
ACTEMRA ACTPEN	18	AMILORIDE-HYDROCHLOROTHIAZIDE 5-50 MG TAB 129
ACTHIB	178	amiodarone hcl 32
ACTIMMUNE	90	amitriptyline hcl 48
acyclovir	105,124	amlodipine besy-benazepril hcl 61
acyclovir sodium	105	amlodipine besylate 107
ADACEL	176	amlodipine besylate-valsartan 61
ADBRY	127	amlodipine-atorvastatin 109
adefovir dipivoxil	104	amlodipine-olmesartan 61
ADEMPAS	110	amlodipine-valsartan-hctz 61
ADVAIR HFA	35	ammonium lactate (amlactin) 127
AIMOVIG	148	amnesteem 121
AJOVY	148	amoxapine 48
ak-poly-bac	159	AMOXICILLIN 164
AKEEGA	69	AMOXICILLIN-POT CLAVULANATE 165
albendazole	26	AMOXICILLIN-POT CLAVULANATE ER 165
ALBUTEROL SULFATE	35	amphetaminedextroamphet er 13
albuterol sulfate	35	amphetamine-dextroamphetamine 13
		AMPHOTERICIN B 56
		ampicillin 164
		AMPICILLIN SODIUM 164
		ampicillin sodium 1 gm recon soln 164
		ampicillin sodium 10 gm recon soln 164
		ampicillin-sulbactam sodium 1.5 (1-0.5) gm recon soln 165
		ampicillin-sulbactam sodium 15 (10-5) gm recon soln 166
		ampicillin-sulbactam sodium 3 (2-1) gm recon soln 166
		anagrelide hcl 140
		anastrozole 69
		ANNOVERA 118
		ANORO ELLIPTA 36
		APRACLONIDINE HCL 159
		aprepitant 55
		APRETUDE 99
		apri 113
		APTIOM 40
		APTIVUS 99
		aranelle 114
		ARCALYST 18
		AREXVY 179
		arformoterol tartrate 36
		aripiprazole 98
		ARISTADA 98,99
		ARISTADA INITIO 99
		armodafinil 13
		asenapine maleate 96
		ASMANEX (120 METERED DOSES) 34
		ASMANEX (30 METERED DOSES) 34

ASMANEX (60 METERED DOSES)	35	BALVERSA	75	breyana	36
ASMANEX HFA	35	BARACLUDE	104	BREZTRI AEROSPHERE	36
aspirin-dipyridamole er	140	BCG VACCINE	178	BRILINTA	140
atazanavir sulfate	99	BELBUCA	24	brimonidine tartrate	159
atenolol	106	BELSOMRA	143	brimonidine tartrate-timolol	158
atenolol-chlorthalidone	61	benazepril hcl	59	BRIVIACT	40
atomoxetine hcl	13	benazepril-hydrochlorothiazide	62	bromocriptine mesylate	91
atorvastatin calcium	59	BENLYSTA	154	BRONCHITOL	172
atovaquone	27	BENZNIDAZOLE	26	BRONCHITOL TOLERANCE TEST	172
atovaquone-proguanil hcl	63	benztropine mesylate	91	BRUKINSA	76
ATROPINE SULFATE	158	BESREMI	90	budesonide	25,35,119
atropine sulfate	158	betaine	132	budesonide er	119
ATROVENT HFA	34	betamethasone dipropionate	125	budesonide-formoterol fumarate	36
aubra	114	betamethasone dipropionate	125	bumetanide	130
aubra eq	114	aug	125	buprenorphine	24
AUGTYRO	75	betamethasone valerate	125	buprenorphine hcl	24
AUSTEDO	168	betaxolol hcl	106	buprenorphine hcl-naloxone hcl	24
AUSTEDO XR	168	BETAXOLOL HCL	158	bupropion hcl	45
AUSTEDO XR PATIENT TITRATION	168	bethanechol chloride	178	bupropion hcl er (smoking det)	45
AUVELITY	45	bexarotene	90,123	bupropion hcl er (sr)	45
aviane	114	BEXSERO	179	bupropion hcl er (xl)	45
avita	121	BEYFORTUS	164	bupropion hcl	31
AVONEX PEN	169	bicalutamide	69	butorphanol tartrate	24
AVONEX PREFILLED	169	BICILLIN L-A	165	BYDUREON BCISE	51
AYVAKIT	72	BIKTARVY	99		
azathioprine	152	bimatoprost	162		
azelaic acid	128	bis subcit-metronid-tetracyc	177		
azelastine hcl	157,162	bismuth/metronidaz/tetracyclin	77	<b>C</b>	
azithromycin	144	bisoprolol fumarate	106	CABENUVA	100
aztreonam	29	bisoprolol-hydrochlorothiazide	62	cabergoline	134
		blisovi 24 fe	114	CABOMETYX	76
		blisovi fe 1.5/30	114	calcipotriene	123
<b>B</b>		blood glucose monitoring supplies	145	CALCIPOTRIENE	123
baciim	26	BOOSTRIX	176	calcitonin (salmon)	131
bacitra-neomycin-polymyxin-hc	161	bosentan	109	CALCITRIOL	124
BACITRACIN	26,159	BOSULIF	75	calcitriol	132
bacitracin-polymyxin b	159	BRAFTOVI	75	calcium acetate	138
baclofen	156	BREO ELLIPTA	36	calcium acetate (phos binder)	138
balsalazide disodium	136			calcium gluconate	149



camila	118	CEFACTOR	112	chlorhexidine gluconate	155
camrese	114	CEFADROXIL	111	chloroquine phosphate	63
camrese lo	114	cefazolin sodium	111	chlorpromazine hcl	97
candesartan cilexetil	60	CEFAZOLIN SODIUM 100 GM		chlorthalidone	130
candesartan cilexetil-hctz	62	RECON SOLN	111	chlorzoxazone	156
capecitabine	65	CEFAZOLIN SODIUM 2 GM		cholestyramine	58
CAPLYTA	93	RECON SOLN	111	cholestyramine light	58
CAPRELSA	76	CEFAZOLIN SODIUM 300 GM		ciclopirox	122
captopril	60	RECON SOLN	111	ciclopirox olamine	122
CAPVAXIVE	179	CEFAZOLIN SODIUM-		cilostazol	140
carbamazepine	40,41	DEXTROSE	111	CIMDUO	100
carbamazepine er	41	cefdinir	112	cimetidine	177
carbidopa	91	cefepime hcl	113	cinacalcet hcl	132
CARBIDOPA-LEVODOPA	91	CEFEPIME-DEXTROSE	113	CINRYZE	140
carbidopa-levodopa	92	cefixime	112	ciprofloxacin hcl	135,159
carbidopa-levodopa er	92	cefotetan disodium	112	CIPROFLOXACIN HCL	135,163
carbidopa-levodopa-		CEFOTETAN DISODIUM-		ciprofloxacin in d5w	135
entacapone 12.5-50-200 mg		DEXTROSE	112	ciprofloxacin-dexamethasone	163
tab	92	cefoxitin sodium	112	citalopram hydrobromide	46
carbidopa-levodopa-		CEFOXITIN SODIUM-		claravis	121
entacapone 18.75-75-200 mg		DEXTROSE	112	CLARITHROMYCIN	144
tab	92	cefpodoxime proxetil	112	clarithromycin	144
carbidopa-levodopa-		cefprozil	112	clarithromycin er	144
entacapone 25-100-200 mg		ceftazidime	112	clindamycin hcl	28
tab	92	CEFTAZIDIME AND		clindamycin palmitate hcl	28
carbidopa-levodopa-		DEXTROSE	113	clindamycin	
entacapone 31.25-125-200 mg		ceftriaxone sodium	113	phosphate	29,121,182
tab	92	CEFTRIAZONE SODIUM IN		clindamycin phosphate in d5w	29
carbidopa-levodopa-		DEXTROSE	113	CLINDAMYCIN PHOSPHATE IN	
entacapone 37.5-150-200 mg		CEFTRIAZONE SODIUM-		NACL	29
tab	92	DEXTROSE	113	CLINIMIX/DEXTROSE	
carbidopa-levodopa-		cefuroxime axetil	112	(4.25/10)	158
entacapone 50-200-200 mg		cefuroxime sodium	112	CLINIMIX/DEXTROSE	
tab	92	celecoxib	19	(4.25/5)	158
carglumic acid	132	cephalexin	112	CLINIMIX/DEXTROSE (5/15)	158
CARTEOLOL HCL	158	CERDELGA	141	CLINIMIX/DEXTROSE (5/20)	158
cartia xt	107	cetirizine (zyrtec)	57	clinpro 5000	155
carvedilol	105	cevimeline hcl	156	clobazam	39
caspofungin acetate	56	CHEMET	54	clobetasol prop emollient	
cavarest	155	CHLORAMPHENICOL SOD		base	125
CAYSTON	29	SUCCINATE	27	clobetasol propionate	125,126

clobetasol propionate e.....	126	cyclobenzaprine hcl.....	156	desogestrel-ethinyl estradiol..	114
clodan.....	126	CYCLOPHOSPHAMIDE.....	64	desonide.....	126
clomipramine hcl.....	48	cyclophosphamide 25 mg cap.	64	desvenlafaxine succinate er...	47
clonazepam.....	39	cyclophosphamide 50 mg cap.	64	dexamethasone.....	119
clonidine hcl er.....	13	CYCLOSET.....	51	DEXAMETHASONE	
clonidine tablet.....	61	cyclosporine.....	152,160	INTENSOL.....	119
clonidine weekly patch.....	61	cyclosporine modified.....	153	DEXAMETHASONE SOD PHOS	
clopidogrel bisulfate.....	140	cyred.....	114	+RFID.....	119
clorazepate dipotassium.....	31	cyred eq.....	114	dexamethasone sodium	
clotrimazole.....	155	CYSTAGON.....	138	phosphate.....	120
clotrimazole (lotrimin).....	122	CYSTARAN.....	162	DEXAMETHASONE SODIUM	
clotrimazole-				PHOSPHATE.....	161
betamethasone.....	122	<b>D</b>		DEXCOM G5 MOB/G4 PLAT	
clozapine.....	96	dalfampridine er.....	169	SENSOR.....	145
CLOZAPINE 12.5 MG TAB		DALVANCE.....	28	DEXCOM G5 MOBILE	
DISP.....	96	danazol.....	24	RECEIVER.....	146
COARTEM.....	63	dantrolene sodium.....	157	DEXCOM G5 MOBILE	
colchicine.....	139	dapsone.....	28	TRANSMITTER.....	146
colchicine-probenecid.....	139	DAPTACEL.....	176	DEXCOM G5 RECEIVER KIT	146
colesevelam hcl.....	58	daptomycin.....	28	DEXCOM G6 RECEIVER.....	146
colestipol hcl.....	58	darifenacin hydrobromide er.	178	DEXCOM G6 SENSOR.....	146
colistimethate sodium (cba)...	30	darunavir.....	100	DEXCOM G6	
COMBIVENT RESPIMAT.....	36	DAURISMO.....	69	TRANSMITTER.....	146
COMETRIQ (100 MG DAILY		DAYVIGO.....	143	DEXCOM G7 RECEIVER.....	146
DOSE).....	76	deblitane.....	118	DEXCOM G7 SENSOR.....	146
COMETRIQ (140 MG DAILY		decadron.....	119	dextrose.....	158
DOSE).....	76	deferasirox.....	54	DEXTROSE-SODIUM	
COMETRIQ (60 MG DAILY		deferiprone.....	54	CHLORIDE.....	149
DOSE).....	77	DELSTRIGO.....	100	dextrose-sodium chloride.....	149
COMPLERA.....	100	demeclocycline hcl.....	174	DEXTROSE-SODIUM	
compro.....	97	denta 5000 plus.....	155	CHLORIDE 2.5-0.45 %	
constulose.....	144	dentagel.....	155	SOLUTION.....	150
COPIKTRA.....	77	DEPO-SUBQ PROVERA		DIACOMIT.....	41
CORLANOR.....	110	104.....	118	diazepam.....	31
COTELLIC.....	77	DESCOVY.....	100	DIAZEPAM.....	39
COVID-19 Vaccines.....	179	desipramine hcl.....	48	diazepam intensol.....	31
CREON.....	129	desloratadine.....	57	diazoxide.....	50
CRESEMBA.....	56	desmopressin ace spray		diclofenac 1% gel.....	122
cromolyn sodium.....	33,136	refrig.....	133	diclofenac potassium.....	19
CROMOLYN SODIUM.....	162	desmopressin acetate.....	133	diclofenac sodium.....	19,123,162
cryselle-28.....	114	desmopressin acetate spray.	133	diclofenac sodium er.....	19

dicloxacillin sodium.....	166	doxycycline	ENBREL MINI.....	21
dicyclomine hcl.....	176	monohydrate.....	ENBREL SURECLICK.....	21
DIFICID.....	145	doxylamine-pyridoxine.....	endocet.....	23
diflunisal.....	21	dronabinol.....	ENGERIX-B.....	179
digoxin.....	108	drosiprenone-ethinyl	enilloring.....	118
DIGOXIN 0.05 MG/ML		estradiol.....	enoxaparin sodium.....	38
SOLUTION.....	108	DROXIA.....	enpresse-28.....	114
dihydroergotamine		droxidopa.....	enskyce.....	114
mesylate.....	148	DULERA.....	entacapone.....	91
DILANTIN.....	44	duloxetine hcl.....	entecavir.....	104
dilt-xr.....	107	DUPIXENT.....	ENTRESTO.....	109
diltiazem hcl.....	107	dutasteride.....	enulose.....	137
diltiazem hcl er.....	107	dutasteride-tamsulosin hcl... 139	ENVARUSUS XR.....	153
diltiazem hcl er beads.....	107		EPIDIOLEX.....	41
diltiazem hcl er coated		<b>E</b>	epinastine hcl.....	162
beads.....	107	ec-naproxen.....	epinephrine 0.15/3ml, 0.30/3ml	
dimethyl fumarate.....	169	econazole nitrate.....	auto-injector (teva and mylan	
dimethyl fumarate starter		EDURANT.....	only).....	182
pack.....	169	EFAVIRENZ.....	epitol.....	41
DIPENTUM.....	136	efavirenz-emtricitab-tenofo	eplerenone.....	62
diphenoxylate-atropine.....	54	df.....	EPRONTIA.....	41
DIPHTHERIA-TETANUS		efavirenz-lamivudine-	ERGOLOID MESYLATES....	171
TOXOIDS DT.....	176	tenofovir.....	ERGOTAMINE-CAFFEINE... 148	
dipyridamole.....	140	eletriptan hydrobromide.....	ERIVEDGE.....	69
disopyramide phosphate.....	32	ELIGARD.....	ERLEADA.....	70
disulfiram.....	167	ELIQUIS.....	erlotinib hcl.....	68
divalproex sodium.....	45	ELIQUIS DVT/PE STARTER	errin.....	118
divalproex sodium er.....	45	PACK.....	ertapenem sodium.....	27
dofetilide.....	32	ELMIRON.....	ERVEBO.....	179
donepezil hcl.....	167	eluryng.....	ERY.....	121
dorzolamide hcl.....	162	EMCYT.....	ery-tab.....	145
dorzolamide hcl-timolol mal 158		EMGALITY.....	ERYTHROCIN STEARATE... 145	
dorzolamide hcl-timolol mal		EMGALITY (300 MG DOSE) 148	erythromycin.....	121,145,159
pf.....	158	EMSAM.....	erythromycin base.....	145
dotti.....	134	emtricitabine.....	ERYTHROMYCIN BASE 250 MG	
DOVATO.....	100	emtricitabine-tenofovir df... 100	CP DR PART.....	145
doxazosin mesylate.....	61	EMTRIVA.....	erythromycin ethylsuccinate.. 145	
doxepin hcl.....	48,142	emzahn.....	escitalopram oxalate.....	46
doxercalciferol.....	132	enalapril maleate.....	esomeprazole magnesium... 177	
doxy 100.....	174	enalapril-hydrochlorothiazide .62	estarylla.....	114
doxycycline hyclate.....	174	ENBREL.....	estradiol.....	135,182

estradiol valerate.....	135	FINTEPLA.....	41	fosfomycin tromethamine.....	30
estradiol-norethindrone acet	134	FIRDAPSE.....	63	fosinopril sodium.....	60
ESTRING.....	182	FIRMAGON.....	70	fosinopril sodium-hctz.....	62
eszopiclone.....	143	FIRMAGON (240 MG DOSE)	70	FOTIVDA.....	77
ethacrynic acid.....	130	flac.....	163	FREESTYLE LIBRE 14 DAY	
ethambutol hcl.....	64	flavoxate hcl.....	178	READER.....	146
ethosuximide.....	45	flecainide acetate.....	32	FREESTYLE LIBRE 14 DAY	
ethynodiol diac-eth estradiol	114	fluconazole.....	56	SENSOR.....	146
etodolac.....	19	fluconazole in sodium chloride	57	FREESTYLE LIBRE 2	
etonogestrel-ethinyl		flucytosine.....	56	READER.....	146
estradiol.....	118	fludrocortisone acetate.....	121	FREESTYLE LIBRE 2	
etravirine.....	100	flunisolide.....	157	SENSOR.....	146
euthyrox.....	175	fluocinolone acetonide..	126,163	FREESTYLE LIBRE 3 PLUS	
everolimus.....	77,153	fluocinolone acetonide body.	126	SENSOR.....	146
EVOTAZ.....	100	fluocinolone acetonide scalp.	126	FREESTYLE LIBRE 3	
exemestane.....	70	fluocinonide.....	126	READER.....	146
EXKIVITY.....	68	FLUOCINONIDE 0.05 %		FREESTYLE LIBRE 3	
ezetimibe.....	59	GEL.....	126	SENSOR.....	147
ezetimibe-simvastatin.....	58	fluoridex.....	155	FREESTYLE LIBRE	
		fluoridex enhanced		READER.....	147
		whitening.....	155	FREESTYLE LIBRE SENSOR	
<b>F</b>		fluorimax 5000.....	155	SYSTEM.....	147
falmina.....	114	fluorometholone.....	161	FRUZAQLA.....	65
famciclovir.....	105	FLUOROURACIL.....	123	furosemide.....	130
famotidine (pepcid).....	177	fluorouracil.....	123	FUZEON.....	101
FANAPT.....	94	fluoxetine hcl.....	46,47	fyavolv.....	134
FANAPT TITRATION PACK.....	94	FLUOXETINE HCL.....	47	FYCOMPA.....	38,39
FASENRA.....	33	fluphenazine decanoate.....	98		
FASENRA PEN.....	33	fluphenazine hcl.....	98	<b>G</b>	
febuxostat.....	139	flurbiprofen.....	19	gabapentin.....	41
felbamate.....	43	FLURBIPROFEN SODIUM..	162	galantamine hydrobromide...	167
felodipine er.....	107	fluticasone propionate.....	157	GALANTAMINE	
femynor.....	114	FLUTICASONE PROPIONATE		HYDROBROMIDE.....	167
fenofibrate.....	58	HFA.....	35	galantamine hydrobromide er.	167
fenofibrate micronized.....	58	fluticasone-salmeterol.....	36	GAMMAKED.....	163
fenofibric acid.....	58	fluvastatin sodium.....	59	GAMUNEX-C.....	163
fantanyl.....	21	fluvoxamine maleate.....	47	GARDASIL 9.....	180
fantanyl citrate.....	21	fluvoxamine maleate er.....	47	gatifloxacin.....	159
FETZIMA.....	48	fondaparinux sodium.....	38	GAUZE PADS.....	145
FETZIMA TITRATION.....	48	formoterol fumarate.....	36	gauze pads and dressings....	145
finasteride.....	139	fosamprenavir calcium.....	101	GAVILYTE-C.....	143
ingolimod hcl.....	170				

gavilyte-g.....	143	haloperidol decanoate.....	96	hydrochlorothiazide.....	130
gavilyte-n with flavor pack..	144	haloperidol lactate.....	96	hydrocodone-acetaminophen..	23
GAVRETO.....	78	HAVRIX.....	180	hydrocortisone.....	25,120,126
gefitinib.....	68	heather.....	119	hydrocortisone (perianal).....	25
gemfibrozil.....	59	heparin sodium (porcine).....	38	HYDROCORTISONE 2.5 %	
GEMTESA.....	178	heparin sodium (porcine) pf..	38	LOTION.....	126
generlac.....	137	HEPLISAV-B.....	180	HYDROCORTISONE-ACETIC	
gengraf.....	153	HETLIOZ.....	143	ACID.....	163
GENTAMICIN IN SALINE.....	14	HIBERIX.....	179	hydrocortisone-acetic acid....	163
gentamicin sulfate...14,122,159		HUMIRA (2 PEN).....	15	hydromorphone hcl.....	22
GENVOYA.....	101	HUMIRA (2 SYRINGE).....	15	hydromorphone hcl pf.....	22
GILOTRIF.....	68	HUMIRA 10 MG/0.1ML PREF		hydroxychloroquine sulfate....	63
glatiramer acetate.....	170	SY KT (ABBVIE).....	15	hydroxyurea.....	90
glatopa.....	170	HUMIRA 20 MG/0.2ML PREF		hydroxyzine hcl.....	31
GLEOSTINE.....	64	SY KT (ABBVIE).....	16	hydroxyzine pamoate.....	31
glimepiride.....	53	HUMIRA 40 MG/0.4ML PREF		HYQVIA.....	164
glipizide.....	53	SY KT (ABBVIE).....	16		
glipizide er.....	54	HUMIRA PEN 40 MG/0.4ML			
glipizide xl.....	54	PEN KIT (ABBVIE).....	16	ibandronate sodium.....	131
glipizide-metformin hcl.....	49	HUMIRA PEN 80 MG/0.8ML		IBRANCE.....	78
GLUCAGON EMERGENCY	50	PEN KIT (ABBVIE).....	16	ibuprofen (motrin).....	19
glycopyrrolate.....	177	HUMIRA PEN-CD/UC/HS		icatibant acetate.....	139
GLYXAMBI.....	49	STARTER 80 MG/0.8ML PEN		ICLUSIG.....	78
GOLYTELY.....	144	KIT (ABBVIE).....	16	icosapent ethyl.....	58
granisetron hcl.....	55	HUMIRA PEN-PEDIATRIC UC		IDHIFA.....	78
griseofulvin microsize.....	56	START 80 MG/0.8ML PEN KIT		imatinib mesylate.....	78
griseofulvin ultramicrosize...	56	(ABBVIE).....	17	IMBRUVICA.....	78,79
guanfacine hcl.....	61	HUMIRA PEN-PSOR/UEVIT		imipenem-cilastatin.....	27
GVOKE HYPOPEN 1-PACK	50	STARTER.....	17	imipramine hcl.....	48
GVOKE HYPOPEN 2-PACK	50	HUMIRA-CD/UC/HS		imipramine pamoate.....	48
GVOKE KIT.....	50	STARTER.....	17	imiquimod.....	127
GVOKE PFS.....	50	HUMIRA-PED<40KG CROHNS		IMOVAX RABIES.....	180
		STARTER.....	17	incassia.....	119
		HUMIRA-PED>=40KG		INCRELEX.....	132
		CROHNS START.....	17	INCRUSE ELLIPTA.....	34
		HUMIRA-PS/UV/ADOL HS		indapamide.....	130
		STARTER.....	17	indomethacin.....	19
		HUMULIN R U-500		INFANRIX.....	176
		(CONCENTRATED).....	52	INGREZZA.....	169
		HUMULIN R U-500 KWIKPEN52		INLYTA.....	65,66
		hydralazine hcl.....	63	INQOVI.....	73

## H

INREBIC.....	79	itraconazole.....	57	KCL-LACTATED RINGERS-		
INSULIN ASP PROT & ASP		ivabradine hcl.....	110	D5W.....	150	
FLEXPEN.....	52	ivermectin.....	26,128	kelnor 1/35.....	115	
INSULIN ASPART.....	52	IWILFIN.....	90	kelnor 1/50.....	115	
INSULIN ASPART FLEXPEN	52	IXCHIQ.....	180	KERENDIA.....	133	
INSULIN ASPART PENFILL	52	IXIARO.....	180	KESIMPTA.....	170	
INSULIN ASPART PROT &				ketoconazole.....	57,122	
ASPART.....	52	<b>J</b>			ketorolac tromethamine....	19,162
INSULIN PEN NEEDLE.....	147	JAKAFI.....	79	KEVZARA.....	19	
INSULIN SYRINGE (DISP) U-		jantoven.....	37	KINRIX.....	176	
100 0.3 ML.....	147	JANUMET.....	49	kionex.....	154	
INSULIN SYRINGE (DISP) U-		JANUMET XR.....	49	KISQALI (200 MG DOSE).....	79	
100 1 ML.....	148	JANUVIA.....	51	KISQALI (400 MG DOSE).....	80	
INSULIN SYRINGE (DISP) U-		JARDIANCE.....	53	KISQALI (600 MG DOSE).....	80	
100 1/2 ML.....	148	jasmiel.....	114	KISQALI FEMARA (200 MG		
INTELENCE.....	101	JAYPIRCA.....	79	DOSE).....	74	
introvale.....	114	jencycla.....	119	KISQALI FEMARA (400 MG		
INVEGA HAFYERA.....	94	JENTADUETO.....	49	DOSE).....	74	
INVEGA SUSTENNA.....	94	JENTADUETO XR.....	49	KISQALI FEMARA (600 MG		
INVEGA TRINZA.....	94,95	jinteli.....	134	DOSE).....	74	
INVIRASE.....	101	joyeaux.....	114	klayesta.....	122	
INVOKAMET.....	49	juleber.....	115	klor-con.....	150	
INVOKAMET XR.....	49	JULUCA.....	101	klor-con 10.....	150	
INVOKANA.....	53	junel 1.5/30.....	115	klor-con m10.....	151	
IPOL.....	180	junel 1/20.....	115	klor-con m15.....	151	
ipratropium bromide.....	34,157	junel fe 1.5/30.....	115	klor-con m20.....	151	
ipratropium-albuterol.....	36	junel fe 1/20.....	115	KLOXXADO.....	54	
irbesartan.....	60	junel fe 24.....	115	KORLYM.....	50	
irbesartan-		just right 5000.....	155	KOSELUGO.....	80	
hydrochlorothiazide.....	62	JYNNEOS.....	180	kourzeq.....	156	
ISENTRESS.....	101	<b>K</b>			KRAZATI.....	80
ISENTRESS HD.....	101	K-PHOS.....	150	kurvelo.....	115	
isibloom.....	114	K-PHOS NO 2.....	138	<b>L</b>		
ISONIAZID.....	64	kaitlib fe.....	115	l-glutamine.....	141	
isoniazid.....	64	KALYDECO.....	172	labetalol hcl.....	105	
isoniazid 300mg tab.....	64	kariva.....	115	lacosamide.....	41	
isosorbide dinitrate.....	30	KCL (0.149%) IN NACL.....	150	lactated ringers.....	150	
isosorbide mononitrate.....	30	KCL (0.298%) IN NACL.....	150	lactulose.....	144	
isosorbide mononitrate er.....	30	kcl in dextrose-nacl.....	150	lactulose encephalopathy.....	137	
isotretinoin.....	121			LAGEVRIO.....	105	
isradipine.....	107					

lamivudine.....	101,104	levallbuterol hcl.....	36	lisdexamfetamine dimesylate (10
lamivudine-zidovudine.....	101	LEVALBUTEROL TARTRATE	36	mg cap, 20 mg cap, 30 mg cap,
lamotrigine.....	42	levetiracetam.....	42	40 mg cap, 50 mg cap, 60 mg
lamotrigine er.....	42	levetiracetam er.....	42	cap, 70 mg cap).....
lancet device.....	147	LEVOBUNOLOL HCL.....	158	lisinopril.....
lancets.....	147	levocarnitine.....	133	lisinopril-hydrochlorothiazide... 62
lansoprazole (prevacid).....	177	levocarnitine sf.....	133	lithium.....
lanthanum carbonate.....	138	levocetirizine (xyzal).....	57	LITHIUM CARBONATE.....
LANTUS.....	52	levofloxacin.....	135	lithium carbonate.....
LANTUS SOLOSTAR.....	52	LEVOFLOXACIN.....	159	LITHIUM CARBONATE 600 MG
lapatinib ditosylate.....	80	LEVOFLOXACIN 0.5 %		CAP.....
larin 1.5/30.....	115	SOLUTION.....	159	lithium carbonate er.....
larin 1/20.....	115	levofloxacin in d5w.....	135	LITHOSTAT.....
larin fe 1.5/30.....	115	levonest.....	115	LOKELMA.....
larin fe 1/20.....	115	levonorg-eth estrad triphasic	115	LONSURF.....
larissia.....	115	levonorg-eth est & eth est	115	loperamide (immodium).....
latanoprost.....	162	levonorg-eth estrad 91-		lopinavir-ritonavir.....
LEDIPASVIR-		day.....	115	lorazepam.....
SOFOSBUVIR.....	104	levonorg-eth estradiol-		lorazepam intensol.....
leflunomide.....	20	iron.....	115	LORBRENA.....
lenalidomide.....	152	levonorgestrel-ethinyl estrad	116	loryna.....
LENVIMA (10 MG DAILY		levora 0.15/30 (28).....	116	losartan potassium.....
DOSE).....	66	levothyroxine sodium.....	175	losartan potassium-hctz.....
LENVIMA (12 MG DAILY		levoxyl.....	175	loteprednol etabonate.....
DOSE).....	66	LEXIVA.....	101	lovastatin.....
LENVIMA (14 MG DAILY		LIBERVANT.....	39	low-ogestrel.....
DOSE).....	66	lidocaine hcl.....	128	loxapine succinate.....
LENVIMA (18 MG DAILY		LIDOCAINE HCL.....	154	lubiprostone.....
DOSE).....	66	LIDOCAINE HCL		LUMAKRAS.....
LENVIMA (20 MG DAILY		URETHRAL/MUCOSAL.....	128	LUMIGAN.....
DOSE).....	66	lidocaine patches.....	128	LUPRON DEPOT (1-MONTH).....
LENVIMA (24 MG DAILY		lidocaine viscous hcl.....	154	LUPRON DEPOT (3-MONTH).....
DOSE).....	66	lidocaine-prilocaine.....	128	lurasidone hcl.....
LENVIMA (4 MG DAILY		lincomycin hcl.....	29	lutera.....
DOSE).....	67	LINDANE.....	128	lyleq.....
LENVIMA (8 MG DAILY		linezolid.....	29	lyllana.....
DOSE).....	67	LINEZOLID IN SODIUM		LYNPARZA.....
lessina.....	115	CHLORIDE.....	29	LYSODREN.....
letrozole.....	70	LINZESS.....	137	LYTGOBI (12 MG DAILY
leucovorin calcium.....	90	liothyronine sodium.....	175	DOSE).....
LEUKERAN.....	65			81

LYTGOBI (16 MG DAILY DOSE)	81	MESNEX	90	mifepristone	51
LYTGOBI (20 MG DAILY DOSE)	81	metformin hcl	50	MIGERGOT	148
lyza	119	metformin hcl er	50	MIGLITOL	49
<b>M</b>		methadone hcl	22	miglustat	141
M-M-R II	180	METHADONE HCL 10 MG/5ML SOLUTION	22	mili	116
magnesium sulfate	150	METHADONE HCL 5 MG/5ML SOLUTION	22	minocycline hcl	175
malathion	129	methamphetamine hcl	13	minoxidil	63
maraviroc	101	methazolamide	129	mirtazapine	45
marlissa	116	methenamine hippurate	30	misoprostol	177
MARPLAN	46	methenamine mandelate	30	modafinil	13
MATULANE	90	methimazole	175	moexipril hcl	60
matzim la	107	methocarbamol	156	MOLINDONE HCL	97
MAVYRET	104	methotrexate sodium	65	mometasone furoate	126,157
meclizine	55	methotrexate sodium (pf)	65	montelukast sodium	34
medroxyprogesterone acetate	118,166	METHOXSALEN RAPID	124	morphine sulfate	22
mefloquine hcl	63	methsuximide	45	morphine sulfate (concentrate)	22
megestrol acetate	70	methylphenidate hcl	13	MORPHINE SULFATE (CONCENTRATE)	22
MEGESTROL ACETATE	166	methylphenidate hcl er	13	MORPHINE SULFATE 10 MG/5ML SOLUTION	22
MEKINIST	81,82	methylphenidate hcl er (la)	13	MORPHINE SULFATE 20 MG/5ML SOLUTION	22
MEKTOVI	82	methylprednisolone	120	morphine sulfate er	22
melodetta 24 fe	116	metoclopramide hcl	136	MOUNJARO	51
meloxicam	19	metolazone	130	MOVANTIK	137
memantine hcl	167,168	metoprolol succinate er	106	MOXIFLOXACIN HCL	135
memantine hcl er	168	metoprolol tartrate	106	moxifloxacin hcl	160
MENACTRA	179	metoprolol-hydrochlorothiazide	62	MOXIFLOXACIN HCL (2X DAY)	159
MENEST	135	metronidazole	26,128	MOXIFLOXACIN HCL IN NACL	136
MENQUADFI	179	METRONIDAZOLE	26	MRESVIA	180
MENVEO	179	metronidazole vaginal 0.75% gel	182	mupirocin 2% ointment	122
mercaptopurine	65	metyrosine	60	mycophenolate mofetil	153
meropenem	27	mexiletine hcl	32	mycophenolate sodium	153
MEROPENEM-SODIUM CHLORIDE	27	mibelas 24 fe	116	mycophenolic acid	153
mesalamine	136	micafungin sodium	56	MYRBETRIQ	178
MESALAMINE 800 MG TAB DR	136	microgestin 1.5/30	116	<b>N</b>	
mesalamine er	136	microgestin 1/20	116	na sulfate-k sulfate-mg sulf	144
mesalamine-cleanser	137	microgestin fe 1.5/30	116	nabumetone	19
		microgestin fe 1/20	116		
		midodrine hcl	182		



nadolol.....	106	nimodipine.....	107	NOVOLIN R FLEXPEN	
nafcillin sodium.....	166	NINLARO.....	82	RELION.....	52
NAFCILLIN SODIUM IN		nitazoxanide.....	27	NOVOLIN R RELION.....	52
DEXTROSE.....	166	nitisinone.....	133	NOVOLOG.....	53
NALOXONE HCL.....	54	NITRO-BID.....	30	NOVOLOG 70/30 FLEXPEN	
naltrexone hcl.....	55	nitrofurantoin macrocrystal.....	30	RELION.....	53
naproxen.....	19	nitrofurantoin monohyd macro	30	NOVOLOG FLEXPEN.....	53
naproxen dr.....	19	nitroglycerin.....	25,30	NOVOLOG FLEXPEN RELION	53
naratriptan hcl.....	149	nora-be.....	119	NOVOLOG MIX 70/30.....	53
NATACYN.....	160	norelgestromin-eth estradiol.....	118	NOVOLOG MIX 70/30	
nateglinide.....	53	norethin ace-eth estrad-fe.....	116	FLEXPEN.....	53
NAYZILAM.....	39	norethindrone.....	119	NOVOLOG MIX 70/30 RELION	53
nebivolol hcl.....	106	norethindrone acet-ethinyl		NOVOLOG PENFILL.....	53
needles and syringes.....	148	est.....	116	NOVOLOG RELION.....	53
NEFAZODONE HCL.....	47	norethindrone acetate.....	166	NUBEQA.....	71
neomycin sulfate.....	14	norethindrone-eth estradiol.....	134	NUDEXTA.....	171
neomycin-bacitracin zn-		norgestim-eth estrad		NUPLAZID.....	93
polymyx.....	160	triphasic.....	116	NURTEC.....	148
neomycin-polymyxin-		norgestimate-eth estradiol.....	116	nyamyc.....	122
dexameth.....	161	norlyda.....	119	nylia 1/35.....	116
NEOMYCIN-POLYMYXIN-		norlyroc.....	119	nystatin.....	56,123,155
GRAMICIDIN.....	160	nortrel 0.5/35 (28).....	116	NYSTATIN.....	155
NEOMYCIN-POLYMYXIN-		nortrel 1/35 (21).....	116	nystatin-triamcinolone.....	123
HC.....	161	nortrel 1/35 (28).....	116	nystop.....	123
neomycin-polymyxin-hc.....	163	nortrel 7/7/7.....	116		
neomycin-polymyxin-hc 3.5-		nortriptyline hcl.....	48	<b>O</b>	
10000-1 suspension.....	163	NORVIR.....	102	octreotide acetate.....	134
NERLYNX.....	82	NOURIANZ.....	91	ODEFSEY.....	102
nevirapine.....	101	NOVOLIN 70/30.....	52	ODOMZO.....	69
NEVIRAPINE.....	101	NOVOLIN 70/30 FLEXPEN.....	52	OFEV.....	173
nevirapine er.....	101	NOVOLIN 70/30 FLEXPEN		OFLOXACIN.....	136
NEXVIAZYME.....	133	RELION.....	52	ofloxacin.....	160
niacin er (antihyperlipidemic)	59	NOVOLIN 70/30 RELION.....	52	OGSIVEO.....	82
nicardipine hcl.....	107	NOVOLIN N.....	52	OJEMDA.....	82
NICOTROL INHALER.....	171	NOVOLIN N FLEXPEN.....	52	OJJAARA.....	83
NICOTROL NASAL SPRAY	171	NOVOLIN N FLEXPEN		olanzapine.....	97
nifedipine er.....	107	RELION.....	52	olmesartan medoxomil.....	60
nifedipine er osmotic		NOVOLIN N RELION.....	52	olmesartan medoxomil-hctz.....	62
release.....	107	NOVOLIN R.....	52	olmesartan-amlodipine-hctz.....	62
nikki.....	116	NOVOLIN R FLEXPEN.....	52	olopatadine.....	162
nilutamide.....	71			olopatadine hcl.....	157

omega-3-acid ethyl esters . . .	58	oxazepam . . . . .	32	PENTACEL . . . . .	176
omeprazole . . . . .	177	oxcarbazepine . . . . .	42	pentamidine isethionate for	
OMNIPOD 5 G6 INTRO (GEN		OXERVATE . . . . .	161	injection solution . . . . .	26
5) . . . . .	147	oxybutynin chloride . . . . .	178	pentamidine isethionate for	
OMNIPOD 5 G6 PODS (GEN		oxybutynin chloride er . . . . .	178	nebulization solution . . . . .	26
5) . . . . .	147	oxycodone hcl . . . . .	23	pentoxifylline er . . . . .	140
OMNIPOD 5 G7 INTRO (GEN		oxycodone-acetaminophen . . .	24	PERINDOPRIL ERBUMINE . . .	60
5) . . . . .	147	OZEMPIC (0.25 OR 0.5		perindopril erbumine 4 mg tab .	60
OMNIPOD 5 G7 PODS (GEN		MG/DOSE) . . . . .	51	periogard . . . . .	155
5) . . . . .	147	OZEMPIC (1 MG/DOSE) . . . . .	51	permethrin (nix) . . . . .	129
OMNIPOD 5 PACK . . . . .	147	OZEMPIC (2 MG/DOSE) . . . . .	51	perphenazine . . . . .	98
OMNIPOD CLASSIC PDM				PERSERIS . . . . .	95
(GEN 3) . . . . .	147	<b>P</b>			
OMNIPOD DASH INTRO (GEN		pacerone . . . . .	32	PFIZERPEN . . . . .	165
4) . . . . .	147	paliperidone er . . . . .	95	PHENELZINE SULFATE 15 MG	
OMNIPOD DASH PDM (GEN		PANRETIN . . . . .	123	TAB . . . . .	46
4) . . . . .	147	pantoprazole sodium . . . . .	177	phenobarbital . . . . .	142
OMNIPOD DASH PODS (GEN		paricalcitol . . . . .	133	phenoxybenzamine hcl . . . . .	60
4) . . . . .	147	paromomycin sulfate . . . . .	14	phenytek . . . . .	44
OMNITROPE . . . . .	132	paroxetine hcl . . . . .	47	phenytoin . . . . .	44
ondansetron . . . . .	55	paroxetine hcl er . . . . .	47	phenytoin infatabs . . . . .	44
ondansetron hcl . . . . .	55	PASER . . . . .	64	phenytoin sodium extended . . .	44
ONETOUCH ULTRA . . . . .	129	PAXLOVID (150/100) . . . . .	103	PHOSPHOLINE IODIDE . . . . .	159
ONETOUCH ULTRA TEST .	129	PAXLOVID (300/100) . . . . .	103	PIFELTRO . . . . .	102
ONETOUCH VERIO . . . . .	129	pazopanib hcl . . . . .	83	pilocarpine hcl . . . . .	156,159
ONUREG . . . . .	65	PEDIARIX . . . . .	176	pimecrolimus . . . . .	128
OPFOLDA . . . . .	133	PEDVAX HIB . . . . .	179	PIMOZIDE . . . . .	171
OPSUMIT . . . . .	109	peg 3350-kcl-na bicarb-nacl .	144	pimtrea . . . . .	117
OPVEE . . . . .	55	peg-3350/electrolytes . . . . .	144	pindolol . . . . .	106
ORENCIA . . . . .	20	peg-		pioglitazone hcl . . . . .	53
ORENCIA CLICKJECT . . . . .	20	3350/electrolytes/ascorbat . . .	144	pioglitazone hcl-glimepiride . . .	49
ORGOVYX . . . . .	71	peg-kcl-nacl-nasulf-na asc-c .	144	pioglitazone hcl-metformin hcl .	49
ORKAMBI . . . . .	172,173	PEGASYS . . . . .	104	piperacillin sod-tazobactam	
ORSERDU . . . . .	71	PEMAZYRE . . . . .	83	so . . . . .	166
oseltamivir phosphate . . . . .	105	PENBRAYA . . . . .	179	PIQRAY (200 MG DAILY	
OSPHENA . . . . .	132	peniclovir . . . . .	125	DOSE) . . . . .	83
OTEZLA . . . . .	20	penicillamine . . . . .	151	PIQRAY (250 MG DAILY	
oxacillin sodium . . . . .	166	penicillin g potassium . . . . .	165	DOSE) . . . . .	83
OXACILLIN SODIUM IN		PENICILLIN G PROCAINE . . . . .	165	PIQRAY (300 MG DAILY	
DEXTROSE . . . . .	166	PENICILLIN G SODIUM . . . . .	165	DOSE) . . . . .	83
oxaprozin . . . . .	19	penicillin v potassium . . . . .	165	pirfenidone . . . . .	174
				pirmella 1/35 . . . . .	117

piroxicam.....	19	PREDNISOLONE SODIUM	promethazine hcl (6.25 mg/5ml
PLEGRIDY.....	170	PHOSPHATE.....	sol, 6.25 mg/5ml syrup, 12.5 mg
plenamine.....	158	prednisolone sodium phosphate	suppos, 12.5 mg tab, 25 mg
PNEUMOVAX 23.....	179	25 mg/5ml solution.....	suppos, 25 mg tab, 50 mg tab).57
PODOFILOX 0.5 %		prednisolone sodium phosphate	propafenone hcl.....
SOLUTION.....	128	6.7 (5 base) mg/5ml solution.....	propafenone hcl er.....
polymyxin b sulfate.....	30	prednisone.....	propranolol hcl.....
polymyxin b-trimethoprim... 160		PREDNISONONE.....	propranolol hcl er.....
POMALYST.....	72	PREDNISONONE INTENSOL... 120	propylthiouracil.....
portia-28.....	117	pregabalin.....	PROQUAD.....
posaconazole.....	57	PREHEVBRIO.....	protriptyline hcl.....
potassium chloride.....	151	PREMARIN.....	PULMOZYME.....
POTASSIUM CHLORIDE...151		prenatal vitamin.....	PURIXAN.....
potassium chloride 2 meq/ml		PRENATAL VITAMIN WITH	pyrazinamide.....
solution.....	151	MINERALS AND FOLIC ACID	pyridostigmine bromide.....
potassium chloride 20 meq		GREATER THAN 0.8 MG ORAL	pyridostigmine bromide er....
packet.....	151	TABLET.....	pyrimethamine.....
potassium chloride crys er.. 151		prevalite.....	
potassium chloride er..... 151		PREVIDENT 5000 ENAMEL	<b>Q</b>
potassium chloride in		PROTECT.....	QINLOCK.....
dextrose.....	150	PREVIDENT 5000	QUADRACEL.....
potassium chloride in nacl 20-		SENSITIVE.....	Quadrivalent Influenza
0.45 meq/l-% solution.....	150	PREVNAR 20.....	Vaccines.....
potassium chloride in nacl 20-		PREVYMIS.....	quetiapine fumarate.....
0.9 meq/l-% solution.....	150	PREZCOBIX.....	quetiapine fumarate er.....
potassium chloride in nacl 40-		PREZISTA.....	quinapril hcl.....
0.9 meq/l-% solution.....	150	PRIFTIN.....	quinidine gluconate er.....
potassium citrate er.....	138	PRIMAQUINE PHOSPHATE	QUINIDINE SULFATE.....
PRADAXA.....	38	26.3 (15 BASE) MG TAB.....	quinine sulfate.....
PRALUENT.....	59	PRIMIDONE.....	QVAR REDHALER.....
pramipexole dihydrochloride. 92		PRIORIX.....	
prasugrel hcl.....	140	PRIVIGEN.....	<b>R</b>
pravastatin sodium.....	59	probenecid.....	RABAVERT.....
praziquantel.....	26	prochlorperazine.....	rabeprazole sodium.....
prazosin hcl.....	61	prochlorperazine maleate.... 98	RADICAVA ORS.....
prednisolone.....	120	procto-med hc.....	RADICAVA ORS STARTER
PREDNISOLONE		proctosol hc.....	KIT.....
ACETATE.....	161	proctozone-hc.....	raloxifene hcl.....
prednisolone sodium		progesterone.....	ramelteon.....
phosphate.....	120	PROGRAF.....	ramipril.....
		PROMACTA.....	ranolazine er.....

rasagiline mesylate.....	92	rizatriptan benzoate.....	149	sirolimus.....	153
REBIF.....	170	ROCKLATAN.....	161	SIRTURO.....	64
REBIF REBIDOSE.....	170	roflumilast.....	34	SIVEXTRO.....	29
REBIF REBIDOSE TITRATION		ropinirole hcl.....	92	SKYRIZI.....	124,137
PACK.....	171	ropinirole hcl er.....	92	SKYRIZI PEN.....	124
REBIF TITRATION PACK..	171	rosuvastatin calcium.....	59	SKYTROFA.....	132
reclipsen.....	117	ROTARIX.....	181	SLYND.....	119
RECOMBIVAX HB.....	181	ROTATEQ.....	181	sod fluoride-potassium nitrate	155
REGRANEX.....	129	roweepra.....	43	sodium chloride.....	138,151
RELISTOR.....	137	ROZLYTREK.....	84	sodium fluoride.....	150,155
RELTONE.....	136	RUBRACA.....	85	sodium fluoride 5000 enamel.	155
RENACIDIN.....	138	RUCONEST.....	140	sodium fluoride 5000 plus.....	155
repaglinide.....	53	rufinamide.....	43	sodium fluoride 5000 ppm.....	156
REPATHA.....	59	RUKOBIA.....	102	sodium fluoride 5000	
REPATHA PUSHTRONEX		RYBELSUS.....	51	sensitive.....	156
SYSTEM.....	59	RYDAPT.....	85	sodium fluoride chewable	
REPATHA SURECLICK.....	59	RYTARY.....	92	tablet.....	150
RESTASIS.....	160			SODIUM OXYBATE.....	167
RESTASIS MULTIDOSE... 160		<b>S</b>		sodium phenylbutyrate.....	133
RETACRIT.....	142	sajazir.....	140	sodium polystyrene sulfonate.	154
RETEVMO.....	83,84	SANTYL.....	127	SOFOSBUVIR-	
REVLIMID.....	152	sapropterin dihydrochloride..	133	VELPATASVIR.....	104
REXULTI.....	99	SCSEMBLIX.....	85	solifenacin succinate.....	178
REYATAZ.....	102	scopolamine.....	55	SOLQUA.....	49
REZLIDHIA.....	84	SECUADO.....	97	SOLTAMOX.....	71
REZUROCK.....	152	selegiline hcl.....	92	SOLU-CORTEF.....	120
RHOPRESSA.....	161	selenium sulfide.....	124	SOLU-MEDROL.....	121
RIBAVIRIN 200 MG CAP... 104		SELZENTRY.....	102	SOLU-MEDROL (PF).....	121
RIBAVIRIN 200 MG TAB... 104		sertraline hcl.....	47	SOMAVERT.....	131
RIDAURA.....	18	setlakin.....	117	sorafenib tosylate.....	85
rifabutin.....	64	sevelamer carbonate.....	138	sorine.....	106
rifampin.....	64	sf.....	155	sotalol hcl.....	106
riluzole.....	158	sf 5000 plus.....	155	sotalol hcl (af).....	106
RIMANTADINE HCL.....	105	sharobel.....	119	SPIRIVA HANDIHALER.....	34
RINVOQ.....	17,18	SHINGRIX.....	181	SPIRIVA RESPIMAT.....	34
risedronate sodium.....	131	SIGNIFOR.....	134	spironolactone.....	130
risperidone.....	95	sildenafil citrate.....	110	spironolactone-hctz.....	130
risperidone microspheres er.	95	silodosin.....	139	sprintec 28.....	117
ritonavir.....	102	silver sulfadiazine.....	125	SPRITAM.....	43
rivastigmine.....	168	SIMPONI.....	17	SPRYCEL.....	85
rivastigmine tartrate.....	168	simvastatin.....	59	sps.....	154

sronyx.....	117	SYNTHROID.....	175	teriparatide.....	131
ssd.....	125			TERIPARATIDE	
STAMARIL.....	181	<b>T</b>		(RECOMBINANT).....	131
STELARA.....	124	TABLOID.....	65	testosterone.....	24,25
STIOLTO RESPIMAT.....	37	TABRECTA.....	86	TESTOSTERONE.....	24
STIVARGA.....	86	tacrolimus.....	128,153	testosterone 12.5 mg/act (1%)	
STREPTOMYCIN SULFATE.....	14	tadalafil (pah).....	110	gel.....	25
STRIBILD.....	102	TAFINLAR.....	86	testosterone 25 mg/2.5gm (1%)	
STRIVERDI RESPIMAT.....	37	TAGRISSE.....	68	gel.....	25
SUCRAID.....	129	TALTZ.....	124	testosterone 50 mg/5gm (1%)	
sucralfate.....	177	TALZENNA.....	86	gel.....	25
SUFLAVE.....	144	tamoxifen citrate.....	71	TESTOSTERONE	
SULFACETAMIDE		tamsulosin hcl.....	139	CYPIONATE.....	25
SODIUM.....	160	tarina 24 fe.....	117	testosterone cypionate 100 mg/ml	
sulfacetamide sodium.....	160	tarina fe 1/20.....	117	solution.....	25
sulfacetamide sodium		tarina fe 1/20 eq.....	117	testosterone cypionate 200 mg/ml	
(acne).....	121	TASIGNA.....	86	solution.....	25
SULFACETAMIDE-		tasimelteon.....	143	TESTOSTERONE	
PREDNISOLONE.....	161	tazarotene.....	124	ENANTHATE.....	25
SULFADIAZINE.....	174	TAZICEF.....	113	TETANUS-DIPHThERIA	
sulfamethoxazole-		tazicef 1 gm recon soln.....	113	TOXOIDS TD.....	176
trimethoprim.....	27	tazicef 2 gm recon soln.....	113	tetrabenazine.....	169
SULFAMYLON.....	125	taztia xt.....	108	tetracycline hcl.....	175
sulfasalazine.....	137	TAZVERIK.....	86	THALOMID.....	152
sulfatrim pediatric.....	27	TDVAX.....	176	theophylline.....	37
sulindac.....	19	TEFLARO.....	113	theophylline er.....	37
sumatriptan.....	149	telmisartan.....	60	thioridazine hcl.....	98
sumatriptan succinate.....	149	TELMISARTAN-		thiothixene.....	99
sumatriptan succinate refill.....	149	AMLODIPINE.....	62	tiadylt er.....	108
sumatriptan-naproxen		telmisartan-hctz.....	62	tiagabine hcl.....	44
sodium.....	148	temazepam.....	143	TIBSOVO.....	87
sunitinib malate.....	86	TEMIXYS.....	102	TICOVAC.....	181
SUNLENCA.....	102	temozolomide.....	65	TIGECYCLINE.....	174
SUNOSI.....	13	TENIVAC.....	176	tigecycline 50 mg recon soln.....	174
syeda.....	117	tenofovir disoproxil fumarate.....	102	tilia fe.....	117
SYMJEPI.....	182	TEPMETKO.....	87	timolol maleate.....	106,158
SYMPAZAN.....	40	terazosin hcl.....	61	tinidazole.....	26
SYMTUZA.....	102	terbinafine hcl.....	56	tiopronin.....	139
SYNJARDY.....	49	terbutaline sulfate.....	37	TIVICAY.....	102
SYNJARDY XR.....	50	terconazole.....	182	TIVICAY PD.....	103
SYNRIBO.....	90	teriflunomide.....	171	tizanidine hcl.....	156

tobramycin	14,160	TRIHENYPHENIDYL HCL 0.4	VALTOCO 10 MG DOSE	40
TOBRAMYCIN SULFATE	15	MG/ML SOLUTION	VALTOCO 15 MG DOSE	40
tobramycin-dexamethasone	162	TRIJARDY XR	VALTOCO 20 MG DOSE	40
tolcapone	91	TRIKAFTA	VALTOCO 5 MG DOSE	40
tolterodine tartrate	178	TRIMETHOPRIM	vancomycin hcl	28
tolterodine tartrate er	178	trimethoprim	VANCOMYCIN HCL	28
topiramate	43	trimipramine maleate	VANCOMYCIN HCL IN NAACL	28
toremifene citrate	71	TRINTELLIX	VANDAIZOLE	182
torpenz	87	TRIUMEQ	VANFLYTA	87
toremide	130	TRIUMEQ PD	VAQTA	181
TOUJEO MAX SOLOSTAR	53	trivora (28)	varenicline tartrate	171
TOUJEO SOLOSTAR	53	TRIZIVIR	varenicline tartrate (starter)	171
TRADJENTA	51	TROGARZO	varenicline tartrate(continue)	172
tramadol hcl	23	tropium chloride	VARIVAX	181
tramadol-acetaminophen	24	tropium chloride er	VARIZIG	163
trandolapril	60	TRULICITY	VARUBI (180 MG DOSE)	56
tranexamic acid	142	TRUMENBA	VAXCHORA	179
tranylcypramine sulfate	46	TRUQAP	VAXNEUVANCE	179
travoprost (bak free)	162	TUKYSA	VELIVET	117
trazodone hcl	47	tulana	VELTASSA	154
TRECTOR	64	TURALIO	VEMLIDY	104
TRELEGY ELLIPTA	37	turqoz	VENCLEXTA	67
TRELSTAR MIXJECT	71	TWINRIX	VENCLEXTA STARTING	
tretinoin	90,122	TYBLUME	PACK	67
tri femynor	117	tydemy	venlafaxine hcl	48
tri-estarylla	117	TYPHIM VI	venlafaxine hcl er	48
tri-legest fe	117	<b>U</b>	VENTOLIN HFA	37
tri-lo-estarylla	117	UDENYCA	verapamil hcl	108
tri-lo-sprintec	117	unithroid	VERAPAMIL HCL ER	108
tri-mili	117	UPTRAVI	verapamil hcl er	108
tri-sprintec	117	ursodiol	VERKAZIA	160
tri-vylibra	117	UZEDY	VERQUVO	111
triamcinolone			VERSACLOZ	97
acetamide	126,127,156	<b>V</b>	VERZENIO	87
triamterene-hctz	130	valacyclovir hcl	vestura	117
triderm	127	VALCHLOR	VICTOZA	51
trientine hcl	152	valganciclovir hcl	vienna	117
trifluoperazine hcl	98	valproic acid	vigabatrin	44
TRIFLURIDINE	160	valsartan	vigadrone	44
trihexyphenidyl hcl	91	valsartan-hydrochlorothiazide	vigpoder	44
			VIJOICE	154

vilazodone hcl.....	47	XIIDRA.....	161	ZIRGAN.....	160
VIRACEPT.....	103	XOFLUZA (40 MG DOSE)...	105	ZOLINZA.....	89
VIREAD.....	103	XOFLUZA (80 MG DOSE)...	105	zolmitriptan.....	149
VITRAKVI.....	88	XOLAIR.....	33,34	zolpidem tartrate.....	143
VIVITROL.....	55	XOSPATA.....	89	zolpidem tartrate er.....	143
VIZIMPRO.....	68	XPOVIO (100 MG ONCE		zomig.....	149
VONJO.....	88	WEEKLY).....	72	ZONISADE.....	43
voriconazole.....	57	XPOVIO (40 MG ONCE		zonisamide.....	43
voriconazole 200 mg recon		WEEKLY).....	73	zovia 1/35 (28).....	118
soln.....	57	XPOVIO (40 MG TWICE		zovia 1/35e (28).....	118
voriconazole 40 mg/ml recon		WEEKLY).....	73	ZTALMY.....	43
susp.....	57	XPOVIO (60 MG ONCE		ZURZUVAE.....	46
VOSEVI.....	104	WEEKLY).....	73	ZYDELIG.....	89
VRAYLAR.....	93	XPOVIO (60 MG TWICE		ZYKADIA.....	89
VUMERITY.....	171	WEEKLY).....	73	ZYPREXA RELPREVV.....	97
vyfemla.....	118	XPOVIO (80 MG ONCE		ZYVOX.....	29
vylibra.....	118	WEEKLY).....	73		
VYNDAMAX.....	111	XPOVIO (80 MG TWICE			
		WEEKLY).....	73		
		XTANDI.....	72		
<b>W</b>		xulane.....	118		
warfarin sodium.....	37	XYWAV.....	167		
WELIREG.....	72				
wixela inhub.....	37	<b>Y</b>			
wymzya fe.....	118	yargesa.....	141		
		YF-VAX.....	181		
<b>X</b>		yuvaferm.....	182		
XALKORI.....	88,89				
XARELTO.....	37	<b>Z</b>			
XARELTO STARTER PACK.....	38	zafemy.....	118		
XATMEP.....	65	zafirlukast.....	34		
XCOPRI.....	43,44	zaleplon.....	143		
XCOPRI (250 MG DAILY		ZARXIO.....	142		
DOSE).....	43	ZEJULA.....	89		
XCOPRI (350 MG DAILY		ZELBORAF.....	89		
DOSE).....	43	zenatane.....	122		
XDEMVY.....	160	zidovudine.....	103		
XELJANZ.....	18	ZIEXTENZO.....	142		
XELJANZ XR.....	18	ZIMHI.....	55		
XERMELO.....	138	ziprasidone hcl.....	93		
XGEVA.....	131	ziprasidone mesylate.....	93		
XIFAXAN.....	26				

Este formulario se actualizó el 08/20/2024.

***Para obtener información más reciente u si tiene otras preguntas, póngase en contacto con:***

Servicio al Cliente de **Planes Medicare de UCare** al 612-676-3600 o 1-877-523-1515 (esta llamada es gratuita)

Servicio al Cliente de **UCare Medicare with M Health Fairview and North Memorial** al 612-676-6520 o al 1-888-618-2595 (esta llamada es gratuita)

Servicio al Cliente de **UCare Advocate Plans** al 612-676-3600 o 1-877-523-1515 (esta llamada es gratuita)

Servicio al Cliente de **EssentiaCare** al 218-722-4915 o al 1-855-432-7025 (esta llamada es gratuita)

Para todos los usuarios de TTY: 612-676-6810 o 1-800-688-2534 (esta llamada es gratuita)

Todas las líneas se responden de 8 am a 8 pm, los siete días de la semana, o visite **ucare.org**.



PO Box 52  
Minneapolis, MN 55440-0052

**ucare.org**

U12567 Spanish (U9816) (08/2024)