

2025

UCare Individual & Family Easy Compare Plans Formulary (List of Covered Drugs)

This formulary may change throughout the year. Please visit ucare.org or call UCare Customer Service for the most current information.

PLEASE READ: This document contains information about the drugs we cover in these plans.

UCare Customer Service

UCare Individual & Family Plans Customer Service at 612-676-6600 or 1-877-903-0070 (this call is free)

TTY: 1-800-688-2534 (this call is free)

8 am – 6 pm, Monday – Friday



Notice of Nondiscrimination

UCare complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. UCare does not exclude people or treat them differently because of race, color, national origin, age, disability or sex.

We provide aids and services at no charge to people with disabilities to communicate effectively with us, such as TTY line, or written information in other formats, such as large print.

If you need these services, contact us at **612-676-3200 (voice)** or toll free at **1-800-203-7225 (voice)**, **612-676-6810 (TTY)**, or **1-800-688-2534 (TTY)**.

We provide language services at no charge to people whose primary language is not English, such as qualified interpreters or information written in other languages.

If you need these services, contact us at the **number on the back of your membership card** or **612-676-3200** or toll free at **1-800-203-7225 (voice)**; **612-676-6810** or toll free at **1-800-688-2534 (TTY)**.

If you believe that UCare has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability or sex, you can file an oral or written grievance.

Oral grievance

If you are a current UCare member, please call the number on the back of your membership card. Otherwise please call **612-676-3200** or toll free at **1-800-203-7225 (voice)**; **612-676-6810** or toll free at **1-800-688-2534 (TTY)**. You can also use these numbers if you need assistance filing a grievance.

Written grievance

Mailing Address

UCare

Attn: Appeals and Grievances

PO Box 52

Minneapolis, MN 55440-0052

Email: cag@ucare.org

Fax: 612-884-2021

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services

200 Independence Avenue SW

Room 509F, HHH Building

Washington, D.C. 20201

1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 612-676-3200/1-800-203-7225 (телетайп: 612-676-6810/1-800-688-2534).

ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

ማስታወሻ: የሚናገሩት ቋንቋ ኣማርኛ ከሆነ የትርጉም ኣርዳታ ድርጅቶቻችን በነጻ ሊያግዝዎት ተዘጋጅተዋል። ወደ ሚከተለው ቁጥር ይደውሉ 612-676-3200/1-800-203-7225 (መስማት ለተሳናቸው: 612-676-6810/1-800-688-2534).

ဟံသုဂ်ဟံသး-နမုဂ်ကတိံ ကညိ ကျိဂ်အယိ, နမနုဂ် ကျိဂ်အတိံမဇာလ၊ တလဂ်ဘုဂ်လဂ်စူ နိတမံဘဂ်သုနုဂ်လိ။
လိ: 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាអង់គ្លេស, រសវាជំនួយវេជ្ជកម្មភាសា ដោយមិនគិតល្អល គឺអាចមានសំរាប់បរិវេណ។ ចូរ ទូរស័ព្ទ 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 612-676-3200/1-800-203-7225 (رقم هاتف الصم والبكم: 612-676-6810/1-800-688-2534).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 612-676-3200/1-800-203-7225 (ATS : 612-676-6810/1-800-688-2534).

주의: 한국어를 사용하지는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534) 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 612-676-3200/1-800-203-7225 (TTY: 612-676-6810/1-800-688-2534).

What is the UCare formulary?

The UCare formulary is a list of generic and brand drugs that are covered by this plan(s). To be covered, the drug must be on our formulary. The most current list of covered drugs can be found on the UCare Individual & Family Plans formulary at ucare.org.

To be covered, you must fill your prescription at a network pharmacy. The Provider Directory and Search Network tool at ucare.org includes in-network pharmacies. You can also visit ucare.org for the most current information.

Over-the-counter (OTC) drugs must be prescribed and on our formulary to be covered. This applies to drugs covered as part of the Essential Health Benefits, such as emergency contraception, tobacco cessation and diabetic supplies. OTC drugs which are not part of the Essential Health Benefits are usually not covered.

Can the formulary change?

Generally, if you are taking a drug on our formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the coverage year except when a new, less expensive generic drug becomes available, when new adverse information about the safety or effectiveness of a drug is released by the FDA or when new biosimilar versions of biological products can be substituted for the original biological product.

How do I use the formulary?

In the formulary, brand name drugs are capitalized (e.g. DILANTIN) and generic drugs are listed in lowercase italics (e.g. *fenofibrate*). UCare covers both brand name drugs and generic drugs. A generic drug is approved by the U.S. Food and Drug Administration (FDA) as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs, but work just as well and are equally as safe as the brand drug.

How to find prescription drugs in the formulary?

There are two ways to find your prescription drugs in the formulary. You can search by drug category or by alphabetical listing.

Search by Drug Category

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the medical conditions they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents,” If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

Search by Alphabetical Listing

If you are not sure what class to look under, you can look for your drug in the Index. The Index provides an alphabetical list of all of the drugs included in the formulary. Both brand name and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information within the formulary.

Tiers and limitations for prescription drugs

The numbers in the Tier column on the formulary indicates the cost share for the medication.

| | |
|-----------------|--|
| \$0 Tier | Preventive drugs that may be eligible for a zero-dollar copay. Select drugs require a prior authorization in order to qualify for the zero-dollar copay. |
| Tier 1 | Preferred Generic Drugs |
| Tier 2 | Non-Preferred Generic Drugs |
| Tier 3 | Preferred Brand Drugs |
| Tier 4 | Non-Preferred and Specialty Drugs |
| DME | Products covered under the DME (Durable Medical Equipment) benefit |

The abbreviations/symbols in the Requirements/Limits column on the formulary tell you if UCare has any special requirements or limits on coverage for that drug. Use the key below to help understand the meaning of each abbreviation/symbol.

| | | |
|-----|--------------------------|--|
| PA | Prior Authorization | Drugs that require approval from UCare before we'll cover it |
| ST | Step Therapy | Drugs that require you to try another drug before we'll cover it |
| QL | Quantity Limit | There are limits to the amount of drug covered per fill |
| CDS | Chronic Disease Supplies | Members have a monthly maximum out of pocket amount of \$50 for medical supplies used to treat a chronic disease |
| CDD | Chronic Disease Drug | Members have a maximum copay amount of \$25 per one month supply for drugs used to treat a chronic disease |

| | | |
|-----|--------------------------|---|
| SP | Specialty Drug | Specialty drugs that require you to fill your prescription through Fairview Specialty Pharmacy. Specialty drugs are injectable or oral drugs that often require special handling or monitoring by a pharmacist or nurse. If you use a specialty drug, your doctor will need to send the prescription to Fairview Specialty Pharmacy. You can then order it for delivery by contacting Fairview Specialty Pharmacy at 1-800-595-7140. Your drug and any needed supplies will be shipped to your home, work or doctor's office. A Fairview pharmacist is on call 24 hours a day to provide clinical support related to your specialty drug. |
| SF | Oncology Drug | Certain oral oncology drugs are limited to a 14 or 15-day supply per fill for the first 90-days of therapy (depending on package size). |
| INS | Insulin | Insulins with a \$25 copay per one-month supply (applies to copay and HSA plans) |
| MFG | Manufacturer Limitations | <ul style="list-style-type: none"> • Coverage for epinephrine auto-injectors are limited to Mylan and Teva manufacturers • Coverage for albuterol HFA's are limited to Ventolin and generic Albuterol |
| LA | Limited Access | Drugs that are only available at certain pharmacies. If you have questions, call Customer Service at the number on the back of your member ID card |
| EDS | Extended Day Supply | Drugs that are able to be filled for up to a 90-day supply |
| PV | Preventive | Drugs covered at \$0 for preventive use |

What if my drug is not on the formulary?

If your drug is not included in this formulary, you should first contact UCare Customer Service and confirm that your drug is not covered. If you learn that UCare does not cover your drug, you can:

- Ask your doctor to prescribe a similar drug that is covered by UCare.
- Ask UCare to make an exception to cover your drug.

Requesting a formulary or drug restriction exception

You or your doctor can ask UCare to make an exception and cover a non-formulary drug, drug restrictions, or limits. For help requesting an exception, call Customer Service at the number on the front cover. Or log in to your UCare member account and complete the Exception Request form.

Your doctor must submit a statement supporting the request. If your request is approved, the drug will be covered at the copay or coinsurance amount, based on the drug's level or tier in the plan formulary. Exception requests for lower cost sharing amounts for drugs on a higher tier will not be granted.

For more information

For more detailed information about your UCare prescription drug coverage, please review your *Member Contract* and other plan materials.

If you have questions, please call the UCare Customer Service number on the front cover or visit **ucare.org**.

This information is available in other forms to people with disabilities by calling: UCare Individual & Family Plans Customer Service at 612-676-6600 or 1-877-903-0070 (this call is free). TTY call 612-676-6810 or 1-800-688-2534 (this call is free).

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS | | |
| AMPHETAMINES | | |
| <i>amphetamine sulfate</i> | 2 | |
| <i>amphetamine-dextroamphetamine er</i> | 2 | |
| <i>amphetamine-dextroamphetamine</i> | 2 | |
| <i>dextroamphetamine sulfate 5 mg tab, 10 mg tab</i> | 2 | |
| <i>dextroamphetamine sulfate er</i> | 2 | |
| <i>lisdexamfetamine dimesylate 10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap, 50 mg cap, 60 mg cap, 70 mg cap</i> | 2 | |
| <i>lisdexamfetamine dimesylate 10 mg chew tab, 20 mg chew tab, 30 mg chew tab, 40 mg chew tab, 50 mg chew tab, 60 mg chew tab</i> | 4 | |
| <i>zenzedi 5 mg tab, 10 mg tab</i> | 2 | |
| ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD) AGENTS | | |
| <i>atomoxetine hcl</i> | 2 | EDS |
| <i>clonidine hcl er</i> | 2 | EDS |
| <i>guanfacine hcl er</i> | 2 | EDS |
| DOPAMINE AND NOREPINEPHRINE REUPTAKE INHIBITORS (DNRIS) | | |
| SUNOSI | 4 | PA, QL (1 EA PER DAY), EDS |
| STIMULANTS - MISC. | | |
| <i>armodafinil</i> | 2 | QL (1 EA PER DAY), EDS |
| <i>dexmethylphenidate hcl</i> | 2 | |
| <i>methylphenidate hcl 5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/5ml solution, 20 mg tab</i> | 2 | |
| <i>methylphenidate hcl er (cd)</i> | 2 | |
| <i>methylphenidate hcl er (la)</i> | 2 | |
| <i>methylphenidate hcl er (osm) er 18 mg tab er, er 27 mg tab er, er 36 mg tab er, er 54 mg tab er</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| METHYLPHENIDATE HCL ER METHYLPHENIDATE HCL ER 20 MG TAB ER, METHYLPHENIDATE HCL ER 54 MG TAB ER, METHYLPHENIDATE HCL ER 18 MG TAB ER 24H, METHYLPHENIDATE HCL ER 27 MG TAB ER 24H, METHYLPHENIDATE HCL ER 36 MG TAB ER 24H, METHYLPHENIDATE HCL ER 54 MG TAB ER 24H, METHYLPHENIDATE HCL ER 10 MG TAB ER, METHYLPHENIDATE HCL ER 18 MG TAB ER, METHYLPHENIDATE HCL ER 27 MG TAB ER, METHYLPHENIDATE HCL ER 36 MG TAB ER | 2 | |
| <i>modafinil 100 mg tab, 200 mg tab</i> | 2 | QL (2 EA PER DAY), EDS |

AMINOGLYCOSIDES

AMINOGLYCOSIDES

| | | |
|--|---|----------------------------|
| <i>amikacin sulfate 1 gm/4ml, 500 mg/2ml</i> | 2 | |
| <i>gentamicin in saline 1.2-0.9 mg/ml-% solution</i> | 4 | |
| <i>gentamicin sulfate 10 mg/ml, 40 mg/ml</i> | 2 | |
| <i>neomycin sulfate 500 mg tab</i> | 2 | |
| <i>paromomycin sulfate 250 mg cap</i> | 2 | |
| STREPTOMYCIN SULFATE 1 GM RECON SOLN | 4 | |
| <i>tobramycin 300 mg/4ml nebu soln</i> | 4 | PA, QL (8 ML PER DAY), SP |
| <i>tobramycin 300 mg/5ml nebu soln</i> | 4 | PA, QL (10 ML PER DAY), SP |
| <i>tobramycin sulfate 1.2 gm/30ml, 80 mg/2ml</i> | 2 | |

ANALGESICS - ANTI-INFLAMMATORY

ANTI-TNF-ALPHA - MONOCLONAL ANTIBODIES

| | | |
|-------------------|---|------------------------------------|
| HADLIMA | 4 | PA, QL (6 EA PER 28 DAY(S)), SP |
| HADLIMA PUSHTOUCH | 4 | PA, QL (6 EA PER 28 DAY(S)), SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|--------------------------------------|
| ANTIRHEUMATIC - ENZYME INHIBITORS | | |
| RINVOQ | 4 | PA, QL (1 EA PER DAY), SP |
| RINVOQ LQ | 4 | PA, QL (12 ML PER 1 DAY(S)), SP |
| XELJANZ 1 MG/ML SOLUTION | 4 | PA, QL (10 ML PER DAY), SP |
| XELJANZ 5 MG TAB, 10 MG TAB | 4 | PA, QL (2 EA PER DAY), SP |
| XELJANZ XR | 4 | PA, QL (1 EA PER DAY), SP |
| INTERLEUKIN-1 BLOCKERS | | |
| ARCALYST | 4 | PA, LA, QL (4 EA PER 28 DAYS) |
| INTERLEUKIN-6 RECEPTOR INHIBITORS | | |
| TYENNE 162 MG/0.9ML SOLN A-INJ, 162 MG/0.9ML SOLN PRSYR | 4 | PA, QL (1.8 ML PER 28 DAY(S)), SP |
| NONSTEROIDAL ANTI-INFLAMMATORY AGENTS (NSAIDS) | | |
| <i>cataflam</i> | 2 | EDS |
| <i>celecoxib 50 mg cap, 100 mg cap, 200 mg cap, 400 mg cap</i> | 2 | EDS |
| <i>diclofenac potassium 50 mg tab</i> | 2 | EDS |
| <i>diclofenac sodium 25 mg tab dr, 50 mg tab dr, 75 mg tab dr</i> | 2 | EDS |
| <i>diclofenac sodium er</i> | 2 | EDS |
| <i>diclofenac-misoprostol</i> | 2 | EDS |
| <i>etodolac</i> | 2 | EDS |
| <i>fenoprofen calcium 400 mg cap</i> | 2 | EDS |
| <i>flurbiprofen 100 mg tab</i> | 2 | EDS |
| <i>ibu</i> | 2 | EDS |
| <i>ibuprofen 100 mg/5ml suspension, 400 mg tab, 600 mg tab, 800 mg tab</i> | 2 | EDS |
| <i>indomethacin 25 mg cap, 50 mg cap</i> | 2 | EDS |
| <i>indomethacin er</i> | 2 | EDS |
| KETOPROFEN 50 MG CAP, 75 MG CAP | 2 | EDS |
| <i>ketorolac tromethamine 10 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>ketorolac tromethamine 30 mg/ml, 60 mg/2ml</i> | 2 | |
| <i>mefenamic acid 250 mg cap</i> | 2 | EDS |
| <i>meloxicam 7.5 mg tab, 15 mg tab</i> | 1 | EDS |
| <i>nabumetone 500 mg tab, 750 mg tab</i> | 2 | EDS |
| <i>naproxen 250 mg tab, 375 mg tab, 500 mg tab</i> | 2 | EDS |
| <i>oxaprozin</i> | 2 | EDS |
| <i>piroxicam 10 mg cap, 20 mg cap</i> | 2 | EDS |
| <i>relafen</i> | 2 | EDS |
| <i>sulindac 150 mg tab, 200 mg tab</i> | 2 | EDS |

PHOSPHODIESTERASE 4 (PDE4) INHIBITORS

| | | |
|--|---|--------------------------------------|
| OTEZLA 10 & 20 & 30 MG TAB THPK | 4 | PA, QL (55 EA PER 180 DAY(S)), SP |
| OTEZLA 30 MG TAB | 4 | PA, QL (2 EA PER DAY), SP |
| OTEZLA 4 X 10 & 51 X20 MG TAB THPK, 20 MG TAB | 4 | PA, QL (2 EA PER 1 DAY(S)), SP |

PYRIMIDINE SYNTHESIS INHIBITORS

| | | |
|---|---|-----|
| <i>leflunomide 10 mg tab, 20 mg tab</i> | 2 | EDS |
|---|---|-----|

SELECTIVE COSTIMULATION MODULATORS

| | | |
|-------------------------------------|---|------------------------------------|
| ORENCIA 125 MG/ML SOLN PRSYR | 4 | PA, QL (4 ML PER 28 DAYS), SP |
| ORENCIA 50 MG/0.4ML SOLN PRSYR | 4 | PA, QL (1.6 ML PER 28 DAYS), SP |
| ORENCIA 87.5 MG/0.7ML SOLN PRSYR | 4 | PA, QL (2.8 ML PER 28 DAYS), SP |
| ORENCIA CLICKJECT | 4 | PA, QL (4 ML PER 28 DAYS), SP |

SOLUBLE TUMOR NECROSIS FACTOR RECEPTOR AGENTS

| | | |
|---|---|-------------------------------|
| ENBREL 25 MG RECON SOLN | 4 | PA, QL (8 EA PER 28 DAYS), SP |
| ENBREL 25 MG/0.5ML SOLN PRSYR, 50 MG/ML SOLN PRSYR | 4 | PA, QL (4 ML PER 28 DAYS), SP |
| ENBREL 25 MG/0.5ML SOLUTION | 4 | PA, QL (2 ML PER 28 DAYS), SP |
| ENBREL MINI | 4 | PA, QL (4 ML PER 28 DAYS), SP |
| ENBREL SURECLICK | 4 | PA, QL (4 ML PER 28 DAYS), SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| ANALGESICS - NONNARCOTIC | | |
| ANALGESIC COMBINATIONS | | |
| <i>butalbital-acetaminophen -50-325 mg tab</i> | 2 | |
| <i>butalbital-apap-caffeine --50-300-40 mg cap</i> | 2 | |
| SALICYLATES | | |
| <i>aspirin 81mg</i> | \$0 | EDS |
| <i>diflunisal 500 mg tab</i> | 2 | EDS |
| <i>salsalate 500 mg tab, 750 mg tab</i> | 2 | EDS |
| ANALGESICS - OPIOID | | |
| OPIOID AGONISTS | | |
| <i>codeine sulfate 30 mg tab</i> | 2 | |
| <i>fentanyl 12 mcg/hr patch, 25 mcg/hr patch, 50 mcg/hr patch, 75 mcg/hr patch, 100 mcg/hr patch</i> | 2 | PA |
| FENTANYL CITRATE 200 MCG LOZ HANDLE, 400 MCG LOZ HANDLE, 600 MCG LOZ HANDLE, 800 MCG LOZ HANDLE, 1200 MCG LOZ HANDLE, 1600 MCG LOZ HANDLE | 4 | PA, QL (4 EA PER DAY(S)) |
| <i>fentanyl citrate 200 mcg, 400 mcg, 600 mcg, 800 mcg, 1200 mcg, 1600 mcg</i> | 4 | PA, QL (4 EA PER DAY) |
| HYDROCODONE BITARTRATE ER ER 15 MG CAP ER 12H, ER 20 MG CAP ER 12H, ER 30 MG CAP ER 12H, ER 40 MG CAP ER 12H, ER 50 MG CAP ER 12H | 4 | PA |
| <i>hydromorphone hcl 1 mg/ml liquid, 1 mg/ml solution, 2 mg tab, 2 mg/ml solution, 4 mg tab, 8 mg tab</i> | 2 | |
| <i>hydromorphone hcl er</i> | 4 | PA |
| <i>hydromorphone hcl pf 10 mg/ml, 50 mg/5ml, 500 mg/50ml</i> | 2 | |
| <i>levorphanol tartrate 2 mg tab</i> | 4 | PA |
| <i>methadone hcl 5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/5ml solution, 10 mg/ml conc</i> | 2 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>methadone hcl intensol</i> | 2 | PA |
| <i>morphine sulfate (concentrate)</i> | 2 | |
| <i>morphine sulfate er morphine sulfate er 100 mg cap er 24h, morphine sulfate er 60 mg cap er 24h, morphine sulfate er 50 mg cap er 24h, morphine sulfate er 15 mg tab er, morphine sulfate er 30 mg tab er, morphine sulfate er 60 mg tab er, morphine sulfate er 80 mg cap er 24h, morphine sulfate er 20 mg cap er 24h, morphine sulfate er 60 mg cap er 24h, morphine sulfate er 20 mg cap er 24h, morphine sulfate er 50 mg cap er 24h, morphine sulfate er 100 mg cap er 24h, morphine sulfate er 100 mg tab er, morphine sulfate er 200 mg tab er, morphine sulfate er 30 mg cap er 24h, morphine sulfate er 80 mg cap er 24h</i> | 2 | PA |
| <i>morphine sulfate morphine sulfate 10 mg/5ml solution, morphine sulfate 10 mg/5ml solution, morphine sulfate 15 mg tab, morphine sulfate 20 mg/5ml solution, morphine sulfate 30 mg tab</i> | 2 | |
| <i>oxycodone hcl 5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/0.5ml conc, 15 mg tab, 20 mg tab, 30 mg tab, 100 mg/5ml conc</i> | 2 | |
| OXYCODONE HCL ER ER 10 MG TB12 DETER, ER 20 MG TB12 DETER, ER 40 MG TB12 DETER, ER 80 MG TB12 DETER | 4 | PA |
| <i>oxymorphone hcl</i> | 2 | |
| <i>tramadol hcl 50 mg tab</i> | 2 | |
| <i>tramadol hcl er er 100 mg tab er, er 200 mg tab er, er 300 mg tab er</i> | 2 | PA |
| OPIOID COMBINATIONS | | |
| <i>acetaminophen-codeine</i> | 2 | |
| BENZHYDROCODONE-ACETAMINOPHEN -4.08-325 MG TAB, -8.16-325 MG TAB | 2 | |
| <i>butalbital-apap-caff-cod ---50-325-40-30 mg cap</i> | 2 | |
| <i>endocet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|---------------------------------|
| <i>hydrocodone-acetaminophen -5-300 mg tab, -5-325 mg tab, -10-300 mg tab, -10-325 mg tab, -2.5-108 mg/5ml solution, -5-217 mg/10ml solution, -7.5-300 mg tab, -7.5-325 mg tab, -7.5-325 mg/15ml solution</i> | 2 | |
| <i>hydrocodone-ibuprofen -7.5-200 mg tab</i> | 2 | |
| <i>oxycodone-acetaminophen -5-325 mg tab, -10-325 mg tab, -2.5-325 mg tab, -7.5-325 mg tab</i> | 2 | |
| <i>tramadol-acetaminophen</i> | 2 | |
| OPIOID PARTIAL AGONISTS | | |
| BELBUCA | 4 | PA |
| <i>buprenorphine 5 mcg/hr patch wk, 7.5 mcg/hr patch wk, 10 mcg/hr patch wk, 15 mcg/hr patch wk, 20 mcg/hr patch wk</i> | 2 | PA, QL (0.15 EA PER DAY) |
| <i>buprenorphine hcl 0.3 mg/ml solution, 2 mg sl tab, 8 mg sl tab</i> | 2 | |
| <i>buprenorphine hcl-naloxone hcl</i> | 2 | |
| <i>nalbuphine hcl 10 mg/ml solution</i> | 2 | |
| <i>pentazocine-naloxone hcl</i> | 4 | |
| ANDROGENS-ANABOLIC | | |
| ANABOLIC STEROIDS | | |
| <i>oxandrolone oxandrolone 2.5 mg tab, oxandrolone 10 mg tab, oxandrolone 2.5 mg tab, oxandrolone 10 mg tab</i> | 4 | |
| ANDROGENS | | |
| ANDRODERM | 4 | PA, QL (1 EA PER DAY), EDS |
| <i>danazol 50 mg cap, 100 mg cap, 200 mg cap</i> | 2 | EDS |
| <i>depo-testosterone</i> | 2 | EDS |
| <i>methyltestosterone 10 mg cap</i> | 4 | PA |
| <i>testosterone 1.62 % gel, 20.25 mg/act (1.62%) gel, 40.5 mg/2.5gm (1.62%) gel</i> | 2 | PA, QL (5 GM PER DAY), EDS |
| <i>testosterone 10 mg/act (2%) gel</i> | 2 | PA, QL (4 GM PER DAY), EDS |
| TESTOSTERONE 10 MG/ACT (2%) GEL | 2 | PA, QL (4 GM PER 1 DAY(S)), EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------------|
| <i>testosterone 12.5 mg/act (1%) gel, 50 mg/5gm (1%) gel</i> | 2 | PA, QL (10 GM PER DAY), EDS |
| <i>testosterone 20.25 mg/1.25gm (1.62%) gel</i> | 2 | PA, QL (1.25 GM PER DAY), EDS |
| <i>testosterone 30 mg/act solution</i> | 2 | PA, QL (6 ML PER DAY), EDS |
| <i>testosterone cypionate 100 mg/ml, 200 mg/ml</i> | 2 | EDS |
| <i>testosterone testosterone 25 mg/2.5gm (1%) gel, testosterone 12.5 mg/act (1%) gel</i> | 2 | PA, QL (10 GM PER 1 DAY(S)), EDS |

ANORECTAL AND RELATED PRODUCTS

INTRARECTAL STEROIDS

| | | |
|---|---|--|
| CORTIFOAM | 4 | |
| <i>hydrocortisone 100 mg/60ml enema</i> | 2 | |

RECTAL STEROIDS

| | | |
|--|---|--|
| <i>hydrocortisone (perianal) 2.5 % cream</i> | 2 | |
| <i>procto-med hc</i> | 2 | |
| <i>proctosol hc</i> | 2 | |
| <i>proctozone-hc</i> | 2 | |

ANTHELMINTICS

ANTHELMINTICS

| | | |
|--------------------------------|---|----|
| <i>albendazole 200 mg tab</i> | 4 | |
| BENZNIDAZOLE | 4 | LA |
| <i>ivermectin 3 mg tab</i> | 2 | |
| <i>praziquantel 600 mg tab</i> | 2 | |

ANTI-INFECTIVE AGENTS - MISC.

ANTI-INFECTIVE AGENTS - MISC.

| | | |
|---|---|--|
| AEMCOLO | 4 | |
| <i>bacitracin 50000 unit recon soln</i> | 2 | |
| <i>metronidazole 250 mg tab, 500 mg tab</i> | 1 | |
| <i>metronidazole 500 mg/100ml solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>pentamidine isethionate</i> | 2 | EDS |
| <i>tinidazole 250 mg tab, 500 mg tab</i> | 2 | |
| <i>trimethoprim 100 mg tab</i> | 2 | |
| XIFAXAN 200 MG TAB | 4 | QL (3 EA PER DAY) |
| XIFAXAN 550 MG TAB | 4 | PA, QL (2 EA PER DAY) |
| ANTI-INFECTIVE MISC. - COMBINATIONS | | |
| <i>sulfamethoxazole-trimethoprim -200-40 mg/5ml suspension, -400-80 mg/5ml solution, -800-160 mg/20ml suspension</i> | 2 | |
| <i>sulfamethoxazole-trimethoprim -400-80 mg tab, -800-160 mg tab</i> | 1 | |
| ANTIPROTOZOAL AGENTS | | |
| <i>atovaquone 750 mg/5ml suspension</i> | 4 | |
| LAMPIT | 4 | |
| CARBAPENEMS | | |
| <i>ertapenem sodium</i> | 4 | |
| <i>imipenem-cilastatin -500 mg recon soln</i> | 2 | |
| <i>meropenem</i> | 4 | |
| CYCLIC LIPOPEPTIDES | | |
| <i>daptomycin</i> | 4 | |
| GLYCOPEPTIDES | | |
| <i>vancomycin hcl 1 gm soln, 5 gm soln, 10 gm soln, 500 mg soln, 750 mg soln</i> | 4 | |
| <i>vancomycin hcl 125 mg cap, 250 mg cap</i> | 2 | QL (2 EA PER DAY) |
| LEPROSTATICS | | |
| <i>dapsone 25 mg tab, 100 mg tab</i> | 2 | EDS |
| LINCOSAMIDES | | |
| <i>clindamycin hcl 75 mg cap, 150 mg cap, 300 mg cap</i> | 1 | |
| <i>clindamycin phosphate 9 gm/60ml, 300 mg/2ml, 600 mg/4ml, 900 mg/6ml, 9000 mg/60ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| MONOBACTAMS | | |
| <i>aztreonam</i> | 2 | |
| CAYSTON | 4 | LA |
| OXAZOLIDINONES | | |
| <i>linezolid 100 mg/5ml recon susp, 600 mg tab</i> | 4 | |
| LINEZOLID IN SODIUM CHLORIDE | 4 | |
| POLYMYXINS | | |
| <i>colistimethate sodium (cba)</i> | 2 | |
| STREPTOGRAMINS | | |
| SYNERCID | 4 | |
| URINARY ANTI-INFECTIVES | | |
| <i>fosfomycin tromethamine</i> | 2 | |
| <i>methenamine hippurate</i> | 2 | |
| <i>nitrofurantoin macrocrystal 50 mg cap, 100 mg cap</i> | 2 | |
| <i>nitrofurantoin monohyd macro</i> | 2 | |
| ANTIANGINAL AGENTS | | |
| ANTIANGINALS-OTHER | | |
| <i>ranolazine er</i> | 2 | EDS |
| NITRATES | | |
| <i>isosorbide dinitrate 5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab</i> | 2 | EDS |
| <i>isosorbide mononitrate</i> | 1 | EDS |
| <i>isosorbide mononitrate er</i> | 1 | EDS |
| <i>minitran</i> | 2 | EDS |
| NITRO-BID | 2 | EDS |
| <i>nitroglycerin 0.1 mg/hr patch, 0.2 mg/hr patch, 0.4 mg/hr patch, 0.6 mg/hr patch</i> | 2 | EDS |
| <i>nitroglycerin 0.3 mg tab, 0.4 mg tab, 0.6 mg tab</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| ANTIANSXIETY AGENTS | | |
| ANTIANSXIETY AGENTS - MISC. | | |
| <i>bupirone hcl 5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab, 30 mg tab</i> | 1 | EDS |
| <i>hydroxyzine hcl 10 mg tab, 10 mg/5ml syrup, 25 mg tab, 50 mg tab</i> | 2 | EDS |
| HYDROXYZINE PAMOATE HYDROXYZINE PAMOATE 50 MG CAP, HYDROXYZINE PAMOATE 100 MG CAP, HYDROXYZINE PAMOATE 25 MG CAP | 2 | EDS |
| <i>meprobamate</i> | 4 | |
| BENZODIAZEPINES | | |
| <i>alprazolam 0.25 mg tab, 0.5 mg tab, 1 mg tab, 2 mg tab</i> | 2 | |
| <i>chlordiazepoxide hcl</i> | 2 | |
| <i>clorazepate dipotassium</i> | 2 | |
| <i>diazepam 2 mg tab, 5 mg tab, 5 mg/5ml solution, 5 mg/ml conc, 5 mg/ml solution, 10 mg tab, 10 mg/2ml solution</i> | 2 | |
| <i>diazepam intensol</i> | 2 | |
| <i>lorazepam 0.5 mg tab, 1 mg tab, 2 mg tab, 2 mg/ml conc</i> | 2 | |
| <i>lorazepam intensol</i> | 2 | |
| <i>oxazepam</i> | 2 | |
| ANTIARRHYTHMICS | | |
| ANTIARRHYTHMICS TYPE I-A | | |
| <i>disopyramide phosphate</i> | 2 | EDS |
| <i>procainamide hcl 100 mg/ml solution</i> | 2 | |
| <i>quinidine gluconate er</i> | 2 | EDS |
| <i>quinidine sulfate quinidine sulfate, quinidine sulfate</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|--|
| ANTIARRHYTHMICS TYPE I-B | | |
| <i>mexiletine hcl 150 mg cap, 200 mg cap, 250 mg cap</i> | 2 | EDS |
| ANTIARRHYTHMICS TYPE I-C | | |
| <i>flecainide acetate</i> | 2 | EDS |
| <i>propafenone hcl</i> | 2 | EDS |
| <i>propafenone hcl er er 225 mg cap er, er 425 mg cap er</i> | 2 | EDS |
| ANTIARRHYTHMICS TYPE III | | |
| <i>amiodarone hcl 150 mg/3ml, 450 mg/9ml, 900 mg/18ml</i> | 2 | |
| <i>amiodarone hcl 200 mg tab, 400 mg tab</i> | 2 | EDS |
| <i>dofetilide</i> | 2 | EDS |
| <i>pacerone 200 mg tab, 400 mg tab</i> | 2 | EDS |
| ANTIASTHMATIC AND BRONCHODILATOR AGENTS | | |
| ANTIASTHMATIC - MONOCLONAL ANTIBODIES | | |
| FASENRA 10 MG/0.5ML SOLN PRSYR | 4 | PA, LA, QL (0.5 ML PER 56 DAY(S)), CDD |
| FASENRA 30 MG/ML SOLN PRSYR | 4 | PA, LA, QL (1 ML PER 56 DAYS), CDD |
| FASENRA PEN | 4 | PA, LA, QL (1 ML PER 56 DAYS), CDD |
| NUCALA 100 MG RECON SOLN | 4 | PA, QL (1 EA PER 28 DAYS), CDD, SP |
| NUCALA 100 MG/ML SOLN A-INJ, 100 MG/ML SOLN PRSYR | 4 | PA, QL (1 ML PER 28 DAYS), CDD, SP |
| NUCALA 40 MG/0.4ML SOLN PRSYR | 4 | PA, QL (0.4 ML PER 28 DAYS), CDD, SP |
| XOLAIR 150 MG RECON SOLN | 4 | PA, QL (8 EA PER 28 DAY(S)), CDD, SP |
| XOLAIR 150 MG/ML SOLN PRSYR | 4 | PA, QL (8 ML PER 28 DAY(S)), CDD, SP |
| XOLAIR 75 MG/0.5ML SOLN PRSYR | 4 | PA, QL (1 ML PER 28 DAY(S)), CDD, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|--------------------------------|
| BRONCHODILATORS - ANTICHOLINERGICS | | |
| ATROVENT HFA | 3 | EDS, CDD |
| INCRUSE ELLIPTA | 3 | EDS |
| <i>ipratropium bromide 0.02 % solution</i> | 2 | EDS, CDD |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium 4 mg chew tab, 5 mg chew tab, 10 mg tab</i> | 2 | EDS, CDD |
| <i>zafirlukast</i> | 2 | EDS, CDD |
| <i>zileuton er</i> | 4 | PA, CDD |
| SELECTIVE PHOSPHODIESTERASE 4 (PDE4) INHIBITORS | | |
| <i>roflumilast 250 mcg tab</i> | 4 | QL (28 EA PER 365 DAY(S)), EDS |
| <i>roflumilast 500 mcg tab</i> | 4 | EDS |
| STEROID INHALANTS | | |
| <i>budesonide 0.25 mg/2ml suspension, 0.5 mg/2ml suspension</i> | 2 | EDS, CDD |
| <i>budesonide 1 mg/2ml suspension</i> | 4 | EDS, CDD |
| FLOVENT DISKUS | 3 | QL (2 EA PER DAY), EDS, CDD |
| FLOVENT HFA 110 MCG/ACT AEROSOL | 3 | QL (0.4 GM PER DAY), EDS, CDD |
| FLOVENT HFA 220 MCG/ACT AEROSOL | 3 | QL (0.8 GM PER DAY), EDS, CDD |
| FLOVENT HFA 44 MCG/ACT AEROSOL | 3 | QL (0.36 GM PER DAY), EDS, CDD |
| FLUTICASONE PROPIONATE DISKUS | 3 | QL (2 EA PER DAY), EDS, CDD |
| FLUTICASONE PROPIONATE HFA 110 MCG/ACT AEROSOL | 3 | QL (0.4 GM PER DAY), EDS, CDD |
| FLUTICASONE PROPIONATE HFA 220 MCG/ACT AEROSOL | 3 | QL (0.8 GM PER DAY), EDS, CDD |
| FLUTICASONE PROPIONATE HFA 44 MCG/ACT AEROSOL | 3 | QL (0.36 GM PER DAY), EDS, CDD |
| QVAR REDIHALER 40 MCG/ACT AERO BA | 3 | QL (0.36 GM PER DAY), EDS, CDD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|--|
| QVAR REDIHALER 80 MCG/ACT AERO BA | 3 | QL (0.71 GM PER DAY), EDS, CDD |
| SYMPATHOMIMETICS | | |
| <i>albuterol sulfate 0.63 mg/3ml nebu soln, 1.25 mg/3ml nebu soln, 2 mg tab, 2 mg/5ml syrup, (2.5 mg/3ml) 0.083% nebu soln, 4 mg tab</i> | 2 | EDS, CDD |
| ALBUTEROL SULFATE ER | 2 | EDS |
| <i>albuterol sulfate hfa (proventil equivalent)</i> | 2 | QL (0.45 GM PER 1 DAY(S)), MFG (Drug coverage is limited to certain manufacturers), EDS, CDD |
| <i>albuterol sulfate hfa 108 (proair equivalent)</i> | 2 | QL (0.57 GM PER 1 DAY(S)), MFG (Drug coverage is limited to certain manufacturers), EDS, CDD |
| ANORO ELLIPTA | 3 | QL (2 EA PER DAY), EDS |
| <i>arformoterol tartrate</i> | 4 | |
| BREO ELLIPTA 100-25 MCG/ACT AER POW BA, 200-25 MCG/ACT AER POW BA | 3 | QL (2 EA PER 1 DAY(S)), EDS, CDD |
| BREO ELLIPTA 50-25 MCG/INH AER POW BA | 3 | QL (2 EA PER DAY), CDD |
| <i>breyana</i> | 2 | QL (0.68 GM PER DAY), EDS, CDD |
| BREZTRI AEROSPHERE | 3 | QL (0.36 GM PER DAY), EDS |
| <i>budesonide-formoterol fumarate 160-4.5 mcg/act aerosol, budesonide-formoterol fumarate 80-4.5 mcg/act aerosol</i> | 2 | QL (0.68 GM PER DAY), EDS, CDD |
| COMBIVENT RESPIMAT | 3 | QL (0.14 GM PER DAY), EDS, CDD |
| DULERA | 3 | QL (0.87 GM PER DAY), EDS, CDD |
| FLUTICASONE-SALMETEROL -113- 14 MCG/ACT AER POW BA, -232-14 MCG/ACT AER POW BA | 2 | QL (0.04 GRAMS PER 1 DAY(S)), EDS, CDD |
| FLUTICASONE-SALMETEROL -55-14 MCG/ACT AER POW BA | 2 | QL (0.04 GM PER 1 DAY(S)), EDS, CDD |
| <i>ipratropium-albuterol</i> | 2 | EDS, CDD |
| <i>levalbuterol hcl 0.31 mg/3ml soln, 0.63 mg/3ml soln, 1.25 mg/3ml soln</i> | 2 | EDS, CDD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|--|
| LEVALBUTEROL TARTRATE | 3 | QL (1 GM PER DAY), EDS, CDD |
| SEREVENT DISKUS | 3 | QL (2 EA PER DAY), EDS, CDD |
| STIOLTO RESPIMAT | 3 | QL (0.14 GM PER DAY), EDS |
| <i>terbutaline sulfate 1 mg/ml solution</i> | 2 | CDD |
| <i>terbutaline sulfate 2.5 mg tab, 5 mg tab</i> | 2 | EDS, CDD |
| TRELEGY ELLIPTA | 3 | QL (2 EA PER DAY), EDS, CDD |
| VENTOLIN HFA | 2 | QL (1.2 GM PER DAY), MFG (Drug coverage is limited to certain manufacturers), EDS, CDD |

XANTHINES

| | | |
|---|---|----------|
| <i>theophylline 80 mg/15ml solution</i> | 2 | EDS, CDD |
| <i>theophylline er er 300 mg tab er 12h, er 400 mg tab er 24h, er 450 mg tab er 12h, er 600 mg tab er 24h</i> | 2 | EDS, CDD |

ANTICOAGULANTS

COUMARIN ANTICOAGULANTS

| | | |
|--|---|-----|
| <i>jantoven</i> | 1 | EDS |
| <i>warfarin sodium 1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab</i> | 1 | EDS |

DIRECT FACTOR XA INHIBITORS

| | | |
|-----------------------------|---|-----|
| ELIQUIS | 3 | EDS |
| ELIQUIS DVT/PE STARTER PACK | 3 | |
| XARELTO | 3 | EDS |
| XARELTO STARTER PACK | 3 | |

HEPARINS AND HEPARINOID-LIKE AGENTS

| | | |
|--|---|-----|
| <i>enoxaparin sodium</i> | 4 | EDS |
| <i>fondaparinux sodium</i> | 4 | |
| FRAGMIN | 4 | |
| <i>heparin (porcine) in nacl in 2000-0.9 unit/l-% solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>heparin sodium (porcine) 1000 unit/ml, 10000 unit/ml, 20000 unit/ml</i> | 2 | |
| <i>heparin sodium (porcine) pf 1000 unit/ml, 5000 unit/0.5ml</i> | 2 | |
| THROMBIN INHIBITORS | | |
| <i>dabigatran etexilate mesylate</i> | 4 | EDS |
| ANTICONVULSANTS | | |
| ANTICONVULSANTS - BENZODIAZEPINES | | |
| <i>clobazam 2.5 mg/ml suspension, 10 mg tab</i> | 2 | EDS |
| <i>clonazepam 0.125 mg tab disp, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp, 2 mg tab, 2 mg tab disp</i> | 2 | |
| <i>diazepam 10 mg gel</i> | 2 | QL (2 EA PER FILL) |
| DIAZEPAM DIAZEPAM 2.5 MG GEL, DIAZEPAM 20 MG GEL | 2 | QL (2 EA PER FILL(S)) |
| NAYZILAM | 4 | QL (2 EA PER 1 FILL) |
| VALTOCO 10 MG DOSE | 4 | QL (2 EA PER 1 FILL) |
| VALTOCO 15 MG DOSE | 4 | QL (2 EA PER 1 FILL) |
| VALTOCO 20 MG DOSE | 4 | QL (2 EA PER 1 FILL) |
| VALTOCO 5 MG DOSE | 4 | QL (2 EA PER 1 FILL) |
| ANTICONVULSANTS - MISC. | | |
| BRIVIACT 10 MG TAB, 10 MG/ML SOLUTION, 25 MG TAB, 50 MG TAB, 75 MG TAB, 100 MG TAB | 4 | EDS |
| <i>carbamazepine 100 mg chew tab, 100 mg/5ml suspension, 200 mg tab, 200 mg/10ml suspension</i> | 1 | EDS |
| <i>carbamazepine er</i> | 2 | EDS |
| DIACOMIT | 4 | PA, LA |
| EPIDIOLEX | 4 | PA, SP |
| <i>epitol</i> | 1 | EDS |
| <i>gabapentin 100 mg cap, 300 mg cap, 400 mg cap</i> | 2 | QL (9 EA PER DAY), EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>gabapentin 250 mg/5ml, 300 mg/6ml</i> | 2 | QL (72 ML PER DAY), EDS |
| <i>gabapentin 600 mg tab</i> | 2 | QL (6 EA PER DAY), EDS |
| <i>gabapentin 800 mg tab</i> | 2 | QL (4.5 EA PER DAY), EDS |
| <i>lacosamide 10 mg/ml solution, 50 mg tab, 50 mg/5ml solution, 100 mg tab, 100 mg/10ml solution, 150 mg tab, 200 mg tab</i> | 2 | EDS |
| <i>lamotrigine 25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab</i> | 1 | EDS |
| <i>lamotrigine 5 mg chew tab, 25 mg chew tab</i> | 2 | EDS |
| <i>lamotrigine er</i> | 2 | EDS |
| <i>levetiracetam 100 mg/ml solution, 250 mg tab, 500 mg tab, 500 mg/5ml solution, 750 mg tab, 1000 mg tab</i> | 1 | EDS |
| <i>levetiracetam er</i> | 2 | EDS |
| <i>oxcarbazepine 150 mg tab, 300 mg tab, 600 mg tab</i> | 2 | EDS |
| <i>pregabalin 20 mg/ml solution</i> | 2 | QL (30 ML PER DAY), EDS |
| <i>pregabalin 225 mg cap, 300 mg cap</i> | 2 | QL (2 EA PER DAY), EDS |
| <i>pregabalin 25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap, 200 mg cap</i> | 2 | QL (3 EA PER DAY), EDS |
| PRIMIDONE PRIMIDONE 50 MG TAB, PRIMIDONE 125 MG TAB, PRIMIDONE 250 MG TAB | 2 | EDS |
| <i>roweepra</i> | 1 | EDS |
| <i>roweepra xr</i> | 2 | EDS |
| <i>rufinamide</i> | 4 | PA |
| <i>subvenite</i> | 1 | EDS |
| <i>topiramate 15 mg cap sprink, 25 mg cap sprink, 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab</i> | 2 | EDS |
| <i>zonisamide 25 mg cap, 50 mg cap, 100 mg cap</i> | 2 | EDS |
| ZTALMY | 4 | PA, LA, QL (36 ML PER DAY) |
| CARBAMATES | | |
| <i>felbamate</i> | 4 | |
| XCOPRI (250 MG DAILY DOSE) 100 & 150 TAB THPK | 4 | QL (2 EA PER DAY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|------------------|----------------------------|
| XCOPRI (350 MG DAILY DOSE) | 4 | QL (2 EA PER DAY) |
| XCOPRI 150 MG TAB, 200 MG TAB | 4 | QL (2 EA PER DAY) |
| XCOPRI 25 MG TAB | 4 | QL (1 EA PER 1 DAY(S)) |
| XCOPRI 50 MG TAB, 100 MG TAB | 4 | QL (1 EA PER DAY) |

GABA MODULATORS

| | | |
|----------------------|---|-----|
| <i>tiagabine hcl</i> | 2 | EDS |
|----------------------|---|-----|

HYDANTOINS

| | | |
|---|---|-----|
| DILANTIN 30 MG CAP | 4 | EDS |
| <i>fosphenytoin sodium 500 mg pe/10ml solution</i> | 2 | |
| <i>phenytek</i> | 2 | EDS |
| <i>phenytoin 50 mg chew tab, 100 mg/4ml suspension, 125 mg/5ml suspension</i> | 2 | EDS |
| <i>phenytoin infatabs</i> | 2 | EDS |
| <i>phenytoin sodium 50 mg/ml solution</i> | 2 | |
| <i>phenytoin sodium extended</i> | 2 | EDS |

SUCCINIMIDES

| | | |
|---|---|-----|
| <i>ethosuximide 250 mg cap, 250 mg/5ml solution</i> | 2 | EDS |
| <i>methsuximide</i> | 4 | EDS |

VALPROIC ACID

| | | |
|---|---|-----|
| <i>divalproex sodium 125 mg cap dr, 125 mg tab dr, 250 mg tab dr, 500 mg tab dr</i> | 1 | EDS |
| <i>divalproex sodium er</i> | 1 | EDS |
| <i>valproate sodium 100 mg/ml, 500 mg/5ml</i> | 2 | EDS |
| <i>valproic acid 250 mg cap, 250 mg/5ml solution, 500 mg/10ml solution</i> | 2 | EDS |

ANTIDEPRESSANTS

ALPHA-2 RECEPTOR ANTAGONISTS (TETRACYCLICS)

| | | |
|---|---|-----|
| <i>mirtazapine 15 mg tab disp, 30 mg tab disp, 45 mg tab disp</i> | 2 | EDS |
| <i>mirtazapine 7.5 mg tab, 15 mg tab, 30 mg tab, 45 mg tab</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------------|
| ANTIDEPRESSANTS - MISC. | | |
| <i>bupropion hcl 75 mg tab, 100 mg tab</i> | 1 | EDS |
| <i>bupropion hcl er (smoking det)</i> | \$0 | |
| <i>bupropion hcl er (sr)</i> | 1 | EDS |
| <i>bupropion hcl er (xl) er 150 mg tab er, er 300 mg tab er</i> | 1 | EDS |
| GABA RECEPTOR MODULATOR - NEUROACTIVE STEROID | | |
| ZURZUVAE | 4 | PA, LA, QL (28 EA PER 30 DAY(S)) |
| MONOAMINE OXIDASE INHIBITORS (MAOIS) | | |
| MARPLAN | 4 | EDS |
| PHENELZINE SULFATE PHENELZINE SULFATE 15 MG TAB, PHENELZINE SULFATE 15 MG TAB | 2 | EDS |
| <i>tranylcypromine sulfate</i> | 2 | EDS |
| N-METHYL-D-ASPARTIC ACID (NMDA) RECEPTOR ANTAGONISTS | | |
| SPRAVATO (56 MG DOSE) | 4 | PA, SP |
| SPRAVATO (84 MG DOSE) | 4 | PA, SP |
| SELECTIVE SEROTONIN REUPTAKE INHIBITORS (SSRIS) | | |
| <i>citalopram hydrobromide 10 mg tab, 20 mg tab, 40 mg tab</i> | 1 | EDS |
| <i>citalopram hydrobromide 10 mg/5ml solution</i> | 2 | EDS |
| <i>escitalopram oxalate 5 mg tab, 10 mg tab, 20 mg tab</i> | 1 | EDS |
| <i>escitalopram oxalate 5 mg/5ml solution</i> | 2 | EDS |
| <i>fluoxetine hcl 10 mg cap, 10 mg tab, 20 mg cap, 20 mg tab, 40 mg cap, 60 mg tab</i> | 1 | EDS |
| <i>fluoxetine hcl fluoxetine hcl 20 mg/5ml solution, fluoxetine hcl 90 mg cap dr</i> | 2 | EDS |
| <i>fluvoxamine maleate</i> | 2 | EDS |
| <i>fluvoxamine maleate er</i> | 2 | EDS |
| <i>paroxetine hcl 10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>paroxetine hcl er</i> | 2 | EDS |
| <i>sertraline hcl 20 mg/ml conc</i> | 2 | EDS |
| <i>sertraline hcl 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| SEROTONIN MODULATORS | | |
| NEFAZODONE HCL | 2 | EDS |
| <i>trazodone hcl 50 mg tab, 100 mg tab, 150 mg tab</i> | 1 | EDS |
| TRINTELLIX | 4 | QL (1 EA PER DAY), EDS |
| <i>vilazodone hcl</i> | 2 | EDS |
| SEROTONIN-NOREPINEPHRINE REUPTAKE INHIBITORS (SNRIS) | | |
| <i>desvenlafaxine succinate er</i> | 2 | EDS |
| <i>duloxetine hcl 20 mg dr, 30 mg dr, 60 mg dr</i> | 2 | EDS |
| <i>venlafaxine hcl</i> | 1 | EDS |
| <i>venlafaxine hcl er er 37.5 mg cap er, er 75 mg cap er, er 150 mg cap er</i> | 2 | EDS |
| TRICYCLIC AGENTS | | |
| <i>amitriptyline hcl 10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab</i> | 1 | EDS |
| <i>amoxapine</i> | 2 | EDS |
| <i>clomipramine hcl 25 mg cap, 50 mg cap, 75 mg cap</i> | 2 | EDS |
| <i>desipramine hcl 10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab</i> | 2 | EDS |
| <i>doxepin hcl 10 mg cap, 10 mg/ml conc, 25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap</i> | 2 | EDS |
| <i>imipramine hcl 10 mg tab, 25 mg tab, 50 mg tab</i> | 2 | EDS |
| <i>nortriptyline hcl 10 mg cap, 25 mg cap, 50 mg cap, 75 mg cap</i> | 1 | EDS |
| <i>nortriptyline hcl 10 mg/5ml solution</i> | 2 | EDS |
| <i>protriptyline hcl</i> | 2 | EDS |
| <i>trimipramine maleate 25 mg cap, 50 mg cap, 100 mg cap</i> | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-----------------------------------|
| ANTIDIABETICS | | |
| ALPHA-GLUCOSIDASE INHIBITORS | | |
| <i>acarbose 25 mg tab, 50 mg tab, 100 mg tab</i> | 2 | EDS, CDD |
| ANTIDIABETIC COMBINATIONS | | |
| <i>glipizide-metformin hcl</i> | 1 | EDS, CDD |
| <i>glyburide-metformin</i> | 1 | EDS, CDD |
| GLYXAMBI | 3 | QL (1 EA PER DAY), EDS, CDD |
| JANUMET | 3 | QL (2 EA PER DAY), EDS, CDD |
| JANUMET XR 100-1000 MG TAB ER 24H | 3 | QL (1 EA PER DAY), EDS, CDD |
| JANUMET XR 50-1000 MG TAB ER 24H, 50-500 MG TAB ER 24H | 3 | QL (2 EA PER DAY), EDS, CDD |
| JENTADUETO | 3 | QL (2 EA PER DAY), EDS, CDD |
| JENTADUETO XR 2.5-1000 MG TAB ER 24H | 3 | QL (2 EA PER DAY), EDS, CDD |
| JENTADUETO XR 5-1000 MG TAB ER 24H | 3 | QL (1 EA PER DAY), EDS, CDD |
| <i>pioglitazone hcl-metformin hcl</i> | 2 | EDS, CDD |
| SOLIQUA | 3 | PA, QL (0.5 ML PER DAY), EDS, INS |
| SYNJARDY | 3 | QL (2 EA PER DAY), EDS, CDD |
| SYNJARDY XR 10-1000 MG TAB ER 24H, 25-1000 MG TAB ER 24H | 3 | QL (1 EA PER DAY), EDS, CDD |
| SYNJARDY XR 5-1000 MG TAB ER 24H, 12.5-1000 MG TAB ER 24H | 3 | QL (2 EA PER DAY), EDS, CDD |
| TRIJARDY XR 10-5-1000 MG TAB ER 24H, 25-5-1000 MG TAB ER 24H | 3 | QL (1 EA PER DAY), EDS, CDD |
| TRIJARDY XR 5-2.5-1000 MG TAB ER 24H, 12.5-2.5-1000 MG TAB ER 24H | 3 | QL (2 EA PER DAY), EDS, CDD |
| XIGDUO XR 2.5-1000 MG TAB ER 24H, 5-1000 MG TAB ER 24H | 3 | QL (2 EA PER DAY), EDS, CDD |
| XIGDUO XR 5-500 MG TAB ER 24H, 10-1000 MG TAB ER 24H, 10-500 MG TAB ER 24H | 3 | QL (1 EA PER DAY), EDS, CDD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|---------------------------------------|
| BIGUANIDES | | |
| <i>metformin hcl 500 mg tab, 850 mg tab, 1000 mg tab</i> | 1 | EDS, CDD |
| <i>metformin hcl er 500mg tab, metformin hcl er 750mg tab</i> | 1 | EDS, CDD |
| DIABETIC OTHER | | |
| BAQSIMI ONE PACK | 3 | QL (2 EA PER 1 FILL), CDD |
| BAQSIMI TWO PACK | 3 | QL (2 EA PER 1 FILL), CDD |
| GLUCAGON EMERGENCY 1 MG KIT | 3 | QL (2 EA PER FILL(S)), CDD |
| GVOKE HYPOPEN 1-PACK -PCK 0.5 MG/0.ML SOLN -INJ | 3 | QL (0.2 ML PER 1 FILL), CDD |
| GVOKE HYPOPEN 1-PACK -PCK MG/0.2ML SOLN -INJ | 3 | QL (0.4 ML PER 1 FILL), CDD |
| GVOKE HYPOPEN 2-PACK -PCK 0.5 MG/0.1ML SOLN -INJ | 3 | QL (0.2 ML PER 1 FILL), CDD |
| GVOKE HYPOPEN 2-PACK -PCK 1 MG/0.ML SOLN -INJ | 3 | QL (0.4 ML PER 1 FILL), CDD |
| GVOKE KIT | 3 | QL (0.4 ML PER 1 FILL), CDD |
| GVOKE PFS 0.5 MG/0.1ML SOLN PRSYR | 3 | QL (0.2 ML PER 1 FILL), CDD |
| GVOKE PFS 1 MG/0.2ML SOLN PRSYR | 3 | QL (0.4 ML PER 1 FILL), CDD |
| DIPEPTIDYL PEPTIDASE-4 (DPP-4) INHIBITORS | | |
| JANUVIA | 3 | QL (1 EA PER DAY), EDS, CDD |
| TRADJENTA | 3 | QL (1 EA PER DAY), EDS, CDD |
| INCRETIN MIMETIC AGENTS | | |
| BYDUREON BCISE | 3 | PA, QL (3.4 ML PER 28 DAYS), EDS, CDD |
| MOUNJARO | 3 | PA, QL (2 ML PER 28 DAY(S)), EDS, CDD |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) (MG/1.5ML SOLN PEN | 3 | PA, QL (1.5 ML PER 28 DAYS), EDS, CDD |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) (MG/3ML SOLN PEN | 3 | PA, QL (3 ML PER 28 DAYS), EDS, CDD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------|------------------|--|
| OZEMPIC (1 MG/DOSE) | 3 | PA, QL (3 ML PER 28 DAYS), EDS, CDD |
| OZEMPIC (2 MG/DOSE) | 3 | PA, QL (3 ML PER 28 DAYS), EDS, CDD |
| RYBELSUS | 3 | PA, QL (1 EA PER DAY), EDS, CDD |
| TRULICITY | 3 | PA, QL (2 ML PER 28 DAY(S)), EDS, CDD |

INSULIN

| | | |
|-----------------------------------|---|----------|
| BASAGLAR KWIKPEN | 3 | EDS, INS |
| HUMULIN R U-500 (CONCENTRATED) | 3 | EDS, INS |
| HUMULIN R U-500 KWIKPEN | 3 | EDS, INS |
| INSULIN LISPRO | 3 | EDS, INS |
| LEVEMIR | 3 | EDS, INS |
| NOVOLIN 70/30 | 3 | EDS, INS |
| NOVOLIN 70/30 FLEXPEN | 3 | EDS, INS |
| NOVOLIN 70/30 FLEXPEN RELION | 3 | EDS, INS |
| NOVOLIN 70/30 RELION | 3 | EDS, INS |
| NOVOLIN N | 3 | EDS, INS |
| NOVOLIN N FLEXPEN | 3 | EDS, INS |
| NOVOLIN N FLEXPEN RELION | 3 | EDS, INS |
| NOVOLIN N RELION | 3 | EDS, INS |
| NOVOLIN R | 3 | EDS, INS |
| NOVOLIN R FLEXPEN | 3 | EDS, INS |
| NOVOLIN R FLEXPEN RELION | 3 | EDS, INS |
| NOVOLIN R RELION | 3 | EDS, INS |
| NOVOLOG | 3 | EDS, INS |
| NOVOLOG 70/30 FLEXPEN RELION | 3 | EDS, INS |
| NOVOLOG FLEXPEN | 3 | EDS, INS |
| NOVOLOG FLEXPEN RELION | 3 | EDS, INS |
| NOVOLOG MIX 70/30 | 3 | EDS, INS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------|------------------|----------------------------|
| NOVOLOG MIX 70/30 FLEXPEN | 3 | EDS, INS |
| NOVOLOG MIX 70/30 RELION | 3 | EDS, INS |
| NOVOLOG PENFILL | 3 | EDS, INS |
| NOVOLOG RELION | 3 | EDS, INS |
| TRESIBA | 3 | EDS, INS |
| TRESIBA FLEXTOUCH | 3 | EDS, INS |

INSULIN SENSITIZING AGENTS

| | | |
|-------------------------|---|----------|
| <i>pioglitazone hcl</i> | 1 | EDS, CDD |
|-------------------------|---|----------|

MEGLITINIDE ANALOGUES

| | | |
|--------------------|---|----------|
| <i>nateglinide</i> | 2 | EDS, CDD |
|--------------------|---|----------|

SODIUM-GLUCOSE CO-TRANSPORTER 2 (SGLT2) INHIBITORS

| | | |
|-----------|---|-----------------------------|
| FARXIGA | 3 | QL (1 EA PER DAY), EDS, CDD |
| JARDIANCE | 3 | QL (1 EA PER DAY), EDS, CDD |

SULFONYLUREAS

| | | |
|--|---|----------|
| <i>glimepiride 1 mg tab, 2 mg tab, 4 mg tab</i> | 1 | EDS, CDD |
| <i>glipizide 5 mg tab, 10 mg tab</i> | 1 | EDS, CDD |
| <i>glipizide er</i> | 1 | EDS, CDD |
| <i>glipizide xl</i> | 1 | EDS, CDD |
| <i>glyburide 1.25 mg tab, 2.5 mg tab, 5 mg tab</i> | 1 | EDS, CDD |

ANTIDIARRHEAL/PROBIOTIC AGENTS

ANTIDIARRHEAL/PROBIOTIC AGENTS - MISC.

| | | |
|--|---|--|
| <i>bismatrol 262 mg chew tab</i> | 2 | |
| <i>bismuth</i> | 2 | |
| <i>bismuth subsalicylate 262 mg chew tab</i> | 2 | |
| <i>cvs bismuth</i> | 2 | |
| <i>cvs stomach relief 262 mg chew tab</i> | 2 | |
| <i>diotame</i> | 2 | |
| <i>eq pink-bismuth</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>eq stomach relief 262 mg chew tab</i> | 2 | |
| <i>eql stomach relief 262 mg chew tab</i> | 2 | |
| <i>ft stomach relief 262 mg chew tab</i> | 2 | |
| <i>gnp pink bismuth 262 mg chew tab</i> | 2 | |
| <i>goodsense stomach relief 262 mg chew tab</i> | 2 | |
| <i>hm stomach relief 262 mg chew tab</i> | 2 | |
| <i>medi-bismuth</i> | 2 | |
| <i>peptic relief</i> | 2 | |
| <i>px stomach relief 262 mg chew tab</i> | 2 | |
| <i>qc pink bismuth 262 mg chew tab</i> | 2 | |
| <i>qc stomach relief 262 mg chew tab</i> | 2 | |
| <i>sm stomach relief 262 mg chew tab</i> | 2 | |
| <i>soothe 262 mg chew tab</i> | 2 | |
| <i>stomach relief 262 mg chew tab</i> | 2 | |
| ANTIPERISTALTIC AGENTS | | |
| <i>anti-diarrheal -2 mg tab</i> | 2 | |
| <i>cvs anti-diarrheal -2 mg tab</i> | 2 | |
| <i>diamode</i> | 2 | |
| <i>diphenoxylate-atropine diphenoxylate-atropine 2.5-0.025 mg tab, diphenoxylate-atropine 2.5-0.025 mg/5ml liquid</i> | 2 | |
| <i>eq anti-diarrheal -2 mg tab</i> | 2 | |
| <i>eql anti-diarrheal</i> | 2 | |
| <i>ft anti-diarrheal -2 mg tab</i> | 2 | |
| <i>gnp anti-diarrheal</i> | 2 | |
| <i>hm anti-diarrheal -2 mg tab</i> | 2 | |
| <i>kls anti-diarrheal</i> | 2 | |
| <i>loperamide hcl 2 mg cap, 2 mg tab</i> | 2 | |
| <i>meijer anti-diarrheal</i> | 2 | |
| MOTOFEN | 4 | |
| <i>px anti-diarrheal</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------------------|------------------|----------------------------|
| <i>qc anti-diarrheal -2 mg tab</i> | 2 | |
| <i>ra anti-diarrheal</i> | 2 | |
| <i>sb anti-diarrhea</i> | 2 | |
| <i>sm anti-diarrheal -2 mg tab</i> | 2 | |
| <i>tgt anti-diarrheal</i> | 2 | |

ANTIDOTES AND SPECIFIC ANTAGONISTS

ANTIDOTES - CHELATING AGENTS

| | | |
|--|---|----|
| CHEMET | 3 | |
| <i>deferasirox 90 mg tab, 180 mg tab, 360 mg tab</i> | 4 | SP |
| FERRIPROX 100 MG/ML SOLUTION | 4 | LA |

ANTIDOTES AND SPECIFIC ANTAGONISTS

| | | |
|-------------------|---|--|
| <i>fomepizole</i> | 2 | |
|-------------------|---|--|

OPIOID ANTAGONISTS

| | | |
|---|---|----|
| KLOXXADO | 3 | |
| NALMEFENE HCL | 3 | |
| <i>naloxone hcl 0.4 mg/ml solution, 2 mg/2ml soln prsyr, 4 mg/10ml solution</i> | 1 | |
| NALOXONE HCL NALOXONE HCL 0.4 MG/ML SOLN PRSYR, NALOXONE HCL 4 MG/0.1ML LIQUID | 2 | |
| <i>naltrexone hcl 50 mg tab</i> | 2 | |
| NARCAN | 2 | |
| OPVEE | 3 | |
| VIVITROL | 4 | SP |
| ZIMHI | 3 | |

ANTIEMETICS

5-HT3 RECEPTOR ANTAGONISTS

| | | |
|---|---|-----------------------|
| <i>granisetron hcl 1 mg tab</i> | 4 | QL (14 EA PER 1 FILL) |
| <i>ondansetron 4 mg tab disp, 8 mg tab disp</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>ondansetron hcl 4 mg tab, 4 mg/5ml solution, 8 mg tab</i> | 2 | |
| <i>palonosetron hcl 0.25 mg/5ml soln prsyr, 0.25 mg/5ml solution</i> | 4 | LA |
| ANTIEMETICS - ANTICHOLINERGIC | | |
| <i>meclizine hcl 12.5 mg tab, 25 mg tab</i> | 2 | |
| <i>scopolamine</i> | 2 | |
| <i>trimethobenzamide hcl 300 mg cap</i> | 2 | |
| ANTIEMETICS - MISCELLANEOUS | | |
| <i>dronabinol</i> | 2 | EDS |
| SUBSTANCE P/NEUROKININ 1 (NK1) RECEPTOR ANTAGONISTS | | |
| <i>aprepitant</i> | 4 | QL (3 EA PER 1 FILL) |
| ANTIFUNGALS | | |
| ANTIFUNGAL - GLUCAN SYNTHESIS INHIBITORS | | |
| <i>caspofungin acetate</i> | 4 | |
| ERAXIS | 4 | |
| <i>micafungin sodium</i> | 4 | |
| ANTIFUNGALS | | |
| AMPHOTERICIN B 50 MG RECON SOLN | 4 | |
| <i>amphotericin b liposome</i> | 4 | |
| <i>flucytosine 250 mg cap, 500 mg cap</i> | 4 | |
| <i>griseofulvin microsize 125 mg/5ml suspension, 500 mg tab</i> | 2 | |
| <i>griseofulvin ultramicrosize</i> | 2 | |
| <i>nystatin 500000 unit tab</i> | 2 | |
| <i>terbinafine hcl 250 mg tab</i> | 2 | |
| IMIDAZOLE-RELATED ANTIFUNGALS | | |
| <i>fluconazole 10 mg/ml, 40 mg/ml</i> | 2 | |
| <i>fluconazole 50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>itraconazole 100 mg cap</i> | 2 | |
| <i>ketoconazole 200 mg tab</i> | 2 | |
| <i>posaconazole 100 mg tab dr</i> | 4 | |
| <i>voriconazole 200 mg recon soln</i> | 2 | |
| <i>voriconazole 40 mg/ml recon susp, 50 mg tab, 200 mg tab</i> | 4 | |

ANTIHISTAMINES

ANTIHISTAMINES - ETHANOLAMINES

| | | |
|--|---|--|
| <i>carbinoxamine maleate 4 mg tab</i> | 2 | |
| CLEMASTINE FUMARATE 2.68 MG TAB | 2 | |
| <i>diphenhydramine hcl 50 mg/ml solution</i> | 2 | |

ANTIHISTAMINES - NON-SEDATING

| | | |
|--|---|-----|
| <i>desloratadine 5 mg tab</i> | 2 | EDS |
| <i>levocetirizine dihydrochloride 5 mg tab</i> | 2 | EDS |

ANTIHISTAMINES - PHENOTHIAZINES

| | | |
|---|---|-----|
| <i>promethazine hcl 12.5 mg suppos, 12.5 mg tab, 25 mg suppos, 25 mg tab, 50 mg tab</i> | 2 | |
| <i>promethazine hcl 25 mg/ml, 50 mg/ml</i> | 2 | EDS |
| <i>promethegan 12.5 mg suppos, 25 mg suppos</i> | 2 | |

ANTIHISTAMINES - PIPERIDINES

| | | |
|--|---|--|
| <i>cyproheptadine hcl 2 mg/5ml syrup, 4 mg tab</i> | 2 | |
|--|---|--|

ANTHYPERLIPIDEMICS

ANTHYPERLIPIDEMICS - COMBINATIONS

| | | |
|------------------------------|---|-----|
| <i>ezetimibe-simvastatin</i> | 2 | EDS |
|------------------------------|---|-----|

ANTHYPERLIPIDEMICS - MISC.

| | | |
|----------------------------------|---|-----|
| <i>icosapent ethyl</i> | 2 | EDS |
| <i>omega-3-acid ethyl esters</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|------------------------------|
| BILE ACID SEQUESTRANTS | | |
| <i>cholestyramine 4 gm packet</i> | 2 | EDS |
| <i>cholestyramine light</i> | 2 | EDS |
| <i>colestipol hcl 1 gm tab, 5 gm packet</i> | 2 | EDS |
| <i>prevalite</i> | 2 | EDS |
| FIBRIC ACID DERIVATIVES | | |
| <i>fenofibrate 48 mg tab, 54 mg tab, 67 mg cap, 134 mg cap, 145 mg tab, 160 mg tab, 200 mg cap</i> | 2 | EDS |
| <i>fenofibrate micronized 43 mg cap, 67 mg cap, 130 mg cap, 134 mg cap, 200 mg cap</i> | 2 | EDS |
| <i>fenofibric acid 45 mg cap dr, 135 mg cap dr</i> | 2 | EDS |
| <i>gemfibrozil 600 mg tab</i> | 1 | EDS |
| HMG COA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium 10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab</i> | \$0 | EDS |
| <i>fluvastatin sodium er</i> | \$0 | EDS |
| <i>lovastatin 10 mg tab, 20 mg tab, 40 mg tab</i> | \$0 | EDS |
| <i>pravastatin sodium</i> | \$0 | EDS |
| <i>rosuvastatin calcium 5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab</i> | \$0 | EDS |
| <i>simvastatin 5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab, 80 mg tab</i> | \$0 | EDS |
| INTESTINAL CHOLESTEROL ABSORPTION INHIBITORS | | |
| <i>ezetimibe</i> | 2 | EDS |
| NICOTINIC ACID DERIVATIVES | | |
| <i>niacin er (antihyperlipidemic)</i> | 2 | EDS |
| PROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 INHIBITORS | | |
| REPATHA PUSHTRONEX SYSTEM | 3 | QL (3.5 ML PER 28 DAYS), EDS |
| REPATHA, REPATHA SURECLICK | 3 | QL (2 ML PER 28 DAYS), EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| ANTIHYPERTENSIVES | | |
| ACE INHIBITORS | | |
| <i>benazepril hcl 5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab</i> | 1 | EDS |
| <i>captopril 12.5 mg tab, 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| <i>enalapril maleate 2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab</i> | 1 | EDS |
| <i>fosinopril sodium</i> | 1 | EDS |
| <i>lisinopril 2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab</i> | 1 | EDS |
| <i>moexipril hcl</i> | 1 | EDS |
| <i>perindopril erbumine perindopril erbumine, perindopril erbumine 8 mg tab</i> | 1 | EDS |
| <i>quinapril hcl</i> | 1 | EDS |
| <i>ramipril</i> | 1 | EDS |
| <i>trandolapril</i> | 1 | EDS |
| AGENTS FOR PHEOCHROMOCYTOMA | | |
| <i>phenoxybenzamine hcl 10 mg cap</i> | 4 | |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil</i> | 2 | EDS |
| <i>irbesartan</i> | 1 | EDS |
| <i>losartan potassium 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| <i>telmisartan</i> | 2 | EDS |
| <i>valsartan 40 mg tab, 80 mg tab, 160 mg tab, 320 mg tab</i> | 1 | EDS |
| ANTIADRENERGIC ANTIHYPERTENSIVES | | |
| <i>clonidine tablet</i> | 1 | EDS |
| <i>clonidine weekly patch</i> | 2 | EDS |
| <i>doxazosin mesylate 1 mg tab, 2 mg tab, 4 mg tab, 8 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>guanfacine hcl</i> | 2 | EDS |
| <i>methyldopa</i> | 2 | EDS |
| <i>prazosin hcl 1 mg cap, 2 mg cap, 5 mg cap</i> | 1 | EDS |
| <i>terazosin hcl</i> | 1 | EDS |

ANTIHYPERTENSIVE COMBINATIONS

| | | |
|--|---|-----|
| <i>amlodipine besy-benazepril hcl</i> | 1 | EDS |
| <i>atenolol-chlorthalidone</i> | 1 | EDS |
| <i>benazepril-hydrochlorothiazide</i> | 1 | EDS |
| <i>bisoprolol-hydrochlorothiazide</i> | 2 | EDS |
| <i>candesartan cilexetil-hctz</i> | 2 | EDS |
| CAPTOPRIL- HYDROCHLOROTHIAZIDE | 1 | EDS |
| <i>enalapril-hydrochlorothiazide</i> | 1 | EDS |
| <i>fosinopril sodium-hctz</i> | 2 | EDS |
| <i>irbesartan-hydrochlorothiazide</i> | 1 | EDS |
| <i>lisinopril-hydrochlorothiazide</i> | 1 | EDS |
| <i>losartan potassium-hctz</i> | 1 | EDS |
| <i>metoprolol-hydrochlorothiazide</i> | 2 | EDS |
| PROPRANOLOL-HCTZ | 2 | EDS |
| <i>telmisartan-amlodipine -40-10 mg tab, -80-10 mg tab, -80-5 mg tab</i> | 2 | EDS |
| <i>telmisartan-hctz</i> | 2 | EDS |
| <i>valsartan-hydrochlorothiazide</i> | 1 | EDS |

SELECTIVE ALDOSTERONE RECEPTOR ANTAGONISTS (SARAS)

| | | |
|-------------------|---|-----|
| <i>eplerenone</i> | 2 | EDS |
|-------------------|---|-----|

VASODILATORS

| | | |
|--|---|-----|
| <i>hydralazine hcl 10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| <i>hydralazine hcl 20 mg/ml solution</i> | 2 | |
| <i>minoxidil 2.5 mg tab, 10 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| ANTIMALARIALS | | |
| ANTIMALARIAL COMBINATIONS | | |
| <i>atovaquone-proguanil hcl</i> | 4 | |
| COARTEM | 4 | |
| ANTIMALARIALS | | |
| <i>chloroquine phosphate 250 mg tab, 500 mg tab</i> | 2 | EDS |
| <i>hydroxychloroquine sulfate 200 mg tab</i> | 2 | EDS |
| <i>mefloquine hcl</i> | 2 | |
| <i>quinine sulfate 324 mg cap</i> | 2 | |
| ANTIMYASTHENIC/CHOLINERGIC AGENTS | | |
| ANTIMYASTHENIC/CHOLINERGIC AGENTS | | |
| <i>pyridostigmine bromide 60 mg tab</i> | 2 | EDS |
| ANTIMYCOBACTERIAL AGENTS | | |
| ANTI TB COMBINATIONS | | |
| RIFATER | 4 | |
| ANTIMYCOBACTERIAL AGENTS | | |
| <i>ethambutol hcl 100 mg tab, 400 mg tab</i> | 2 | |
| <i>isoniazid 50 mg/5ml syrup</i> | 2 | |
| ISONIAZID ISONIAZID 300 MG TAB, ISONIAZID 100 MG TAB | 1 | |
| PRETOMANID | 3 | |
| PRIFTIN | 4 | |
| <i>pyrazinamide 500 mg tab</i> | 2 | |
| <i>rifabutin</i> | 4 | |
| <i>rifampin 150 mg cap, 300 mg cap, 600 mg recon soln</i> | 2 | |
| SIRTURO | 4 | LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-------------------------------------|
| TRECTOR | 4 | |
| ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES | | |
| ALKYLATING AGENTS | | |
| CYCLOPHOSPHAMIDE CYCLOPHOSPHAMIDE 25 MG CAP, CYCLOPHOSPHAMIDE 50 MG CAP, CYCLOPHOSPHAMIDE 25 MG TAB, CYCLOPHOSPHAMIDE 50 MG TAB | 4 | |
| LEUKERAN | 4 | |
| MELPHALAN | 4 | |
| MYLERAN | 4 | SP |
| <i>temozolomide</i> | 4 | SP |
| ANTIMETABOLITES | | |
| <i>capecitabine</i> | 2 | SP |
| <i>mercaptopurine 50 mg tab</i> | 2 | |
| <i>methotrexate sodium (pf)</i> | 2 | EDS |
| METHOTREXATE SODIUM METHOTREXATE SODIUM 250 MG/10ML SOLUTION, METHOTREXATE SODIUM 1 GM RECON SOLN, METHOTREXATE SODIUM 2.5 MG TAB, METHOTREXATE SODIUM 50 MG/2ML SOLUTION, METHOTREXATE SODIUM 1000 MG/40ML SOLUTION | 2 | EDS |
| ONUREG 300 MG TAB | 4 | PA, QL (1 EA PER DAY), SP |
| ANTINEOPLASTIC - ANGIOGENESIS INHIBITORS | | |
| FRUZAQLA 1 MG CAP | 4 | PA, QL (84 EA PER 28 DAY(S)), SP |
| FRUZAQLA 5 MG CAP | 4 | PA, QL (21 EA PER 28 DAY(S)), SP |
| INLYTA | 4 | PA, QL (8 EA PER DAY), SF, SP |
| LENVIMA (10 MG DAILY DOSE) | 4 | PA, QL (1 EA PER DAY), SF, SP |
| LENVIMA (12 MG DAILY DOSE) | 4 | PA, QL (3 EA PER DAY), SF, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-------------------------------|
| LENVIMA (14 MG DAILY DOSE) | 4 | PA, QL (2 EA PER DAY), SF, SP |
| LENVIMA (18 MG DAILY DOSE) | 4 | PA, QL (3 EA PER DAY), SF, SP |
| LENVIMA (20 MG DAILY DOSE) | 4 | PA, QL (2 EA PER DAY), SF, SP |
| LENVIMA (24 MG DAILY DOSE) | 4 | PA, QL (3 EA PER DAY), SF, SP |
| LENVIMA (4 MG DAILY DOSE) | 4 | PA, QL (1 EA PER DAY), SF, SP |
| LENVIMA (8 MG DAILY DOSE) | 4 | PA, QL (2 EA PER DAY), SF, SP |
| ANTINEOPLASTIC - ANTI-HER2 AGENTS | | |
| TUKYSA | 4 | PA, QL (4 EA PER DAY), SP |
| ANTINEOPLASTIC - BCL-2 INHIBITORS | | |
| VENCLEXTA | 4 | PA, LA |
| VENCLEXTA STARTING PACK | 4 | PA, LA |
| ANTINEOPLASTIC - EGFR INHIBITORS | | |
| <i>erlotinib hcl 100 mg tab, 150 mg tab</i> | 4 | PA, QL (1 EA PER DAY), SP |
| <i>erlotinib hcl 25 mg tab</i> | 4 | PA, QL (3 EA PER DAY), SP |
| <i>gefitinib</i> | 4 | PA, QL (1 EA PER DAY), SP |
| GILOTRIF | 4 | PA, LA, QL (1 EA PER DAY) |
| TAGRISO | 4 | PA, QL (1 EA PER DAY), SF, SP |
| VIZIMPRO | 4 | PA, QL (1 EA PER DAY), SF, SP |
| ANTINEOPLASTIC - HEDGEHOG PATHWAY INHIBITORS | | |
| DAURISMO 100 MG TAB | 4 | PA, QL (1 EA PER DAY), SF, SP |
| DAURISMO 25 MG TAB | 4 | PA, QL (2 EA PER DAY), SF, SP |
| ERIVEDGE | 4 | PA, QL (1 EA PER DAY), SF, SP |
| ODOMZO | 4 | PA, QL (1 EA PER DAY), SF, SP |
| ANTINEOPLASTIC - HORMONAL AND RELATED AGENTS | | |
| <i>abiraterone acetate 250 mg tab</i> | 4 | PA, QL (4 EA PER DAY), SP |
| <i>abiraterone acetate 500 mg tab</i> | 4 | PA, QL (2 EA PER DAY), SP |
| AKEEGA | 4 | PA, QL (1 EA PER DAY), SF, SP |
| <i>anastrozole 1 mg tab</i> | \$0 | EDS |
| <i>bicalutamide</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|------------------------------------|
| EMCYT | 4 | SP |
| ERLEADA 240 MG TAB | 4 | PA, QL (1 EA PER DAY), SP |
| ERLEADA 60 MG TAB | 4 | PA, QL (4 EA PER DAY), SP |
| <i>exemestane</i> | \$0 | EDS |
| <i>flutamide</i> | 2 | EDS |
| <i>fulvestrant</i> | 4 | SP |
| <i>letrozole 2.5 mg tab</i> | 2 | EDS |
| LYSODREN | 4 | LA |
| <i>megestrol acetate 20 mg tab, 40 mg tab, 40 mg/ml suspension, 400 mg/10ml suspension, 800 mg/20ml suspension</i> | 2 | EDS |
| <i>nilutamide</i> | 4 | PA, SP |
| NUBEQA | 4 | PA, QL (4 EA PER DAY), SF, SP |
| ORGOVYX | 4 | PA, QL (1 EA PER DAY), SP |
| ORSERDU 345 MG TAB | 4 | PA, QL (1 EA PER 1 DAY(S)), SF, SP |
| ORSERDU 86 MG TAB | 4 | PA, QL (3 EA PER 1 DAY(S)), SF, SP |
| <i>tamoxifen citrate 10 mg tab, 20 mg tab</i> | \$0 | EDS |
| <i>toremifene citrate</i> | 4 | SP |
| XTANDI 40 MG CAP, 40 MG TAB | 4 | PA, QL (4 EA PER DAY), SF, SP |
| XTANDI 80 MG TAB | 4 | PA, QL (2 EA PER DAY), SF, SP |
| ANTINEOPLASTIC - HYPOXIA-INDUCIBLE FACTOR INHIBITORS | | |
| WELIREG | 4 | PA, QL (3 EA PER DAY), SF, SP |
| ANTINEOPLASTIC - IMMUNOMODULATORS | | |
| POMALYST | 4 | PA, LA, QL (1 EA PER DAY) |
| ANTINEOPLASTIC - PDGFR-ALPHA INHIBITORS | | |
| AYVAKIT | 4 | PA, LA, QL (1 EA PER DAY) |
| ANTINEOPLASTIC - XPO1 INHIBITORS | | |
| XPOVIO (100 MG ONCE WEEKLY) 50 TAB THPK | 4 | PA, LA, QL (1.15 EA PER DAY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-------------------------------|
| XPOVIO (40 MG ONCE WEEKLY) TAB THPK | 4 | PA, LA, QL (1.15 EA PER DAY) |
| XPOVIO (40 MG TWICE WEEKLY) TAB THPK | 4 | PA, LA, QL (1.15 EA PER DAY) |
| XPOVIO (60 MG ONCE WEEKLY) TAB THPK | 4 | PA, LA, QL (1.15 EA PER DAY) |
| XPOVIO (60 MG TWICE WEEKLY) | 4 | PA, LA, QL (1.15 EA PER DAY) |
| XPOVIO (80 MG ONCE WEEKLY) 40 TAB THPK | 4 | PA, LA, QL (1.15 EA PER DAY) |
| XPOVIO (80 MG TWICE WEEKLY) | 4 | PA, LA, QL (1.15 EA PER DAY) |
| ANTINEOPLASTIC COMBINATIONS | | |
| INQOVI | 4 | PA, LA, QL (1 EA PER DAY) |
| KISQALI FEMARA (200 MG DOSE) | 4 | PA, QL (3.25 EA PER DAY), SP |
| KISQALI FEMARA (400 MG DOSE) | 4 | PA, QL (3.25 EA PER DAY), SP |
| KISQALI FEMARA (600 MG DOSE) | 4 | PA, QL (3.25 EA PER DAY), SP |
| LONSURF | 4 | PA, LA |
| ANTINEOPLASTIC ENZYME INHIBITORS | | |
| ALECENSA | 4 | PA, QL (8 EA PER DAY), SF, SP |
| ALUNBRIG 30 MG TAB | 4 | PA, QL (4 EA PER DAY), SP |
| ALUNBRIG 90 & 180 MG TAB THPK, 90 MG TAB, 180 MG TAB | 4 | PA, QL (1 EA PER DAY), SP |
| AUGTYRO | 4 | PA, QL (8 EA PER DAY(S)), SP |
| BALVERSA 3 MG TAB | 4 | PA, QL (3 EA PER DAY), SF, SP |
| BALVERSA 4 MG TAB | 4 | PA, QL (2 EA PER DAY), SF, SP |
| BALVERSA 5 MG TAB | 4 | PA, QL (1 EA PER DAY), SF, SP |
| BOSULIF 100 MG CAP | 4 | PA, LA, QL (4 EA PER DAY) |
| BOSULIF 100 MG TAB | 4 | PA, QL (4 EA PER DAY), SF, SP |
| BOSULIF 400 MG TAB, 500 MG TAB | 4 | PA, QL (1 EA PER DAY), SF, SP |
| BOSULIF 50 MG CAP | 4 | PA, LA, QL (1 EA PER DAY) |
| BRAFTOVI | 4 | PA, QL (6 EA PER DAY), SP |
| BRUKINSA | 4 | PA, QL (4 EA PER DAY), SF, SP |
| CABOMETYX | 4 | PA, LA, QL (1 EA PER DAY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|------------------------------------|
| CALQUENCE 100 MG CAP | 4 | PA, SP |
| CALQUENCE 100 MG TAB | 4 | PA, QL (2 EA PER DAY), SF, SP |
| CAPRELSA 100 MG TAB | 4 | PA, LA, QL (2 EA PER 1 DAY(S)) |
| CAPRELSA 300 MG TAB | 4 | PA, LA, QL (1 EA PER 1 DAY(S)) |
| COMETRIQ (100 MG DAILY DOSE) | 4 | PA, QL (2 EA PER DAY), SF, SP |
| COMETRIQ (140 MG DAILY DOSE) | 4 | PA, QL (4 EA PER DAY), SF, SP |
| COMETRIQ (60 MG DAILY DOSE) | 4 | PA, QL (3 EA PER DAY), SF, SP |
| COPIKTRA 15 MG CAP | 4 | PA, QL (2 EA PER DAY), SP |
| COPIKTRA 25 MG CAP | 4 | PA, QL (2 EA PER DAY), SF, SP |
| COTELLIC | 4 | PA, QL (3 EA PER DAY), SP |
| <i>dasatinib 20 mg tab, 50 mg tab, 80 mg tab, 100 mg tab, 140 mg tab</i> | 4 | PA, QL (1 EA PER 1 DAY(S)), SF, SP |
| <i>dasatinib 70 mg tab</i> | 4 | PA, QL (2 EA PER 1 DAY(S)), SF, SP |
| <i>everolimus 2 mg tab sol, 2.5 mg tab, 3 mg tab sol, 5 mg tab, 5 mg tab sol, 7.5 mg tab, 10 mg tab</i> | 4 | PA, QL (1 EA PER DAY), SP |
| FARYDAK | 4 | SP |
| FOTIVDA | 4 | PA, LA, QL (1 EA PER DAY) |
| GAVRETO | 4 | PA, LA, QL (4 EA PER 1 DAY(S)) |
| IBRANCE | 4 | PA, QL (1 EA PER DAY), SP |
| ICLUSIG | 4 | PA, QL (1 EA PER DAY), SF, SP |
| IDHIFA | 4 | PA, LA, QL (1 EA PER DAY) |
| <i>imatinib mesylate</i> | 4 | PA, SP |
| IMBRUVICA 140 MG CAP | 4 | PA, LA, QL (4 EA PER 1 DAY(S)) |
| IMBRUVICA 70 MG CAP, 140 MG TAB, 420 MG TAB | 4 | PA, LA, QL (1 EA PER DAY) |
| IMBRUVICA 70 MG/ML SUSPENSION | 4 | PA, LA, QL (6 ML PER DAY) |
| JAKAFI | 4 | PA, QL (2 EA PER DAY), SF, SP |
| JAYPIRCA | 4 | PA, QL (2 EA PER 1 DAY(S)), SF, SP |
| KISQALI (200 MG DOSE) | 4 | PA, QL (2.25 EA PER DAY), SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------|------------------|------------------------------------|
| KISQALI (400 MG DOSE) | 4 | PA, QL (2.25 EA PER DAY), SP |
| KISQALI (600 MG DOSE) | 4 | PA, QL (2.25 EA PER DAY), SP |
| KOSELUGO 10 MG CAP | 4 | PA, QL (8 EA PER DAY), SP |
| KOSELUGO 25 MG CAP | 4 | PA, QL (4 EA PER DAY), SP |
| KRAZATI | 4 | PA, LA, QL (6 EA PER DAY) |
| <i>lapatinib ditosylate</i> | 4 | PA, SP |
| LORBRENA 100 MG TAB | 4 | PA, QL (1 EA PER DAY), SF, SP |
| LORBRENA 25 MG TAB | 4 | PA, QL (3 EA PER DAY), SF, SP |
| LUMAKRAS 120 MG TAB | 4 | PA, QL (8 EA PER DAY), SF, SP |
| LUMAKRAS 320 MG TAB | 4 | PA, QL (3 EA PER 1 DAY(S)), SF, SP |
| LYNPARZA | 4 | PA, QL (4 EA PER DAY), SF, SP |
| LYTGOBI (12 MG DAILY DOSE) | 4 | PA, LA, QL (5 EA PER DAY) |
| LYTGOBI (16 MG DAILY DOSE) | 4 | PA, LA, QL (5 EA PER DAY) |
| LYTGOBI (20 MG DAILY DOSE) | 4 | PA, LA, QL (5 EA PER DAY) |
| MEKINIST 0.05 MG/ML RECON SOLN | 4 | PA, QL (40 ML PER DAY), SP |
| MEKINIST 0.5 MG TAB | 4 | PA, QL (3 EA PER DAY), SP |
| MEKINIST 2 MG TAB | 4 | PA, QL (1 EA PER DAY), SP |
| MEKTOVI | 4 | PA, QL (6 EA PER DAY), SP |
| NERLYNX | 4 | PA, QL (6 EA PER DAY), SF, SP |
| NINLARO | 4 | PA, SP |
| OGSIVEO 100 MG TAB, 150 MG TAB | 4 | PA, QL (2 EA PER DAY(S)) |
| OGSIVEO 50 MG TAB | 4 | PA, QL (6 EA PER DAY(S)) |
| OJJAARA | 4 | PA, QL (1 EA PER DAY(S)), SP |
| <i>pazopanib hcl</i> | 4 | SP |
| PEMAZYRE | 4 | PA, QL (1 EA PER DAY), SP |
| PIQRAY (200 MG DAILY DOSE) | 4 | PA, SP |
| PIQRAY (250 MG DAILY DOSE) | 4 | PA, SP |
| PIQRAY (300 MG DAILY DOSE) | 4 | PA, SP |
| QINLOCK | 4 | PA, LA, QL (3 EA PER DAY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|--------------------------------------|
| RETEVMO 40 MG CAP | 4 | PA, QL (3 EA PER DAY(S)), SF, SP |
| RETEVMO 40 MG TAB | 4 | PA, QL (3 EA PER 1 DAY(S)), SF, SP |
| RETEVMO 80 MG CAP | 4 | PA, QL (2 EA PER DAY(S)), SF, SP |
| RETEVMO 80 MG TAB, 120 MG TAB, 160 MG TAB | 4 | PA, QL (2 EA PER 1 DAY(S)), SF, SP |
| REZLIDHIA | 4 | PA, QL (60 EA PER 30 DAY(S)), SF, SP |
| ROZLYTREK 100 MG CAP, 200 MG CAP | 4 | PA, QL (3 EA PER DAY), SF, SP |
| ROZLYTREK 50 MG PACKET | 4 | PA, QL (6 EA PER 1 DAY(S)), SP |
| RUBRACA | 4 | PA, QL (4 EA PER DAY), SF, SP |
| RYDAPT | 4 | PA, QL (2 EA PER DAY), SP |
| SCSEMBLIX 100 MG TAB | 4 | PA, QL (120 EA PER FILL(S)), SP |
| SCSEMBLIX 20 MG TAB | 4 | PA, QL (4 EA PER DAY), SP |
| SCSEMBLIX 40 MG TAB | 4 | PA, QL (2 EA PER DAY), SP |
| <i>sorafenib tosylate</i> | 4 | PA, SP |
| STIVARGA | 4 | PA, QL (4 EA PER DAY), SP |
| <i>sunitinib malate</i> | 4 | PA, SP |
| TABRECTA | 4 | PA, QL (4 EA PER DAY), SP |
| TAFINLAR 10 MG TAB SOL | 4 | PA, QL (30 ML PER DAY), SP |
| TAFINLAR 50 MG CAP, 75 MG CAP | 4 | PA, QL (4 EA PER DAY), SF, SP |
| TALZENNA | 4 | PA, QL (1 EA PER DAY), SF, SP |
| TASIGNA | 4 | PA, QL (4 EA PER DAY), SF, SP |
| TAZVERIK | 4 | PA, LA, QL (8 EA PER DAY) |
| TEPMETKO | 4 | PA, QL (2 EA PER DAY), SP |
| TIBSOVO | 4 | PA, LA, QL (2 EA PER DAY) |
| <i>torpenz</i> | 4 | PA, QL (1 EA PER DAY), SP |
| TRUQAP | 4 | PA, QL (64 EA PER 28 DAY(S)), SP |
| TURALIO 125 MG CAP | 4 | PA, LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-------------------------------------|
| VANFLYTA | 4 | PA, QL (60 EA PER 30 DAY(S)), SP |
| VERZENIO | 4 | PA, QL (2 EA PER DAY), SF, SP |
| VITRAKVI 100 MG CAP | 4 | PA, LA, QL (2 EA PER DAY) |
| VITRAKVI 20 MG/ML SOLUTION | 4 | PA, LA, QL (10 ML PER DAY) |
| VITRAKVI 25 MG CAP | 4 | PA, LA, QL (6 EA PER DAY) |
| VONJO | 4 | PA, LA, QL (4 EA PER DAY) |
| XALKORI | 4 | PA, QL (2 EA PER DAY), SF, SP |
| XOSPATA | 4 | PA, QL (3 EA PER DAY), SF, SP |
| ZEJULA 100 MG TAB, 200 MG TAB, 300 MG TAB | 4 | PA, QL (1 EA PER DAY), SP |
| ZELBORAF | 4 | PA, QL (8 EA PER DAY), SP |
| ZOLINZA | 4 | PA, QL (4 EA PER DAY), SF, SP |
| ZYDELIG | 4 | PA, LA |
| ZYKADIA | 4 | PA, QL (3 EA PER DAY), SF, SP |
| ANTINEOPLASTICS MISC. | | |
| ACTIMMUNE | 4 | SP |
| <i>bexarotene 75 mg cap</i> | 4 | PA, SP |
| <i>hydroxyurea 500 mg cap</i> | 2 | EDS |
| <i>tretinoin 10 mg cap</i> | 4 | SP |
| CHEMOTHERAPY RESCUE/ANTIDOTE/PROTECTIVE AGENTS | | |
| IWILFIN | 4 | PA, QL (8 EA PER DAY(S)) |
| <i>leucovorin calcium 5 mg tab, 10 mg tab, 15 mg tab, 25 mg tab</i> | 4 | |
| MESNEX 400 MG TAB | 4 | SP |
| TOPOISOMERASE I INHIBITORS | | |
| HYCANTIN 0.25 MG CAP, 1 MG CAP | 4 | PA, SP |
| ANTIPARKINSON AND RELATED THERAPY AGENTS | | |
| ANTIPARKINSON ADJUNCTIVE THERAPY | | |
| <i>carbidopa 25 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------------|
| ANTIPARKINSON ANTICHOLINERGICS | | |
| <i>benztropine mesylate 0.5 mg tab, 1 mg tab, 2 mg tab</i> | 2 | EDS |
| <i>trihexyphenidyl hcl trihexyphenidyl hcl, trihexyphenidyl hcl 0.4 mg/ml solution</i> | 2 | EDS |
| ANTIPARKINSON COMT INHIBITORS | | |
| <i>entacapone</i> | 2 | EDS |
| ONGENTYS | 4 | PA, QL (1 EA PER DAY) |
| ANTIPARKINSON DOPAMINERGICS | | |
| <i>amantadine hcl 50 mg/5ml solution, 100 mg cap, 100 mg tab</i> | 2 | EDS |
| <i>apomorphine hcl 30 mg/3ml soln cart</i> | 4 | PA, LA, QL (0.6 EA PER 1 DAY(S)) |
| <i>bromocriptine mesylate 2.5 mg tab, 5 mg cap</i> | 2 | EDS |
| <i>carbidopa-levodopa</i> | 2 | EDS |
| <i>carbidopa-levodopa er</i> | 2 | EDS |
| <i>carbidopa-levodopa-entacapone</i> | 2 | EDS |
| NEUPRO | 4 | EDS |
| <i>pramipexole dihydrochloride</i> | 1 | EDS |
| <i>ropinirole hcl</i> | 1 | EDS |
| <i>ropinirole hcl er</i> | 2 | EDS |
| ANTIPARKINSON MONOAMINE OXIDASE INHIBITORS | | |
| <i>rasagiline mesylate 0.5 mg tab, 1 mg tab</i> | 2 | EDS |
| <i>selegiline hcl 5 mg cap, 5 mg tab</i> | 2 | EDS |
| ANTIPSYCHOTICS/ANTIMANIC AGENTS | | |
| ANTIMANIC AGENTS | | |
| <i>lithium</i> | 2 | |
| <i>lithium carbonate 150 mg cap, 300 mg cap, 300 mg tab, 600 mg cap</i> | 2 | EDS |
| <i>lithium carbonate er</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| ANTIPSYCHOTICS - MISC. | | |
| CAPLYTA | 4 | |
| <i>lurasidone hcl</i> | 2 | EDS |
| VRAYLAR 1.5 & 3 MG CAP THPK | 4 | |
| VRAYLAR 1.5 MG CAP, 3 MG CAP, 4.5 MG CAP, 6 MG CAP | 4 | EDS |
| <i>ziprasidone hcl</i> | 2 | EDS |
| <i>ziprasidone mesylate</i> | 2 | |
| BENZISOXAZOLES | | |
| INVEGA HAFYERA | 4 | |
| INVEGA SUSTENNA | 4 | |
| INVEGA TRINZA | 4 | |
| <i>risperidone 0.25 mg tab, 0.5 mg tab, 1 mg tab, 2 mg tab, 3 mg tab, 4 mg tab</i> | 1 | EDS |
| <i>risperidone microspheres er</i> | 4 | |
| <i>risperidone risperidone 2 mg tab disp, risperidone 0.25 mg tab disp, risperidone 0.5 mg tab disp, risperidone 1 mg tab disp, risperidone 1 mg/ml solution, risperidone 3 mg tab disp, risperidone 4 mg tab disp</i> | 2 | EDS |
| RYKINDO | 4 | |
| UZEDY | 4 | |
| BUTYROPHENONES | | |
| <i>haloperidol 0.5 mg tab, 1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab, 20 mg tab</i> | 1 | EDS |
| <i>haloperidol decanoate 50 mg/ml, 100 mg/ml</i> | 2 | |
| <i>haloperidol lactate 2 mg/ml, 10 mg/5ml</i> | 2 | EDS |
| <i>haloperidol lactate 5 mg/ml solution</i> | 2 | |
| DIBENZAPINES | | |
| <i>asenapine maleate</i> | 4 | |
| <i>clozapine 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| CLOZAPINE CLOZAPINE 12.5 MG TAB DISP, CLOZAPINE 25 MG TAB DISP, CLOZAPINE 100 MG TAB DISP, CLOZAPINE 150 MG TAB DISP, CLOZAPINE 200 MG TAB DISP | 2 | EDS |
| <i>loxapine succinate</i> | 2 | EDS |
| <i>olanzapine 10 mg recon soln</i> | 2 | |
| <i>olanzapine 2.5 mg tab, 5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab, 20 mg tab</i> | 1 | EDS |
| <i>olanzapine 5 mg tab disp, 10 mg tab disp, 15 mg tab disp, 20 mg tab disp</i> | 2 | EDS |
| <i>quetiapine fumarate 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab, 300 mg tab, 400 mg tab</i> | 1 | EDS |
| <i>quetiapine fumarate er</i> | 2 | EDS |
| <i>zyprexa 20 mg tab</i> | 1 | EDS |
| PHENOTHIAZINES | | |
| <i>compro</i> | 2 | |
| <i>fluphenazine decanoate 25 mg/ml solution</i> | 2 | |
| <i>fluphenazine hcl fluphenazine hcl 5 mg tab, fluphenazine hcl 10 mg tab, fluphenazine hcl 5 mg/ml conc, fluphenazine hcl 1 mg tab, fluphenazine hcl 2.5 mg/5ml elixir, fluphenazine hcl 2.5 mg tab</i> | 2 | EDS |
| <i>perphenazine 2 mg tab, 4 mg tab, 8 mg tab, 16 mg tab</i> | 2 | EDS |
| <i>prochlorperazine</i> | 2 | |
| <i>prochlorperazine edisylate 10 mg/2ml solution</i> | 2 | |
| <i>prochlorperazine maleate 5 mg tab, 10 mg tab</i> | 2 | EDS |
| <i>thioridazine hcl 10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab</i> | 2 | EDS |
| <i>trifluoperazine hcl</i> | 2 | EDS |
| QUINOLINONE DERIVATIVES | | |
| ABILIFY ASIMTUFII | 4 | |
| ABILIFY MAINTENA | 4 | |
| <i>aripiprazole 2 mg tab, 5 mg tab, 10 mg tab, 15 mg tab, 20 mg tab, 30 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| THIOXANTHENES | | |
| <i>thiothixene</i> | 2 | EDS |
| ANTIVIRALS | | |
| ANTIRETROVIRALS | | |
| <i>abacavir sulfate 20 mg/ml solution</i> | 4 | |
| <i>abacavir sulfate 300 mg tab</i> | 2 | EDS |
| <i>abacavir sulfate-lamivudine</i> | 4 | |
| <i>abacavir-lamivudine-zidovudine</i> | 4 | |
| APRETUDE | \$0 | |
| APTIVUS | 4 | |
| <i>atazanavir sulfate</i> | 4 | |
| BIKTARVY | 4 | |
| CABENUVA | 4 | |
| CIMDUO | 4 | |
| COMPLERA | 4 | |
| CRIXIVAN | 4 | |
| <i>darunavir</i> | 4 | |
| DELSTRIGO | 4 | |
| DESCOVY 120-15 MG TAB | 4 | |
| DESCOVY 200-25 MG TAB | 4 | PV |
| DIDANOSINE 250 MG CAP DR, 400 MG CAP DR | 4 | |
| DOVATO | 4 | |
| EDURANT | 4 | |
| EFAVIRENZ EFAVIRENZ 200 MG CAP, EFAVIRENZ 600 MG TAB, EFAVIRENZ 50 MG CAP | 4 | |
| <i>efavirenz-emtricitab-tenofo df</i> | 2 | EDS |
| <i>efavirenz-lamivudine-tenofovir</i> | 2 | EDS |
| <i>emtricitabine</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>emtricitabine-tenofovir df -100-150 mg tab, -133-200 mg tab, -167-250 mg tab</i> | 4 | |
| <i>emtricitabine-tenofovir df -200-300 mg</i> | \$0 | EDS |
| EMTRIVA 10 MG/ML SOLUTION | 4 | |
| <i>etravirine</i> | 4 | |
| EVOTAZ | 4 | |
| <i>fosamprenavir calcium</i> | 4 | |
| GENVOYA | 4 | |
| INTELENCE 25 MG TAB | 4 | |
| INVIRASE | 4 | |
| ISENTRESS 25 MG CHEW TAB, 100 MG CHEW TAB, 400 MG TAB | 4 | |
| ISENTRESS HD | 4 | |
| JULUCA | 4 | |
| <i>lamivudine 10 mg/ml solution, 150 mg tab, 300 mg tab</i> | 2 | EDS |
| <i>lamivudine-zidovudine</i> | 2 | EDS |
| LEXIVA 50 MG/ML SUSPENSION | 4 | |
| <i>lopinavir-ritonavir</i> | 4 | |
| <i>maraviroc</i> | 4 | |
| <i>nevirapine nevirapine 200 mg tab, nevirapine 50 mg/5ml suspension</i> | 2 | EDS |
| NORVIR 100 MG PACKET | 4 | EDS |
| NORVIR 80 MG/ML SOLUTION | 4 | |
| ODEFSEY | 4 | |
| PIFELTRO | 4 | |
| PREZCOBIX | 4 | |
| PREZISTA 75 MG TAB, 100 MG/ML SUSPENSION, 150 MG TAB | 4 | |
| RETROVIR 10 MG/ML SOLUTION | 4 | |
| <i>ritonavir</i> | 2 | EDS |
| RUKOBIA | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|---|
| <i>stavudine</i> | 2 | EDS |
| STRIBILD | 4 | |
| SUNLENCA | 4 | |
| SYMTUZA | 4 | |
| <i>tenofovir disoproxil fumarate</i> | 2 | EDS |
| TIVICAY | 4 | |
| TRIUMEQ | 4 | |
| TRIUMEQ PD | 4 | |
| VIRACEPT | 4 | |
| VIREAD 40 MG/GM POWDER, 150 MG TAB, 200 MG TAB, 250 MG TAB | 4 | SP |
| <i>zidovudine</i> | 2 | EDS |
| ANTIVIRAL COMBINATIONS | | |
| PAXLOVID (150/100) MG & 0MG TAB THPK | 3 | QL (20 EA PER FILL(S)) |
| PAXLOVID (300/100) 20 150 MG & 0MG TAB THPK | 3 | QL (30 EA PER FILL(S)) |
| CMV AGENTS | | |
| <i>cidofovir 75 mg/ml solution</i> | 4 | |
| PREVYMIS 240 MG TAB, 480 MG TAB | 4 | QL (QL= 1 TABPERDAY; 200 TABSPER365 DAYS) |
| PREVYMIS 240 MG/12ML SOLUTION, 480 MG/24ML SOLUTION | 4 | |
| <i>valganciclovir hcl</i> | 4 | |
| HEPATITIS AGENTS | | |
| <i>adefovir dipivoxil</i> | 4 | SP |
| <i>entecavir</i> | 4 | QL (1 EA PER DAY) |
| EPCLUSA 400-100 MG TAB | 3 | PA, QL (84 EA PER 365 DAYS), SP |
| HARVONI 90-400 MG TAB | 3 | PA, QL (84 EA PER 365 DAYS), SP |
| <i>lamivudine 100 mg tab</i> | 2 | EDS, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-------------------------------------|
| LEDIPASVIR-SOFOSBUVIR | 3 | PA, QL (84 EA PER 365 DAYS), SP |
| MAVYRET 100-40 MG TAB | 3 | PA, QL (168 EA PER 365 DAYS), SP |
| MAVYRET 50-20 MG PACKET | 3 | PA, QL (336 EA PER 365 DAYS), SP |
| PEGASYS | 4 | SP |
| PEGINTRON | 2 | LA |
| <i>ribavirin ribavirin 200 mg cap, ribavirin 200 mg tab, ribavirin 200 mg cap, ribavirin 200 mg tab</i> | 2 | SP |
| SOFOSBUVIR-VELPATASVIR | 3 | PA, QL (84 EA PER 365 DAYS), SP |
| VEMLIDY | 4 | SP |
| VOSEVI | 3 | PA, QL (84 EA PER 365 DAYS), SP |
| HERPES AGENTS | | |
| <i>acyclovir 200 mg cap, 200 mg/5ml suspension, 400 mg tab, 800 mg tab</i> | 2 | EDS |
| <i>famciclovir 125 mg tab, 250 mg tab, 500 mg tab</i> | 2 | EDS |
| <i>valacyclovir hcl 1 gm tab, 500 mg tab</i> | 2 | EDS |
| INFLUENZA AGENTS | | |
| <i>oseltamivir phosphate 6 mg/ml recon susp, 30 mg cap, 45 mg cap, 75 mg cap</i> | 2 | |
| RIMANTADINE HCL | 2 | |
| XOFLUZA (40 MG DOSE) OFLUZA 1 TAB THPK | 3 | QL (1 EA PER 1 FILL) |
| XOFLUZA (40 MG DOSE) OFLUZA 2 20 TAB THPK | 3 | QL (2 EA PER 1 FILL) |
| XOFLUZA (80 MG DOSE) OFLUZA 1 TAB THPK | 3 | QL (1 EA PER 1 FILL) |
| XOFLUZA (80 MG DOSE) OFLUZA 2 40 TAB THPK | 3 | QL (2 EA PER 1 FILL) |
| MISC. ANTIVIRALS | | |
| LAGEVRIO | 3 | QL (40 EA PER FILL(S)) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| BETA BLOCKERS | | |
| ALPHA-BETA BLOCKERS | | |
| <i>carvedilol</i> | 1 | EDS |
| <i>labetalol hcl 100 mg tab, 200 mg tab, 300 mg tab</i> | 1 | EDS |
| <i>labetalol hcl 5 mg/ml solution</i> | 2 | |
| BETA BLOCKERS CARDIO-SELECTIVE | | |
| <i>acebutolol hcl 200 mg cap, 400 mg cap</i> | 2 | EDS |
| <i>atenolol 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| <i>betaxolol hcl 10 mg tab, 20 mg tab</i> | 2 | EDS |
| <i>bisoprolol fumarate 5 mg tab, 10 mg tab</i> | 2 | EDS |
| <i>metoprolol succinate er</i> | 1 | EDS |
| <i>metoprolol tartrate 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| <i>metoprolol tartrate 5 mg/5ml solution</i> | 2 | |
| BETA BLOCKERS NON-SELECTIVE | | |
| <i>pindolol</i> | 2 | EDS |
| <i>propranolol hcl 10 mg tab, 20 mg tab, 40 mg tab, 60 mg tab, 80 mg tab</i> | 1 | EDS |
| <i>propranolol hcl er</i> | 2 | EDS |
| <i>propranolol hcl propranolol hcl 40 mg/5ml solution, propranolol hcl 20 mg/5ml solution</i> | 2 | EDS |
| <i>sorine</i> | 2 | EDS |
| <i>sotalol hcl</i> | 2 | EDS |
| <i>timolol maleate 5 mg tab, 10 mg tab, 20 mg tab</i> | 2 | EDS |
| CALCIUM CHANNEL BLOCKERS | | |
| CALCIUM CHANNEL BLOCKERS | | |
| <i>amlodipine besylate 2.5 mg tab, 5 mg tab, 10 mg tab</i> | 1 | EDS |
| <i>cartia xt</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>dilt-xr</i> | 2 | EDS |
| <i>diltiazem hcl 25 mg/5ml, 50 mg/10ml, 125 mg/25ml</i> | 2 | |
| <i>diltiazem hcl 30 mg tab, 60 mg tab, 90 mg tab, 120 mg tab</i> | 2 | EDS |
| <i>diltiazem hcl er</i> | 2 | EDS |
| <i>diltiazem hcl er beads</i> | 2 | EDS |
| <i>diltiazem hcl er coated beads</i> | 2 | EDS |
| <i>felodipine er</i> | 2 | EDS |
| <i>isradipine</i> | 2 | EDS |
| <i>matzim la</i> | 2 | EDS |
| <i>nicardipine hcl 2.5 mg/ml solution</i> | 2 | |
| <i>nicardipine hcl 20 mg cap, 30 mg cap</i> | 2 | EDS |
| <i>nifedipine er</i> | 2 | EDS |
| <i>nifedipine er osmotic release</i> | 2 | EDS |
| <i>taztia xt</i> | 2 | EDS |
| <i>tiadylt er</i> | 2 | EDS |
| <i>verapamil hcl 40 mg tab, 80 mg tab, 120 mg tab</i> | 1 | EDS |
| VERAPAMIL HCL ER ER 100 MG CAP ER 24H, ER 200 MG CAP ER 24H | 2 | EDS |
| <i>verapamil hcl er er 120 mg cap er 24h, er 120 mg tab er, er 180 mg cap er 24h, er 180 mg tab er, er 240 mg cap er 24h, er 240 mg tab er</i> | 1 | EDS |

CARDIOTONICS

CARDIAC GLYCOSIDES

| | | |
|---|---|-----|
| <i>digitek</i> | 1 | EDS |
| <i>digox</i> | 1 | EDS |
| <i>digoxin 0.05 mg/ml, 0.25 mg/ml</i> | 2 | EDS |
| <i>digoxin 125 mcg tab, 250 mcg tab</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| CARDIOVASCULAR AGENTS - MISC. | | |
| CARDIOVASCULAR AGENTS MISC. - COMBINATIONS | | |
| ENTRESTO 24-26 MG TAB, 49-51 MG TAB, 97-103 MG TAB | 3 | QL (2 EA PER DAY), EDS |
| PULMONARY HYPERTENSION - ENDOTHELIN RECEPTOR ANTAGONISTS | | |
| <i>ambrisentan</i> | 4 | PA, QL (1 EA PER DAY), SP |
| <i>bosentan</i> | 4 | PA, LA, QL (2 EA PER DAY) |
| OPSUMIT | 4 | PA, LA, QL (1 EA PER DAY) |
| PULMONARY HYPERTENSION - PHOSPHODIESTERASE INHIBITORS | | |
| <i>alyq</i> | 4 | PA, SP |
| <i>sildenafil citrate 20 mg tab</i> | 4 | PA, SP |
| <i>tadalafil (pah)</i> | 4 | PA, SP |
| PULMONARY HYPERTENSION - PROSTACYCLIN RECEPTOR AGONIST | | |
| UPTRAVI 200 & 800 MCG TAB THPK, 200 MCG TAB, 400 MCG TAB, 600 MCG TAB, 800 MCG TAB, 1000 MCG TAB, 1200 MCG TAB, 1400 MCG TAB, 1600 MCG TAB | 4 | PA, LA, QL (2 EA PER DAY) |
| VASOACTIVE SOLUBLE GUANYLATE CYCLASE STIMULATOR (SGC) | | |
| VERQUVO | 3 | QL (1 EA PER DAY), EDS |

CEPHALOSPORINS

CEPHALOSPORINS - 1ST GENERATION

| | | |
|--|---|--|
| <i>cefadroxil cefadroxil 500 mg/5ml recon susp, cefadroxil 1 gm tab, cefadroxil 250 mg/5ml recon susp, cefadroxil 500 mg cap</i> | 2 | |
| <i>cefazolin sodium 1 gm soln, 10 gm soln, 500 mg soln</i> | 2 | |
| <i>cephalexin 125 mg/5ml recon susp, 250 mg cap, 250 mg/5ml recon susp, 500 mg cap</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| CEPHALOSPORINS - 2ND GENERATION | | |
| CEFACLOR | 2 | |
| <i>cefoxitin sodium</i> | 2 | |
| <i>cefprozil</i> | 2 | |
| <i>cefuroxime axetil</i> | 2 | |
| <i>cefuroxime sodium</i> | 2 | |
| CEPHALOSPORINS - 3RD GENERATION | | |
| <i>cefdinir</i> | 2 | |
| <i>cefixime</i> | 2 | |
| <i>cefpodoxime proxetil</i> | 2 | |
| <i>ceftazidime 1 gm soln, 2 gm soln, 6 gm soln</i> | 2 | |
| <i>ceftriaxone sodium 1 gm soln, 2 gm soln, 10 gm soln, 250 mg soln, 500 mg soln</i> | 2 | |
| <i>tazicef 1 gm soln, 2 gm soln</i> | 2 | |
| CEPHALOSPORINS - 4TH GENERATION | | |
| <i>cefepime hcl 1 gm soln, 2 gm soln</i> | 2 | |
| CEPHALOSPORINS - 5TH GENERATION | | |
| TEFLARO | 4 | |
| CHEMICALS | | |
| BULK CHEMICALS | | |
| BAY RUM | 4 | |
| NATAPRES | 4 | |
| POLYETHYLENE GLYCOL 600 (BULK) | 4 | |
| BULK CHEMICALS - A'S | | |
| MAGNASWEET 110 | 4 | |
| MAGNASWEET 135 | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------|------------------|----------------------------|
| BULK CHEMICALS - B'S | | |
| BACITRACIN MICRONIZED | 4 | |
| BENZOCAINE | 4 | |
| BIOTIN POWDER | 4 | |
| BIOTIN-D | 4 | |
| BULK CHEMICALS - C'S | | |
| CELLULOSE | 4 | |
| BULK CHEMICALS - L'S | | |
| LIDOCAINE BASE | 4 | |
| LIDOCAINE CRYSTALS, POWDER | 4 | |
| LIDOCAINE HCL MONOHYDRATE | 4 | |
| LIDOCAINE HCL POWDER | 4 | |
| BULK CHEMICALS - N'S | | |
| NYSTATIN POWDER | 4 | |
| BULK CHEMICALS - P'S | | |
| PRILOCAINE | 4 | |
| PRILOCAINE HCL | 4 | |
| PROGESTERONE MICRONIZED POWDER | 4 | |
| PROGESTERONE MILLED | 4 | |
| PROGESTERONE POWDER | 4 | |
| PROGESTERONE ULTRA MICRONIZED | 4 | |
| PROGESTERONE WETTABLE | 4 | |
| PROGESTERONE WETTABLE (SOY) | 4 | |
| BULK CHEMICALS - S'S | | |
| NICE PURE BAKING SODA | 4 | |
| SODIUM BICARBONATE POWDER | 4 | |
| STEVIA EXTRACT | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| BULK CHEMICALS - T'S | | |
| TETRACAINE | 4 | |
| TETRACAINE HCL POWDER | 4 | |
| BULK CHEMICALS - Z'S | | |
| ZINC OXIDE POWDER | 4 | |
| LIQUIDS | | |
| BENZYL BENZOATE | 4 | |
| GLYCERIN | 4 | |
| SOLIDS | | |
| CITRIC ACID | 4 | |
| CITRIC ACID ANHYDROUS POWDER | 4 | |
| CITRIC ACID MONOHYDRATE POWDER | 4 | |
| CONTRACEPTIVES | | |
| COMBINATION CONTRACEPTIVES - ORAL | | |
| <i>afirmelle</i> | \$0 | EDS |
| <i>altavera</i> | \$0 | EDS |
| <i>alyacen 1/35</i> | \$0 | EDS |
| <i>alyacen 7/7/7</i> | \$0 | EDS |
| <i>amethia</i> | \$0 | EDS |
| <i>amethia lo</i> | \$0 | EDS |
| <i>amethyst</i> | \$0 | EDS |
| <i>apri</i> | \$0 | EDS |
| <i>aranelle</i> | \$0 | EDS |
| <i>ashlyna</i> | \$0 | EDS |
| <i>aubra</i> | \$0 | EDS |
| <i>aubra eq</i> | \$0 | EDS |
| <i>aurovela 1.5/30</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------------|------------------|----------------------------|
| <i>aurovela 1/20</i> | \$0 | EDS |
| <i>aurovela 24 fe</i> | \$0 | EDS |
| <i>aurovela fe 1.5/30</i> | \$0 | EDS |
| <i>aurovela fe 1/20</i> | \$0 | EDS |
| <i>aviane</i> | \$0 | EDS |
| <i>ayuna</i> | \$0 | EDS |
| <i>azurette</i> | \$0 | EDS |
| <i>balziva</i> | \$0 | EDS |
| <i>bekyree</i> | \$0 | EDS |
| <i>blisovi 24 fe</i> | \$0 | EDS |
| <i>blisovi fe 1.5/30</i> | \$0 | EDS |
| <i>blisovi fe 1/20</i> | \$0 | EDS |
| <i>briellyn</i> | \$0 | EDS |
| <i>camrese</i> | \$0 | EDS |
| <i>camrese lo</i> | \$0 | EDS |
| <i>caziant</i> | \$0 | EDS |
| <i>charlotte 24 fe</i> | \$0 | EDS |
| <i>chateal</i> | \$0 | EDS |
| <i>chateal eq</i> | \$0 | EDS |
| <i>cryselle-28</i> | \$0 | EDS |
| <i>cyclafem 1/35</i> | \$0 | EDS |
| <i>cyclafem 7/7/7</i> | \$0 | EDS |
| <i>cyred</i> | \$0 | EDS |
| <i>cyred eq</i> | \$0 | EDS |
| <i>dasetta 1/35</i> | \$0 | EDS |
| <i>dasetta 7/7/7</i> | \$0 | EDS |
| <i>daysee</i> | \$0 | EDS |
| <i>delyla</i> | \$0 | EDS |
| <i>desogestrel-ethinyl estradiol</i> | \$0 | EDS |
| <i>dolishale</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------------|------------------|----------------------------|
| <i>drospiren-eth estrad-levomefol</i> | \$0 | EDS |
| <i>drospirenone-ethinyl estradiol</i> | \$0 | EDS |
| <i>elinest</i> | \$0 | EDS |
| <i>emoquette</i> | \$0 | EDS |
| <i>enpresse-28</i> | \$0 | EDS |
| <i>enskyce</i> | \$0 | EDS |
| <i>estarylla</i> | \$0 | EDS |
| <i>ethynodiol diac-eth estradiol</i> | \$0 | EDS |
| <i>falmina</i> | \$0 | EDS |
| <i>fayosim</i> | \$0 | EDS |
| <i>femynor</i> | \$0 | EDS |
| <i>finzala</i> | \$0 | EDS |
| <i>gemmily</i> | \$0 | EDS |
| <i>gianvi</i> | \$0 | EDS |
| <i>hailey 1.5/30</i> | \$0 | EDS |
| <i>hailey 24 fe</i> | \$0 | EDS |
| <i>hailey fe 1.5/30</i> | \$0 | EDS |
| <i>hailey fe 1/20</i> | \$0 | EDS |
| <i>iclevia</i> | \$0 | EDS |
| <i>introvale</i> | \$0 | EDS |
| <i>isibloom</i> | \$0 | EDS |
| <i>jaimiess</i> | \$0 | EDS |
| <i>jasmiel</i> | \$0 | EDS |
| <i>jolessa</i> | \$0 | EDS |
| <i>joyeaux</i> | \$0 | |
| <i>juleber</i> | \$0 | EDS |
| <i>junel 1.5/30</i> | \$0 | EDS |
| <i>junel 1/20</i> | \$0 | EDS |
| <i>junel fe 1.5/30</i> | \$0 | EDS |
| <i>junel fe 1/20</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>junel fe 24</i> | \$0 | EDS |
| <i>kaitlib fe</i> | \$0 | EDS |
| <i>kalliga</i> | \$0 | EDS |
| <i>kariva</i> | \$0 | EDS |
| <i>kelnor 1/35</i> | \$0 | EDS |
| <i>kelnor 1/50</i> | \$0 | EDS |
| <i>kurvelo</i> | \$0 | EDS |
| <i>larin 1.5/30</i> | \$0 | EDS |
| <i>larin 1/20</i> | \$0 | EDS |
| <i>larin 24 fe</i> | \$0 | EDS |
| <i>larin fe 1.5/30</i> | \$0 | EDS |
| <i>larin fe 1/20</i> | \$0 | EDS |
| <i>larissia</i> | \$0 | EDS |
| <i>layolis fe</i> | \$0 | EDS |
| <i>leena</i> | \$0 | EDS |
| <i>lessina</i> | \$0 | EDS |
| <i>levonest</i> | \$0 | EDS |
| <i>levonorg-eth estrad triphasic</i> | \$0 | EDS |
| <i>levonorgest-eth est & eth est</i> | \$0 | EDS |
| <i>levonorgest-eth estrad 91-day</i> | \$0 | EDS |
| <i>levonorgest-eth estradiol-iron</i> | \$0 | |
| <i>levonorgestrel-ethinyl estrad</i> | \$0 | EDS |
| <i>levora 0.15/30 (28)</i> | \$0 | EDS |
| <i>lillow</i> | \$0 | EDS |
| <i>lo-zumandimine</i> | \$0 | EDS |
| <i>loestrin 1.5/30 (21)</i> | \$0 | EDS |
| <i>loestrin 1/20 (21)</i> | \$0 | EDS |
| <i>loestrin fe 1.5/30</i> | \$0 | EDS |
| <i>loestrin fe 1/20</i> | \$0 | EDS |
| <i>lojaimiess</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------------|------------------|----------------------------|
| <i>loryna</i> | \$0 | EDS |
| <i>low-ogestrel</i> | \$0 | EDS |
| <i>luteru</i> | \$0 | EDS |
| <i>marlissa</i> | \$0 | EDS |
| <i>melodetta 24 fe</i> | \$0 | EDS |
| <i>merzee</i> | \$0 | EDS |
| <i>mibelas 24 fe</i> | \$0 | EDS |
| <i>microgestin 1.5/30</i> | \$0 | EDS |
| <i>microgestin 1/20</i> | \$0 | EDS |
| <i>microgestin 24 fe</i> | \$0 | EDS |
| <i>microgestin fe 1.5/30</i> | \$0 | EDS |
| <i>microgestin fe 1/20</i> | \$0 | EDS |
| <i>mili</i> | \$0 | EDS |
| <i>mono-lynyah</i> | \$0 | EDS |
| <i>necon 0.5/35 (28)</i> | \$0 | EDS |
| <i>nikki</i> | \$0 | EDS |
| <i>norethin ace-eth estrad-fe</i> | \$0 | EDS |
| <i>norethin-eth estradiol-fe</i> | \$0 | EDS |
| <i>norethindron-ethinyl estrad-fe</i> | \$0 | EDS |
| <i>norethindrone acet-ethinyl est</i> | \$0 | EDS |
| <i>norgestim-eth estrad triphasic</i> | \$0 | EDS |
| <i>norgestimate-eth estradiol</i> | \$0 | EDS |
| <i>nortrel 0.5/35 (28)</i> | \$0 | EDS |
| <i>nortrel 1/35 (21)</i> | \$0 | EDS |
| <i>nortrel 1/35 (28)</i> | \$0 | EDS |
| <i>nortrel 7/7/7</i> | \$0 | EDS |
| <i>nylia 1/35</i> | \$0 | EDS |
| <i>nylia 7/7/7</i> | \$0 | EDS |
| <i>nymyo</i> | \$0 | EDS |
| <i>ocella</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------|------------------|----------------------------|
| <i>orsythia</i> | \$0 | EDS |
| <i>philith</i> | \$0 | EDS |
| <i>pimtrea</i> | \$0 | EDS |
| <i>pirmella 1/35</i> | \$0 | EDS |
| <i>pirmella 7/7/7</i> | \$0 | EDS |
| <i>portia-28</i> | \$0 | EDS |
| <i>previfem</i> | \$0 | EDS |
| <i>reclipsen</i> | \$0 | EDS |
| <i>rivelsa</i> | \$0 | EDS |
| <i>setlakin</i> | \$0 | EDS |
| <i>simliya</i> | \$0 | EDS |
| <i>simpesse</i> | \$0 | EDS |
| <i>sprintec 28</i> | \$0 | EDS |
| <i>sronyx</i> | \$0 | EDS |
| <i>syeda</i> | \$0 | EDS |
| <i>tarina 24 fe</i> | \$0 | EDS |
| <i>tarina fe 1/20</i> | \$0 | EDS |
| <i>tarina fe 1/20 eq</i> | \$0 | EDS |
| <i>taysofy</i> | \$0 | EDS |
| <i>tilia fe</i> | \$0 | EDS |
| <i>tri femynor</i> | \$0 | EDS |
| <i>tri-estarylla</i> | \$0 | EDS |
| <i>tri-legest fe</i> | \$0 | EDS |
| <i>tri-linyah</i> | \$0 | EDS |
| <i>tri-lo-estarylla</i> | \$0 | EDS |
| <i>tri-lo-marzia</i> | \$0 | EDS |
| <i>tri-lo-mili</i> | \$0 | EDS |
| <i>tri-lo-sprintec</i> | \$0 | EDS |
| <i>tri-mili</i> | \$0 | EDS |
| <i>tri-nymyo</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>tri-previfem</i> | \$0 | EDS |
| <i>tri-sprintec</i> | \$0 | EDS |
| <i>tri-vylibra</i> | \$0 | EDS |
| <i>tri-vylibra lo</i> | \$0 | EDS |
| <i>trivora (28)</i> | \$0 | EDS |
| <i>turqoz</i> | \$0 | EDS |
| <i>tydemy</i> | \$0 | EDS |
| <i>vestura</i> | \$0 | EDS |
| <i>vienva</i> | \$0 | EDS |
| <i>viorele</i> | \$0 | EDS |
| <i>volnea</i> | \$0 | EDS |
| <i>vyfemla</i> | \$0 | EDS |
| <i>vylibra</i> | \$0 | EDS |
| <i>wera</i> | \$0 | EDS |
| <i>wymzya fe</i> | \$0 | EDS |
| <i>zarah</i> | \$0 | EDS |
| <i>zovia 1/35 (28)</i> | \$0 | EDS |
| <i>zovia 1/35e (28)</i> | \$0 | EDS |
| <i>zumandimine</i> | \$0 | EDS |
| COMBINATION CONTRACEPTIVES - TRANSDERMAL | | |
| <i>norelgestromin-eth estradiol</i> | \$0 | EDS |
| <i>xulane</i> | \$0 | EDS |
| <i>zafemy</i> | \$0 | EDS |
| COMBINATION CONTRACEPTIVES - VAGINAL | | |
| <i>eluryng</i> | \$0 | EDS |
| <i>enilloring</i> | \$0 | EDS |
| <i>etonogestrel-ethinyl estradiol</i> | \$0 | EDS |
| <i>haloette</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| COPPER CONTRACEPTIVES - IUD | | |
| PARAGARD INTRAUTERINE COPPER | \$0 | LA |
| EMERGENCY CONTRACEPTIVES | | |
| ELLA | \$0 | |
| <i>levonorgestrel (plan b)</i> | \$0 | |
| PROGESTIN CONTRACEPTIVES - INJECTABLE | | |
| <i>medroxyprogesterone acetate 150 mg/ml susp prsy, 150 mg/ml suspension</i> | \$0 | |
| PROGESTIN CONTRACEPTIVES - IUD | | |
| MIRENA (52 MG) | \$0 | LA |
| PROGESTIN CONTRACEPTIVES - ORAL | | |
| <i>camila</i> | \$0 | EDS |
| <i>deblitane</i> | \$0 | EDS |
| <i>emzahh</i> | \$0 | EDS |
| <i>errin</i> | \$0 | EDS |
| <i>heather</i> | \$0 | EDS |
| <i>incassia</i> | \$0 | EDS |
| <i>jencycla</i> | \$0 | EDS |
| <i>lyleq</i> | \$0 | EDS |
| <i>lyza</i> | \$0 | EDS |
| <i>nora-be</i> | \$0 | EDS |
| <i>norethindrone 0.35 mg tab</i> | \$0 | EDS |
| <i>norlyda</i> | \$0 | EDS |
| <i>norlyroc</i> | \$0 | EDS |
| OPILL | \$0 | |
| <i>sharobel</i> | \$0 | EDS |
| <i>tulana</i> | \$0 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-----------------------------|
| CORTICOSTEROIDS | | |
| GLUCOCORTICOSTEROIDS | | |
| <i>budesonide 3 mg cp dr part</i> | 2 | EDS, CDD |
| <i>budesonide er</i> | 4 | QL (1 EA PER DAY), EDS, CDD |
| CORTISONE ACETATE 25 MG TAB | 2 | EDS |
| <i>decadron</i> | 1 | EDS |
| <i>dexamethasone 0.5 mg tab, 0.75 mg tab, 1 mg tab, 1.5 mg tab, 2 mg tab, 4 mg tab, 6 mg tab</i> | 1 | EDS |
| DEXAMETHASONE DEXAMETHASONE 0.5 MG/5ML SOLUTION, DEXAMETHASONE 0.5 MG/5ML ELIXIR | 2 | EDS |
| DEXAMETHASONE INTENSOL | 2 | EDS |
| DEXAMETHASONE SOD PHOS +RFID | 2 | EDS |
| <i>dexamethasone sod phosphate pf 10 mg/ml solution</i> | 2 | |
| DEXAMETHASONE SODIUM PHOSPHATE 4 MG/ML SOLN PRSYR | 2 | EDS |
| <i>dexamethasone sodium phosphate 4 mg/ml, 10 mg/ml, 20 mg/5ml, 100 mg/10ml, 120 mg/30ml</i> | 2 | |
| <i>hydrocortisone 5 mg tab, 10 mg tab, 20 mg tab</i> | 2 | EDS |
| <i>methylprednisolone 4 mg tab thpk</i> | 1 | |
| <i>methylprednisolone 4 mg tab, 8 mg tab, 16 mg tab, 32 mg tab</i> | 1 | EDS |
| <i>methylprednisolone acetate 40 mg/ml suspension, 80 mg/ml suspension</i> | 2 | |
| <i>methylprednisolone sodium succ</i> | 4 | |
| <i>prednisolone 15 mg/5ml solution</i> | 2 | |
| <i>prednisolone sodium phosphate 15 mg/5ml solution</i> | 2 | |
| <i>prednisone 1 mg tab, 2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab, 50 mg tab</i> | 1 | EDS |
| <i>prednisone 5 mg (21) tab thpk, 5 mg (48) tab thpk, 10 mg (21) tab thpk, 10 mg (48) tab thpk</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| SOLU-CORTEF | 4 | |
| SOLU-MEDROL | 4 | |
| SOLU-MEDROL (PF) | 4 | |
| MINERALOCORTICOIDS | | |
| <i>fludrocortisone acetate 0.1 mg tab</i> | 2 | EDS |
| COUGH/COLD/ALLERGY | | |
| ANTITUSSIVES | | |
| <i>benzonatate 100 mg cap, 200 mg cap</i> | 1 | |
| <i>hydrocodone bit-homatrop mbr -5-1.5 mg/5ml solution</i> | 2 | |
| <i>hydromet</i> | 2 | |
| COUGH/COLD/ALLERGY COMBINATIONS | | |
| <i>g tussin ac</i> | 2 | |
| <i>guaiaatussin ac</i> | 2 | |
| <i>guaifenesin ac</i> | 2 | |
| <i>guaifenesin-codeine</i> | 2 | |
| <i>maxi-tuss ac</i> | 2 | |
| <i>virtussin a/c</i> | 2 | |
| <i>virtussin ac w/alc</i> | 2 | |
| MISC. RESPIRATORY INHALANTS | | |
| <i>pulmosal</i> | 2 | EDS |
| <i>sodium chloride 7 % nebu soln</i> | 2 | EDS |
| MUCOLYTICS | | |
| <i>acetylcysteine 10 %, 20 %</i> | 2 | EDS |
| DERMATOLOGICALS | | |
| ACNE PRODUCTS | | |
| <i>acutane</i> | 2 | |
| <i>adapalene 0.1 % cream, 0.1 % gel, 0.3 % gel</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>amnesteem</i> | 2 | |
| <i>avita</i> | 2 | |
| <i>benzoyl peroxide-erythromycin</i> | 2 | |
| <i>claravis</i> | 2 | |
| <i>clindacin</i> | 2 | |
| <i>clindacin etz 1 % swab</i> | 2 | |
| <i>clindacin-p</i> | 2 | |
| <i>clindamycin phos-benzoyl perox -1-5 % gel</i> | 2 | |
| <i>clindamycin phosphate 1 % foam, 1 % gel, 1 % lotion, 1 % solution, 1 % swab</i> | 2 | |
| <i>clindamycin-tretinoin</i> | 2 | |
| ERY | 2 | |
| <i>erythromycin 2 % gel, 2 % solution</i> | 2 | |
| <i>isotretinoin 10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap</i> | 2 | |
| <i>myorisan</i> | 2 | |
| <i>sulfacetamide sodium (acne)</i> | 2 | |
| <i>tretinoin 0.01 % gel, 0.025 % cream, 0.025 % gel, 0.05 % cream, 0.05 % gel, 0.1 % cream</i> | 2 | |
| <i>zenatane</i> | 2 | |
| ANTI-INFLAMMATORY AGENTS - TOPICAL | | |
| <i>diclofenac sodium 1 % gel</i> | 2 | QL (17 GM PER DAY), EDS |
| <i>diclofenac sodium 1.5 % solution</i> | 2 | QL (15 ML PER DAY), EDS |
| ANTIBIOTICS - TOPICAL | | |
| CORTISPORIN | 4 | |
| <i>gentamicin sulfate 0.1 % cream, 0.1 % ointment</i> | 2 | |
| <i>mupirocin ointment 2%</i> | 2 | |
| XEPI | 4 | |
| ANTIFUNGALS - TOPICAL | | |
| <i>butenafine hcl</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|---------------------------------|
| <i>ciclodan</i> | 2 | |
| <i>ciclopirox 0.77 % gel, 1 % shampoo, 8 % solution</i> | 2 | |
| <i>ciclopirox olamine 0.77 % cream, 0.77 % suspension</i> | 2 | |
| <i>clotrimazole 1 % solution</i> | 2 | |
| CLOTRIMAZOLE-BETAMETHASONE CLOTRIMAZOLE- BETAMETHASONE, CLOTRIMAZOLE-BETAMETHASONE 1-0.05 % LOTION | 2 | |
| <i>cvs butenafine hcl</i> | 2 | |
| <i>econazole nitrate 1 % cream</i> | 2 | |
| <i>eq athletes foot ultra</i> | 2 | |
| <i>ketconazole 2 % cream, 2 % shampoo</i> | 2 | |
| <i>klayesta</i> | 2 | |
| LULICONAZOLE | 2 | QL (60 GM PER 28 DAYS) |
| <i>naftifine hcl 1 % gel, 2 % cream, 2 % gel</i> | 2 | |
| <i>nyamyc</i> | 2 | |
| <i>nystatin 100000 unit/gm cream, 100000 unit/gm ointment, 100000 unit/gm powder</i> | 2 | |
| <i>nystatin-triamcinolone</i> | 2 | |
| <i>nystop</i> | 2 | |
| <i>oxiconazole nitrate</i> | 4 | |
| ANTINEOPLASTIC OR PREMALIGNANT LESION AGENTS - TOPICAL | | |
| <i>bexarotene 1 % gel</i> | 4 | PA, SP |
| <i>diclofenac sodium 3 % gel</i> | 4 | PA, QL (300 GM PER 30 DAYS) |
| <i>fluorouracil 5 % solution</i> | 2 | |
| FLUOROURACIL FLUOROURACIL 5 % CREAM, FLUOROURACIL 2 % SOLUTION | 2 | EDS |
| VALCHLOR | 4 | PA, LA, QL (240 GM PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|--------------------------------------|
| ANTIPRURITICS - TOPICAL | | |
| <i>doxepin hcl 5 % cream</i> | 4 | |
| ANTIPSORIATICS | | |
| <i>acitretin</i> | 4 | SP |
| CALCIPOTRIENE CALCIPOTRIENE 0.005 % SOLUTION, CALCIPOTRIENE 0.005 % SOLUTION | 2 | EDS |
| CALCITRIOL 3 MCG/GM OINTMENT | 2 | EDS |
| SKYRIZI (150 MG DOSE) | 4 | PA, QL (1 EA PER 84 DAYS), SP |
| SKYRIZI 150 MG/ML SOLN PRSYR | 4 | PA, QL (1 ML PER 84 DAYS), SP |
| SKYRIZI PEN | 4 | PA, QL (1 ML PER 84 DAYS), SP |
| SOTYKTU | 4 | PA, QL (1 EA PER DAY), SP |
| STELARA 45 MG/0.5ML SOLN PRSYR, 45 MG/0.5ML SOLUTION | 4 | PA, QL (0.5 ML PER 84 DAYS), SP |
| STELARA 90 MG/ML SOLN PRSYR | 4 | PA, QL (1 ML PER 84 DAYS), SP |
| TALTZ 20 MG/0.25ML SOLN PRSYR, 40 MG/0.5ML SOLN PRSYR | 4 | PA, QL (0.5 ML PER 28 DAY(S)), SP |
| TALTZ 80 MG/ML SOLN A-INJ, 80 MG/ML SOLN PRSYR | 4 | PA, QL (1 ML PER 28 DAYS), SP |
| <i>tazarotene 0.05 % gel, 0.1 % gel</i> | 4 | EDS |
| <i>tazarotene 0.1 % cream</i> | 2 | EDS |
| TREMFYA 100 MG/ML SOLN -INJ | 4 | PA, QL (1 ML PER 56 DAY(S)), SP |
| TREMFYA 100 MG/ML SOLN PRSYR | 4 | PA, QL (1 ML PER 56 DAYS), SP |
| TREMFYA 200 MG/2ML SOLN A-INJ, 200 MG/2ML SOLN PRSYR | 4 | PA, QL (2 ML PER 28 DAY(S)), SP |
| ANTISEBORRHEIC PRODUCTS | | |
| <i>selenium sulfide 2.5 % lotion</i> | 2 | EDS |
| ANTIVIRALS - TOPICAL | | |
| <i>acyclovir 5 % ointment</i> | 2 | |
| <i>penciclovir</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| BURN PRODUCTS | | |
| <i>silver sulfadiazine 1 % cream</i> | 2 | |
| <i>ssd</i> | 2 | |
| SULFAMYLON 85 MG/GM CREAM | 4 | |
| CORTICOSTEROIDS - TOPICAL | | |
| <i>ala-cort</i> | 2 | EDS |
| <i>alclometasone dipropionate</i> | 2 | EDS |
| AMCINONIDE 0.1 % CREAM | 4 | EDS |
| <i>beser 0.05 % lotion</i> | 2 | EDS |
| <i>betamethasone dipropionate 0.05 % cream, 0.05 % lotion, 0.05 % ointment</i> | 2 | EDS |
| <i>betamethasone dipropionate aug 0.05 % cream, 0.05 % lotion, 0.05 % ointment</i> | 2 | EDS |
| <i>betamethasone valerate 0.1 % cream, 0.1 % lotion, 0.1 % ointment</i> | 2 | EDS |
| <i>betamethasone valerate 0.12 % foam</i> | 2 | |
| <i>calcipotriene-betameth diprop</i> | 4 | EDS |
| <i>clobetasol prop emollient base</i> | 2 | EDS |
| <i>clobetasol propionate 0.05 % cream, 0.05 % ointment, 0.05 % solution</i> | 2 | EDS |
| <i>clobetasol propionate e</i> | 2 | EDS |
| <i>clocortolone pivalate</i> | 4 | EDS |
| <i>desonide 0.05 % cream, 0.05 % lotion, 0.05 % ointment</i> | 2 | EDS |
| <i>desoximetasone 0.05 % ointment</i> | 4 | EDS |
| <i>desoximetasone 0.25 % ointment</i> | 2 | EDS |
| <i>diflorasone diacetate diflorasone diacetate 0.05 % cream, diflorasone diacetate 0.05 % ointment</i> | 4 | EDS |
| <i>fluocinolone acetonide 0.01 % cream, 0.01 % solution, 0.025 % cream, 0.025 % ointment</i> | 2 | EDS |
| <i>fluocinolone acetonide body</i> | 2 | EDS |
| <i>fluocinolone acetonide scalp</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>fluocinonide emulsified base</i> | 2 | EDS |
| <i>fluocinonide fluocinonide 0.05 % gel, fluocinonide 0.05 % cream, fluocinonide 0.05 % gel, fluocinonide 0.05 % ointment, fluocinonide 0.05 % solution</i> | 2 | EDS |
| FLURANDRENOLIDE 0.05 % LOTION | 4 | EDS |
| <i>fluticasone propionate 0.005 % ointment, 0.05 % cream, 0.05 % lotion</i> | 2 | EDS |
| <i>halobetasol propionate 0.05 % cream, 0.05 % ointment</i> | 2 | EDS |
| HYDROCORTISONE ACE-PRAMOXINE -2.5-1 % CREAM | 2 | EDS |
| HYDROCORTISONE BUTYRATE HYDROCORTISONE BUTYRATE 0.1 % SOLUTION, HYDROCORTISONE BUTYRATE 0.1 % CREAM, HYDROCORTISONE BUTYRATE 0.1 % SOLUTION, HYDROCORTISONE BUTYRATE 0.1 % CREAM | 2 | EDS |
| <i>hydrocortisone hydrocortisone 1 % cream, hydrocortisone 2.5 % cream, hydrocortisone 2.5 % lotion, hydrocortisone 2.5 % ointment, hydrocortisone 2.5 % lotion</i> | 2 | EDS |
| <i>hydrocortisone valerate</i> | 2 | EDS |
| <i>mometasone furoate 0.1 % cream, 0.1 % ointment, 0.1 % solution</i> | 2 | EDS |
| PREDNICARBATE 0.1 % OINTMENT | 2 | EDS |
| PSORCON | 4 | EDS |
| <i>triamcinolone acetonide 0.025 % cream, 0.025 % lotion, 0.025 % ointment, 0.05 % ointment, 0.1 % cream, 0.1 % lotion, 0.1 % ointment, 0.5 % cream, 0.5 % ointment</i> | 2 | EDS |
| <i>triamcinolone in absorbase</i> | 2 | EDS |
| <i>trianex</i> | 2 | EDS |
| <i>triderm</i> | 2 | EDS |
| <i>tritocin</i> | 2 | EDS |
| ECZEMA AGENTS | | |
| CIBINQO | 4 | PA, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|---|
| DUPIXENT 100 MG/0.67ML SOLN PRSYR | 4 | PA, QL (2.68 ML PER 28 DAYS), CDD, SP |
| DUPIXENT 200 MG/1.14ML SOLN A-INJ | 4 | PA, QL (4.56 ML PER 28 DAY(S)), CDD, SP |
| DUPIXENT 200 MG/1.14ML SOLN PRSYR | 4 | PA, QL (4.56 ML PER 28 DAYS), CDD, SP |
| DUPIXENT 300 MG/2ML SOLN A-INJ | 4 | PA, QL (8 ML PER 28 DAY(S)), CDD, SP |
| DUPIXENT 300 MG/2ML SOLN PRSYR | 4 | PA, QL (8 ML PER 28 DAYS), CDD, SP |
| EMOLLIENTS | | |
| <i>ammonium lactate 12 % cream, 12 % lotion</i> | 2 | |
| IMMUNOMODULATING AGENTS - TOPICAL | | |
| <i>imiquimod 5 % cream</i> | 2 | |
| IMMUNOSUPPRESSIVE AGENTS - TOPICAL | | |
| <i>pimecrolimus</i> | 2 | EDS |
| <i>tacrolimus 0.03 %, 0.1 %</i> | 2 | EDS |
| KERATOLYTIC/ANTIMITOTIC AGENTS | | |
| <i>podofilox podofilox 0.5 % solution, podofilox 0.5 % solution</i> | 2 | EDS |
| LOCAL ANESTHETICS - TOPICAL | | |
| <i>glydo</i> | 2 | |
| <i>lidocaine 5 % ointment</i> | 2 | QL (107 EA PER 30 DAYS), EDS |
| <i>lidocaine hcl 4 % solution</i> | 2 | |
| <i>lidocaine hcl urethral/mucosal 2 % prsy</i> | 2 | |
| <i>lidocaine-prilocaine -2.5-2.5 % cream</i> | 2 | |
| <i>premium lidocaine</i> | 2 | QL (107 EA PER 30 DAYS), EDS |
| MISC. TOPICAL | | |
| DRYSOL | 4 | |
| <i>isopropyl alcohol (skin cleanser)</i> | DME | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| ROSACEA AGENTS | | |
| <i>azelaic acid 15 % gel</i> | 2 | |
| <i>ivermectin 1 % cream</i> | 2 | |
| <i>metronidazole 0.75 % cream, 0.75 % gel, 0.75 % lotion, 1 % gel</i> | 2 | |
| <i>rosadan 0.75 % cream, 0.75 % gel</i> | 2 | |
| SCABICIDES PEDICULICIDES | | |
| CROTAN | 4 | |
| <i>malathion</i> | 2 | QL (118 ML PER 1 FILL) |
| <i>permethrin 5 % cream</i> | 2 | |
| SPINOSAD | 2 | QL (4 EA PER DAY) |
| DIAGNOSTIC PRODUCTS | | |
| DIAGNOSTIC DRUGS | | |
| GLUCAGON HCL (DIAGNOSTIC) | 3 | |
| DIAGNOSTIC TESTS | | |
| <i>covid-19 test</i> | \$0 | QL (4 EA PER 30 DAY(S)) |
| ONETOUCH ULTRA | DME | EDS, CDS |
| ONETOUCH ULTRA TEST | DME | EDS, CDS |
| ONETOUCH VERIO STRIP | DME | EDS, CDS |
| DIGESTIVE AIDS | | |
| DIGESTIVE ENZYMES | | |
| CREON | 4 | |
| DIURETICS | | |
| CARBONIC ANHYDRASE INHIBITORS | | |
| <i>acetazolamide 125 mg tab, 250 mg tab</i> | 2 | EDS |
| <i>acetazolamide er</i> | 2 | EDS |
| <i>methazolamide 25 mg tab, 50 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| DIURETIC COMBINATIONS | | |
| <i>amiloride-hydrochlorothiazide</i> | 2 | EDS |
| <i>spironolactone-hctz</i> | 2 | EDS |
| <i>triamterene-hctz</i> | 1 | EDS |
| LOOP DIURETICS | | |
| <i>bumetanide 0.25 mg/ml solution</i> | 2 | |
| <i>bumetanide 0.5 mg tab, 1 mg tab, 2 mg tab</i> | 1 | EDS |
| <i>ethacrynic acid</i> | 4 | |
| <i>furosemide 20 mg tab, 40 mg tab, 80 mg tab</i> | 1 | EDS |
| FUROSEMIDE FUROSEMIDE 10 MG/ML SOLUTION, FUROSEMIDE 8 MG/ML SOLUTION | 2 | EDS |
| <i>torseamide</i> | 2 | EDS |
| POTASSIUM SPARING DIURETICS | | |
| <i>amiloride hcl 5 mg tab</i> | 2 | EDS |
| <i>spironolactone 25 mg tab, 50 mg tab, 100 mg tab</i> | 1 | EDS |
| THIAZIDES AND THIAZIDE-LIKE DIURETICS | | |
| <i>chlorothiazide sodium</i> | 2 | |
| <i>chlorthalidone</i> | 1 | EDS |
| <i>hydrochlorothiazide 12.5 mg cap, 12.5 mg tab, 25 mg tab, 50 mg tab</i> | 1 | EDS |
| <i>indapamide</i> | 1 | EDS |
| <i>metolazone</i> | 2 | EDS |
| ENDOCRINE AND METABOLIC AGENTS - MISC. | | |
| BONE DENSITY REGULATORS | | |
| <i>alendronate sodium 10 mg tab, 35 mg tab, 70 mg tab</i> | 1 | EDS |
| <i>alendronate sodium 70 mg/75ml solution</i> | 2 | QL (10 ML PER DAY), EDS |
| <i>calcitonin (salmon) 200 unit/act solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-----------------------------|
| <i>ibandronate sodium 150 mg tab</i> | 2 | QL (1 EA PER 30 DAYS), EDS |
| <i>ibandronate sodium 3 mg/3ml solution</i> | 4 | PA |
| <i>risedronate sodium 5 mg tab, 35 mg tab, 150 mg tab</i> | 2 | EDS |
| TERIPARATIDE (RECOMBINANT) 620 MCG/2.48ML SOLN PEN | 4 | PA, SP |
| TYMLOS | 4 | PA, SP |
| <i>zoledronic acid 4 mg/5ml conc, 5 mg/100ml solution</i> | 4 | |
| CORTICOTROPIN | | |
| ACTHAR | 4 | PA, QL (1.5 ML PER DAY), SP |
| GNRH/LHRH ANTAGONISTS | | |
| ORLISSA 150 MG TAB | 4 | PA, QL (1 EA PER DAY) |
| ORLISSA 200 MG TAB | 4 | PA, QL (2 EA PER DAY) |
| GROWTH HORMONE RECEPTOR ANTAGONISTS | | |
| SOMAVERT | 4 | PA, LA |
| GROWTH HORMONES | | |
| GENOTROPIN | 4 | PA, SP |
| GENOTROPIN MINIQUICK | 4 | PA, SP |
| NORDITROPIN FLEXPRO | 4 | PA, SP |
| HORMONE RECEPTOR MODULATORS | | |
| <i>raloxifene hcl</i> | \$0 | EDS |
| LHRH/GNRH AGONIST ANALOG PITUITARY SUPPRESSANTS | | |
| LUPRON DEPOT-PED (1-MONTH) | 4 | PA, SP |
| LUPRON DEPOT-PED (3-MONTH) | 4 | PA, SP |
| LUPRON DEPOT-PED (6-MONTH) | 4 | PA, SP |
| TRIPTODUR | 4 | PA, LA |
| METABOLIC MODIFIERS | | |
| <i>calcitriol 0.25 mcg cap, 0.5 mcg cap, 1 mcg/ml solution</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-----------------------------|
| <i>carglumic acid</i> | 4 | SP |
| <i>cinacalcet hcl</i> | 4 | SP |
| <i>levocarnitine 1 gm/10ml solution, 330 mg tab</i> | 2 | EDS |
| <i>levocarnitine sf</i> | 2 | EDS |
| OPFOLDA | 2 | LA, QL (0.29 EA PER DAY) |
| PALYNZIQ 2.5 MG/0.5ML SOLN PRSYR, 10 MG/0.5ML SOLN PRSYR | 4 | PA, LA, QL (0.5 ML PER DAY) |
| PALYNZIQ 20 MG/ML SOLN PRSYR | 4 | PA, LA, QL (1 ML PER DAY) |
| <i>sodium phenylbutyrate 500 mg tab</i> | 4 | PA, SP |
| STRENSIQ | 4 | PA, LA |
| NATRIURETIC PEPTIDES | | |
| VOXZOGO | 4 | PA, LA, QL (1 EA PER DAY) |
| POSTERIOR PITUITARY HORMONES | | |
| <i>desmopressin ace spray refrig</i> | 2 | EDS |
| <i>desmopressin acetate 0.1 mg tab, 0.2 mg tab</i> | 2 | EDS |
| <i>desmopressin acetate pf</i> | 4 | |
| PROGESTERONE RECEPTOR ANTAGONISTS | | |
| <i>mifepristone 200 mg tab</i> | 2 | EDS |
| PROLACTIN INHIBITORS | | |
| <i>cabergoline</i> | 2 | EDS |
| SOMATOSTATIC AGENTS | | |
| <i>octreotide acetate octreotide acetate 50 mcg/ml solution, octreotide acetate 100 mcg/ml solution, octreotide acetate 200 mcg/ml solution, octreotide acetate 500 mcg/ml solution, octreotide acetate 1000 mcg/ml solution, octreotide acetate 50 mcg/ml soln prsy, octreotide acetate 100 mcg/ml soln prsy, octreotide acetate 500 mcg/ml soln prsy</i> | 4 | LA |
| SIGNIFOR | 4 | PA, LA, QL (2 ML PER DAY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|--------------------------------|
| VASOPRESSIN RECEPTOR ANTAGONISTS | | |
| JYNARQUE 15 MG TAB THPK, 30 & 15 MG TAB THPK, 45 & 15 MG TAB THPK, 60 & 30 MG TAB THPK, 90 & 30 MG TAB THPK | 4 | PA, LA, QL (2 EA PER DAY) |
| <i>tolvaptan</i> | 4 | PA, QL (60 EA PER FILL(S)), SP |

ESTROGENS

ESTROGEN COMBINATIONS

| | | |
|-------------------------------------|---|-----|
| <i>amabelz</i> | 2 | EDS |
| <i>estradiol-norethindrone acet</i> | 2 | EDS |
| <i>fyavolv</i> | 2 | EDS |
| <i>jinteli</i> | 2 | EDS |
| <i>lopreeza</i> | 2 | EDS |
| <i>mimvey</i> | 2 | EDS |
| <i>norethindrone-eth estradiol</i> | 2 | EDS |
| ORIAHNN | 4 | PA |
| PREMPHASE | 4 | EDS |
| PREMPRO | 4 | EDS |

ESTROGENS

| | | |
|--|---|-----|
| <i>dotti</i> | 2 | EDS |
| <i>estradiol 0.025 mg/24hr patch tw, 0.025 mg/24hr patch wk, 0.0375 mg/24hr patch tw, 0.0375 mg/24hr patch wk, 0.05 mg/24hr patch tw, 0.05 mg/24hr patch wk, 0.06 mg/24hr patch wk, 0.075 mg/24hr patch tw, 0.075 mg/24hr patch wk, 0.1 mg/24hr patch tw, 0.1 mg/24hr patch wk, 0.5 mg tab, 1 mg tab, 2 mg tab</i> | 2 | EDS |
| <i>estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml</i> | 2 | |
| <i>lyllana</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| FLUOROQUINOLONES | | |
| FLUOROQUINOLONES | | |
| BAXDELA 450 MG TAB | 4 | |
| <i>ciprofloxacin 250 mg/5ml (5%), 500 mg/5ml (10%)</i> | 2 | |
| <i>ciprofloxacin hcl 250 mg tab, 500 mg tab, 750 mg tab</i> | 1 | |
| <i>levofloxacin 25 mg/ml solution</i> | 4 | |
| <i>levofloxacin 250 mg tab, 500 mg tab, 750 mg tab</i> | 2 | |
| <i>levofloxacin in d5w</i> | 2 | |
| <i>moxifloxacin hcl 400 mg tab</i> | 2 | |
| OFLOXACIN OFLOXACIN 400 MG TAB, OFLOXACIN 300 MG TAB | 2 | |
| GASTROINTESTINAL AGENTS - MISC. | | |
| 5-HT4 RECEPTOR AGONISTS | | |
| MOTEGRITY | 4 | EDS |
| FARNESOID X RECEPTOR (FXR) AGONISTS | | |
| OICALIVA | 4 | PA, LA, QL (1 EA PER DAY) |
| GALLSTONE SOLUBILIZING AGENTS | | |
| <i>ursodiol 250 mg tab, 300 mg cap, 500 mg tab</i> | 2 | EDS |
| GASTROINTESTINAL ANTIALLERGY AGENTS | | |
| <i>cromolyn sodium 100 mg/5ml conc</i> | 4 | CDD |
| GASTROINTESTINAL CHLORIDE CHANNEL ACTIVATORS | | |
| <i>lubiprostone</i> | 2 | EDS |
| GASTROINTESTINAL STIMULANTS | | |
| <i>metoclopramide hcl 5 mg tab, 10 mg tab</i> | 1 | |
| <i>metoclopramide hcl 5 mg/5ml, 5 mg/ml, 10 mg/10ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|------------------------------------|
| INFLAMMATORY BOWEL AGENTS | | |
| <i>balsalazide disodium</i> | 2 | EDS |
| CIMZIA | 4 | PA, QL (1 EA PER 28 DAYS), SP |
| CIMZIA (2 SYRINGE) | 4 | PA, QL (1 EA PER 28 DAYS), SP |
| CIMZIA-STARTER | 4 | PA, QL (3 EA PER 365 DAYS), SP |
| DIPENTUM | 4 | |
| <i>mesalamine 1.2 gm tab dr, 400 mg cap dr, 800 mg tab dr</i> | 2 | EDS |
| <i>mesalamine 4 gm enema, 1000 mg suppos</i> | 2 | |
| <i>mesalamine er 0.375 gm cap 24h</i> | 2 | EDS |
| <i>mesalamine er 500 mg cap</i> | 4 | EDS |
| <i>mesalamine-cleanser</i> | 2 | |
| SKYRIZI 180 MG/1.2ML SOLN CART | 4 | PA, QL (1.2 ML PER 56 DAYS), SP |
| SKYRIZI 360 MG/2.4ML SOLN CART | 4 | PA, QL (2.4 ML PER 56 DAYS), SP |
| SKYRIZI 600 MG/10ML SOLUTION | 4 | PA, SP |
| <i>sulfasalazine 500 mg tab, 500 mg tab dr</i> | 2 | EDS |
| INTESTINAL ACIDIFIERS | | |
| <i>enulose</i> | 2 | EDS |
| <i>generlac</i> | 2 | EDS |
| <i>lactulose encephalopathy</i> | 2 | EDS |
| IRRITABLE BOWEL SYNDROME (IBS) AGENTS | | |
| LINZESS | 3 | EDS |
| VIBERZI | 4 | PA |
| PERIPHERAL OPIOID RECEPTOR ANTAGONISTS | | |
| MOVANTIK | 4 | EDS |
| PHOSPHATE BINDER AGENTS | | |
| <i>calcium acetate (phos binder)</i> | 2 | EDS |
| <i>calcium acetate 667 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>lanthanum carbonate</i> | 4 | |
| <i>sevelamer carbonate 0.8 gm packet, 2.4 gm packet</i> | 4 | |
| <i>sevelamer carbonate 800 mg tab</i> | 2 | EDS |
| <i>sevelamer hcl</i> | 4 | |

GENITOURINARY AGENTS - MISCELLANEOUS

ALKALINIZERS

| | | |
|-----------------------------|---|-----|
| <i>potassium citrate er</i> | 2 | EDS |
|-----------------------------|---|-----|

CYSTINOSIS AGENTS

| | | |
|----------|---|----|
| CYSTAGON | 4 | LA |
|----------|---|----|

GENITOURINARY IRRIGANTS

| | | |
|---------------------------------------|---|--|
| <i>argyle sterile saline</i> | 2 | |
| <i>curity sterile saline</i> | 2 | |
| NEOMYCIN-POLYMYXIN B GU | 2 | |
| <i>sodium chloride 0.9 % solution</i> | 2 | |

PROSTATIC HYPERTROPHY AGENTS

| | | |
|-----------------------------------|---|-----|
| <i>alfuzosin hcl er</i> | 2 | EDS |
| <i>dutasteride 0.5 mg cap</i> | 2 | EDS |
| <i>dutasteride-tamsulosin hcl</i> | 2 | EDS |
| <i>finasteride 5 mg tab</i> | 2 | EDS |
| <i>tamsulosin hcl</i> | 1 | EDS |

URINARY ANALGESICS

| | | |
|---|---|--|
| <i>phenazo 200 mg tab</i> | 1 | |
| <i>phenazopyridine hcl 100 mg tab, 200 mg tab</i> | 1 | |

URINARY STONE AGENTS

| | | |
|-----------------------------|---|--------|
| <i>tiopronin 100 mg tab</i> | 4 | PA, SP |
|-----------------------------|---|--------|

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| GOUT AGENTS | | |
| GOUT AGENT COMBINATIONS | | |
| <i>colchicine-probenecid</i> | 2 | EDS |
| GOUT AGENTS | | |
| <i>allopurinol 100 mg tab, 300 mg tab</i> | 1 | EDS |
| <i>allopurinol sodium</i> | 2 | |
| <i>colchicine 0.6 mg tab</i> | 2 | EDS |
| <i>febuxostat</i> | 2 | EDS |
| URICOSURICS | | |
| <i>probenecid</i> | 2 | EDS |
| HEMATOLOGICAL AGENTS - MISC. | | |
| ANTIHEMOPHILIC PRODUCTS | | |
| ADVATE | 4 | SP |
| AFSTYLA | 4 | SP |
| ALPROLIX | 4 | SP |
| ALTUVIIIIO | 4 | SP |
| BENEFIX | 4 | SP |
| HEMLIBRA | 4 | PA, SP |
| HUMATE-P | 4 | SP |
| IXINITY | 4 | SP |
| JIVI | 4 | SP |
| NOVOEIGHT | 4 | SP |
| NOVOSEVEN RT | 4 | SP |
| OBIZUR | 4 | SP |
| REBINYN | 4 | SP |
| BRADYKININ B2 RECEPTOR ANTAGONISTS | | |
| <i>icatibant acetate</i> | 4 | PA, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| COMPLEMENT INHIBITORS | | |
| HAEGARDA | 4 | PA, LA |
| HEMATORHEOLOGIC AGENTS | | |
| <i>pentoxifylline er</i> | 2 | EDS |
| PLATELET AGGREGATION INHIBITORS | | |
| <i>anagrelide hcl</i> | 2 | EDS |
| <i>aspirin-dipyridamole er</i> | 2 | EDS |
| BRILINTA | 3 | EDS |
| CABLIVI | 4 | PA, SP |
| <i>cilostazol</i> | 2 | EDS |
| <i>clopidogrel bisulfate 300 mg tab</i> | 2 | EDS |
| <i>clopidogrel bisulfate 75 mg tab</i> | 1 | EDS |
| <i>dipyridamole 25 mg tab, 50 mg tab, 75 mg tab</i> | 2 | EDS |
| <i>prasugrel hcl</i> | 2 | EDS |
| HEMATOPOIETIC AGENTS | | |
| COBALAMINS | | |
| <i>cyanocobalamin 1000 mcg/ml solution</i> | 2 | EDS |
| <i>dodex</i> | 2 | EDS |
| FOLIC ACID/FOLATES | | |
| <i>folate</i> | \$0 | EDS |
| <i>folic acid 1mg</i> | 2 | EDS |
| <i>folic acid 400 mcg tab, folic acid 800 mcg tab</i> | \$0 | EDS |
| HEMATOPOIETIC GROWTH FACTORS | | |
| ARANESP (ALBUMIN FREE) | 4 | PA, SP |
| NEULASTA | 4 | SP |
| NEULASTA ONPRO | 4 | SP |
| NYVEPRIA | 4 | SP |
| PROMACTA | 4 | PA, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| RETACRIT | 4 | PA, SP |
| UDENYCA | 4 | SP |
| ZARXIO | 4 | SP |
| HEMATOPOIETIC MIXTURES | | |
| <i>multivitamin</i> | \$0 | EDS |
| VITRON-C | 2 | EDS |
| STEM CELL MOBILIZERS | | |
| <i>plerixafor</i> | 4 | SP |
| HEMOSTATICS | | |
| HEMOSTATICS - SYSTEMIC | | |
| <i>tranexamic acid 650 mg tab</i> | 2 | |
| HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS | | |
| BARBITURATE HYPNOTICS | | |
| <i>phenobarbital 15 mg tab, 16.2 mg tab, 20 mg/5ml elixir, 20 mg/5ml solution, 30 mg tab, 32.4 mg tab, 60 mg tab, 64.8 mg tab, 97.2 mg tab, 100 mg tab</i> | 2 | EDS |
| HYPNOTICS - TRICYCLIC AGENTS | | |
| <i>doxepin hcl 3 mg tab, 6 mg tab</i> | 2 | QL (1 EA PER DAY), EDS |
| NON-BARBITURATE HYPNOTICS | | |
| <i>eszopiclone</i> | 2 | QL (1 EA PER DAY) |
| FLURAZEPAM HCL | 2 | |
| <i>temazepam 15 mg cap, 30 mg cap</i> | 2 | |
| <i>triazolam</i> | 2 | |
| <i>zaleplon</i> | 2 | QL (2 EA PER DAY) |
| <i>zolpidem tartrate 5 mg tab, 10 mg tab</i> | 2 | QL (1 EA PER DAY) |
| <i>zolpidem tartrate er</i> | 2 | QL (1 EA PER DAY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| OREXIN RECEPTOR ANTAGONISTS | | |
| BELSOMRA | 4 | QL (1 EA PER DAY) |
| DAYVIGO | 4 | QL (1 EA PER DAY) |
| SELECTIVE MELATONIN RECEPTOR AGONISTS | | |
| <i>ramelteon</i> | 2 | QL (1 EA PER DAY), EDS |
| <i>tasimelteon</i> | 4 | PA, QL (1 EA PER DAY), SP |
| LAXATIVES | | |
| LAXATIVE COMBINATIONS | | |
| GAVILYTE-C | \$0 | |
| <i>gavilyte-g</i> | \$0 | |
| <i>gavilyte-n with flavor pack</i> | \$0 | |
| <i>na sulfate-k sulfate-mg sulf</i> | \$0 | |
| NULYTELY LEMON-LIME | \$0 | |
| NULYTELY WITH FLAVOR PACKS | \$0 | |
| <i>peg 3350-kcl-na bicarb-nacl</i> | \$0 | |
| <i>peg-3350/electrolytes</i> | \$0 | |
| <i>peg-3350/electrolytes/ascorbat</i> | \$0 | |
| <i>peg-kcl-nacl-nasulf-na asc-c</i> | \$0 | |
| PEG-PREP | \$0 | |
| <i>trilyte</i> | \$0 | |
| LAXATIVES - MISCELLANEOUS | | |
| <i>constulose</i> | 2 | EDS |
| <i>lactulose 10 gm/15ml, 20 gm/30ml</i> | 2 | EDS |
| <i>polyethylene glycol</i> | \$0 | EDS |
| LUBRICANT LAXATIVES | | |
| MINERAL OIL | 4 | EDS |
| MINERAL OIL HEAVY | 4 | EDS |
| MINERAL OIL LIGHT | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| MURI-LUBE | 4 | EDS |
| SALINE LAXATIVES | | |
| <i>magnesium citrate</i> | \$0 | |
| <i>milk of magnesia</i> | \$0 | |
| OSMOPREP | \$0 | |
| STIMULANT LAXATIVES | | |
| <i>bisacodyl</i> | \$0 | EDS |
| LOCAL ANESTHETICS-PARENTERAL | | |
| LOCAL ANESTHETICS - AMIDES | | |
| <i>bupivacaine hcl (pf) 0.25 % solution</i> | 2 | |
| <i>bupivacaine hcl 0.25 %, 0.5 %</i> | 2 | |
| <i>lidocaine hcl (pf) 1 %, 1.5 %, 2 %, 4 %</i> | 2 | |
| <i>sensorcaine</i> | 2 | |
| <i>sensorcaine-mpf -0.25 % solution</i> | 2 | |
| LOCAL ANESTHETICS - ESTERS | | |
| PROCAINE HCL CRYSTALS | 4 | |
| MACROLIDES | | |
| AZITHROMYCIN | | |
| <i>azithromycin azithromycin 100 mg/5ml recon susp, azithromycin 200 mg/5ml recon susp, azithromycin 250 mg tab, azithromycin 500 mg recon soln, azithromycin 600 mg tab, azithromycin 1 gm packet, azithromycin 500 mg tab</i> | 2 | |
| CLARITHROMYCIN | | |
| CLARITHROMYCIN 125 MG/5ML RECON SUSP, 250 MG/5ML RECON SUSP | 4 | |
| <i>clarithromycin 250 mg tab, 500 mg tab</i> | 2 | |
| <i>clarithromycin er</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|---|
| ERYTHROMYCINS | | |
| <i>ery-tab</i> | 4 | |
| <i>erythrocin lactobionate</i> | 4 | |
| ERYTHROCIN STEARATE | 4 | |
| <i>erythromycin 250 mg tab dr, 333 mg tab dr, 500 mg tab dr</i> | 4 | |
| <i>erythromycin base 250 mg tab, 250 mg tab dr, 333 mg tab dr, 500 mg tab, 500 mg tab dr</i> | 4 | |
| <i>erythromycin lactobionate</i> | 4 | |
| FIDAXOMICIN | | |
| DIFICID 200 MG TAB | 3 | QL (2 EA PER DAY) |
| DIFICID 40 MG/ML RECON SUSP | 3 | QL (10 ML PER DAY) |
| MEDICAL DEVICES AND SUPPLIES | | |
| CONTRACEPTIVES | | |
| <i>female condoms</i> | \$0 | EDS |
| <i>male condoms</i> | \$0 | EDS |
| WIDE-SEAL DIAPHRAGM | \$0 | EDS |
| DIABETIC SUPPLIES | | |
| <i>blood glucose calibration liquid</i> | DME | EDS, CDS |
| <i>blood glucose monitoring supplies</i> | DME | EDS, CDS |
| DEXCOM G6 RECEIVER DEVICE | DME | PA, QL (1 EA PER 365 DAYS), EDS, CDS |
| DEXCOM G6 SENSOR MISC | DME | PA, QL (0.1 EA PER DAY(S)), EDS, CDS |
| DEXCOM G6 TRANSMITTER MISC | DME | PA, QL (1 EA PER 84 DAYS), EDS, CDS |
| DEXCOM G7 RECEIVER DEVICE | DME | PA, QL (1 EA PER 365 DAYS), EDS, CDS |
| DEXCOM G7 SENSOR MISC | DME | PA, QL (0.1 EA PER DAY(S)), EDS, CDS |
| FREESTYLE LIBRE 14 DAY READER DEVICE | DME | PA, QL (1 EA PER 365 DAYS), EDS, CDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|--|
| FREESTYLE LIBRE 14 DAY SENSOR MISC | DME | PA, QL (0.072 EA PER DAY(S)), EDS, CDS |
| FREESTYLE LIBRE 2 READER DEVICE | DME | PA, QL (1 EA PER 365 DAYS), EDS, CDS |
| FREESTYLE LIBRE 2 SENSOR MISC | DME | PA, QL (0.072 EA PER DAY(S)), EDS, CDS |
| FREESTYLE LIBRE 3 READER DEVICE | DME | PA, QL (1 EA PER 365 DAY(S)), EDS, CDS |
| FREESTYLE LIBRE 3 SENSOR MISC | DME | PA, QL (0.072 EA PER DAY(S)), EDS, CDS |
| <i>insulin administration supplies</i> | DME | CDS |
| <i>lancet device</i> | DME | EDS, CDS |
| <i>lancets</i> | DME | EDS, CDS |
| OMNIPOD 5 G6 INTRO (GEN 5) KIT | DME | QL (1 EA PER 365 DAY(S)), EDS, CDS |
| OMNIPOD 5 G6 PODS (GEN 5) MISC | DME | QL (0.5 EA PER DAY), EDS, CDS |
| OMNIPOD 5 G7 INTRO (GEN 5) KIT | DME | QL (1 EA PER 365 DAY(S)), EDS, CDS |
| OMNIPOD 5 G7 PODS (GEN 5) MISC | DME | QL (0.5 EA PER DAY(S)), EDS, CDS |
| OMNIPOD 5 PACK MISC | DME | QL (0.5 EA PER DAY), EDS, CDS |
| OMNIPOD CLASSIC PDM (GEN 3) KIT | DME | QL (1 EA PER 365 DAY(S)), EDS, CDS |
| OMNIPOD DASH INTRO (GEN 4) KIT | DME | QL (1 EA PER 365 DAY(S)), EDS, CDS |
| OMNIPOD DASH PDM (GEN 4) KIT | DME | QL (1 EA PER 365 DAY(S)), EDS, CDS |
| OMNIPOD DASH PODS (GEN 4) MISC | DME | QL (0.5 EA PER DAY), EDS, CDS |
| GI-GU OSTOMY & IRRIGATION SUPPLIES | | |
| <i>ostomy supplies</i> | DME | |
| MISC. DEVICES | | |
| <i>alcohol swabs</i> | DME | EDS, CDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-------------------------------------|
| PARENTERAL THERAPY SUPPLIES | | |
| <i>miscellaneous injection device</i> | DME | CDS |
| <i>needles and syringes</i> | DME | CDS |
| RESPIRATORY THERAPY SUPPLIES | | |
| <i>respiratory therapy supplies</i> | DME | CDS |
| MIGRAINE PRODUCTS | | |
| CALCITONIN GENE-RELATED PEPTIDE (CGRP) RECEPTOR ANTAG | | |
| AIMOVIG INJ | 3 | PA, QL (1 ML PER 28 DAYS), EDS |
| AJOVY | 3 | PA, QL (1.5 ML PER 28 DAYS), EDS |
| EMGALITY | 3 | PA, QL (1 ML PER 28 DAYS), EDS |
| EMGALITY (300 MG DOSE) | 3 | PA, QL (3 ML PER 28 DAY(S)), EDS |
| NURTEC | 4 | PA, QL (16 EA PER 30 DAYS) |
| MIGRAINE COMBINATIONS | | |
| ERGOTAMINE-CAFFEINE | 4 | |
| MIGRAINE PRODUCTS | | |
| <i>dihydroergotamine mesylate 1 mg/ml solution</i> | 4 | QL (10 ML PER 14 DAYS) |
| ERGOMAR | 4 | QL (20 EA PER 28 DAY(S)) |
| SEROTONIN AGONISTS | | |
| <i>eletriptan hydrobromide</i> | 4 | QL (18 EA PER 30 DAYS) |
| <i>frovatriptan succinate</i> | 4 | QL (18 EA PER 30 DAYS) |
| <i>naratriptan hcl</i> | 2 | QL (18 EA PER 30 DAY(S)) |
| <i>rizatriptan benzoate</i> | 2 | QL (36 EA PER 30 DAY(S)) |
| <i>sumatriptan 20 mg/act solution</i> | 2 | QL (18 EA PER 30 DAY(S)) |
| <i>sumatriptan 5 mg/act solution</i> | 2 | QL (36 EA PER 30 DAY(S)) |
| <i>sumatriptan succinate 25 mg tab, 50 mg tab, 100 mg tab</i> | 2 | QL (18 EA PER 30 DAY(S)) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>sumatriptan succinate 4 mg/0.5ml soln a-inj, 6 mg/0.5ml soln a-inj, 6 mg/0.5ml solution</i> | 2 | QL (8 EA PER 30 DAYS) |
| SUMATRIPTAN SUCCINATE REFILL 4 MG/0.5ML SOLN CART | 2 | |
| <i>sumatriptan succinate refill 4 mg/0.5ml soln cart</i> | 2 | QL (8 EA PER 30 DAYS) |
| <i>zolmitriptan 2.5 mg tab, 5 mg solution, 5 mg tab</i> | 2 | QL (18 EA PER 30 DAY(S)) |
| <i>zomig 2.5 mg tab, 5 mg tab</i> | 2 | QL (18 EA PER 30 DAY(S)) |

MINERALS ELECTROLYTES

BICARBONATES

| | | |
|--|---|--|
| <i>sodium bicarbonate 4.2 % solution</i> | 2 | |
|--|---|--|

ELECTROLYTE MIXTURES

| | | |
|---|---|--|
| <i>dextrose-sodium chloride -2.5-0.45 %, -5-0.225 %</i> | 2 | |
| ISOLYTE-S | 4 | |
| <i>ringers</i> | 2 | |

FLUORIDE

| | | |
|------------------------|-----|-----|
| <i>sodium fluoride</i> | \$0 | EDS |
|------------------------|-----|-----|

MAGNESIUM

| | | |
|--|---|--|
| <i>magnesium sulfate 2 gm/50ml, 4 gm/100ml, 4 gm/50ml, 20 gm/500ml, 40 gm/1000ml</i> | 2 | |
|--|---|--|

PHOSPHATE

| | | |
|---------------------------------|---|-----|
| <i>phospha 250 neutral</i> | 2 | EDS |
| <i>phospho-trin 250 neutral</i> | 2 | EDS |
| <i>phosphorous</i> | 2 | EDS |
| <i>virt-phos 250 neutral</i> | 2 | EDS |
| <i>wes-phos 250 neutral</i> | 2 | EDS |

POTASSIUM

| | | |
|--------------------|---|-----|
| <i>klor-con</i> | 2 | EDS |
| <i>klor-con 10</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>klor-con m10</i> | 2 | EDS |
| <i>klor-con m15</i> | 2 | EDS |
| <i>klor-con m20</i> | 2 | EDS |
| <i>klor-con sprinkle</i> | 2 | EDS |
| <i>potassium chloride 10 % solution, 20 meq packet, 20 meq/15ml (10%) solution, 40 meq/15ml (20%) solution</i> | 2 | EDS |
| <i>potassium chloride crys er</i> | 2 | EDS |
| <i>potassium chloride er er 8 cap er, er 8 tab er, er 10 cap er, er 10 tab er, er 20 tab er</i> | 2 | EDS |

SODIUM

| | | |
|--|---|--|
| <i>aquastat</i> | 2 | |
| <i>aquastat sfr</i> | 2 | |
| <i>bd posiflush</i> | 2 | |
| <i>bd posiflush safes scrub</i> | 2 | |
| <i>monoject flush syringe</i> | 2 | |
| <i>monoject sodium chloride flush</i> | 2 | |
| <i>normal saline flush</i> | 2 | |
| <i>saline flush</i> | 2 | |
| <i>saline flush zr</i> | 2 | |
| <i>sodium chloride (pf)</i> | 2 | |
| <i>sodium chloride 0.45 % solution</i> | 2 | |
| <i>sodium chloride flush</i> | 2 | |
| <i>swabflush saline flush</i> | 2 | |

MISCELLANEOUS THERAPEUTIC CLASSES

CHELATING AGENTS

| | | |
|---------------------------------|---|--------|
| <i>penicillamine 250 mg cap</i> | 3 | SP |
| <i>penicillamine 250 mg tab</i> | 4 | PA, SP |
| <i>trientine hcl 250 mg cap</i> | 3 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-------------------------------|
| IMMUNOMODULATORS | | |
| <i>lenalidomide</i> | 4 | PA, QL (1 EA PER DAY), SP |
| REVLIMID | 4 | PA, LA, QL (1 EA PER DAY(S)) |
| THALOMID | 4 | LA |
| IMMUNOSUPPRESSIVE AGENTS | | |
| <i>azathioprine 50 mg tab</i> | 2 | EDS |
| <i>cyclosporine modified</i> | 2 | EDS |
| <i>everolimus 0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab</i> | 4 | PA |
| <i>gengraf</i> | 2 | EDS |
| <i>mycophenolate mofetil 200 mg/ml recon susp</i> | 4 | |
| <i>mycophenolate mofetil 250 mg cap, 500 mg recon soln, 500 mg tab</i> | 2 | EDS |
| <i>mycophenolate mofetil hcl</i> | 2 | EDS |
| <i>mycophenolate sodium</i> | 4 | EDS |
| <i>mycophenolic acid</i> | 4 | EDS |
| NULOJIX | 4 | SP |
| <i>sirolimus 0.5 mg tab, 1 mg tab, 1 mg/ml solution, 2 mg tab</i> | 4 | |
| <i>tacrolimus 0.5 mg cap, 1 mg cap, 5 mg cap</i> | 2 | EDS |
| IRRIGATION SOLUTIONS | | |
| <i>lactated ringers</i> | 2 | |
| <i>ringers irrigation</i> | 2 | |
| <i>tis-u-sol</i> | 2 | |
| POTASSIUM REMOVING AGENTS | | |
| <i>sodium polystyrene sulfonate powder</i> | 2 | |
| PROGERIA TREATMENT AGENTS | | |
| ZOKINVY | 4 | PA, LA, QL (4 EA PER DAY) |
| SYSTEMIC LUPUS ERYTHEMATOSUS AGENTS | | |
| BENLYSTA 200 MG/ML SOLN A-INJ, 200 MG/ML SOLN PRSYR | 4 | PA, QL (4 ML PER 28 DAYS), SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| MOUTH/THROAT/DENTAL AGENTS | | |
| ANESTHETICS TOPICAL ORAL | | |
| <i>lidocaine viscous hcl</i> | 2 | |
| ANTI-INFECTIVES - THROAT | | |
| <i>clotrimazole 10 mg troche</i> | 2 | |
| <i>nystatin 100000 unit/ml suspension</i> | 2 | |
| ANTISEPTICS - MOUTH/THROAT | | |
| <i>chlorhexidine gluconate 0.12 % solution</i> | 2 | |
| <i>paroex</i> | 2 | |
| <i>periogard</i> | 2 | |
| DENTAL PRODUCTS | | |
| <i>cavarest</i> | 2 | EDS |
| <i>denta 5000 plus</i> | \$0 | EDS |
| <i>dentagel</i> | 2 | EDS |
| <i>fraiche 5000 dental</i> | 2 | EDS |
| <i>just right 5000 1.1 % gel</i> | 2 | EDS |
| <i>sf 5000 plus</i> | \$0 | EDS |
| <i>sodium fluoride 0.2 % solution, 1.1 % gel</i> | 2 | EDS |
| <i>sodium fluoride 1.1 % cream</i> | \$0 | EDS |
| <i>sodium fluoride 5000 ppm 1.1 % cream</i> | \$0 | EDS |
| <i>sodium fluoride 5000 ppm 1.1 % gel</i> | 2 | EDS |
| STEROIDS - MOUTH/THROAT/DENTAL | | |
| <i>kourzeq</i> | 2 | |
| <i>oralone</i> | 2 | |
| <i>triamcinolone acetonide 0.1 % paste</i> | 2 | |
| THROAT PRODUCTS - MISC. | | |
| <i>cevimeline hcl</i> | 2 | EDS |
| <i>pilocarpine hcl 5 mg tab, 7.5 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| MULTIVITAMINS | | |
| B-COMPLEX VITAMINS | | |
| <i>b complex-b12</i> | 2 | EDS |
| <i>b-complex plus b-12</i> | 2 | EDS |
| <i>b-complex/b-12 -complex/- ta</i> | 2 | EDS |
| <i>ra b-complex</i> | 2 | EDS |
| <i>ra b-complex with b-12</i> | 2 | EDS |
| <i>vitamin b complex ta</i> | 2 | EDS |
| <i>vitamin b complex w/b-12</i> | 2 | EDS |
| <i>vitamin b-complex</i> | 2 | EDS |
| <i>vitamin-b complex</i> | 2 | EDS |
| B-COMPLEX W/ C | | |
| <i>vitamin b complex</i> | \$0 | EDS |
| PED MV W/ FLUORIDE | | |
| SOLUVITA ACD WITH FLUORIDE | \$0 | EDS |
| TRI-VITE/FLUORIDE -0.25 MG/ML SOLUTION | \$0 | EDS |
| VITAMINS ACD-FLUORIDE -0.25 MG/ML SOLUTION | \$0 | EDS |
| PRENATAL VITAMINS | | |
| ONE-A-DAY WOMENS PRENATAL -- DY PRENTL 28-0.8 & 440 MG MISC | \$0 | EDS |
| <i>prenatal vitamin</i> | \$0 | EDS |
| SM ONE DAILY PRENATAL | \$0 | EDS |
| MUSCULOSKELETAL THERAPY AGENTS | | |
| CENTRAL MUSCLE RELAXANTS | | |
| <i>baclofen 5 mg tab, 10 mg tab, 20 mg tab</i> | 2 | |
| <i>carisoprodol 250 mg tab, 350 mg tab</i> | 2 | |
| <i>chlorzoxazone 500 mg tab</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| <i>cyclobenzaprine hcl 5 mg tab, 10 mg tab</i> | 2 | |
| <i>metaxalone 800 mg tab</i> | 2 | |
| <i>methocarbamol 500 mg tab, 750 mg tab</i> | 2 | |
| <i>orphenadrine citrate er</i> | 2 | |
| <i>tizanidine hcl 2 mg tab, 4 mg cap, 4 mg tab, 6 mg cap</i> | 2 | |
| <i>vanadom</i> | 2 | |

DIRECT MUSCLE RELAXANTS

| | | |
|---|---|--|
| <i>dantrolene sodium 25 mg cap, 50 mg cap, 100 mg cap</i> | 2 | |
|---|---|--|

MUSCLE RELAXANT COMBINATIONS

| | | |
|------------------------------|---|--|
| CARISOPRODOL-ASPIRIN-CODEINE | 2 | |
|------------------------------|---|--|

NASAL AGENTS - SYSTEMIC AND TOPICAL

NASAL ANTIALLERGY

| | | |
|--|---|-----|
| <i>azelastine hcl 0.1 %, 0.15 %, 137 mcg/spray</i> | 2 | EDS |
| <i>olopatadine hcl 0.6 % solution</i> | 2 | EDS |

NASAL ANTICHOLINERGICS

| | | |
|---|---|----------|
| <i>ipratropium bromide 0.03 %, 0.06 %</i> | 2 | EDS, CDD |
|---|---|----------|

NASAL STEROIDS

| | | |
|---|---|---------------------------|
| <i>allergy spray 24 hour 55 mcg/act aerosol</i> | 2 | EDS |
| <i>cvs nasal allergy spray</i> | 2 | EDS |
| <i>eq nasal allergy</i> | 2 | EDS |
| <i>fluticasone propionate 50 mcg/act suspension</i> | 2 | QL (1.07 GM PER DAY), EDS |
| <i>ft 24 hour nasal allergy</i> | 2 | EDS |
| <i>gnp 24 hour nasal allergy</i> | 2 | EDS |
| <i>goodsense nasal allergy spray</i> | 2 | EDS |
| <i>hm 24 hour nasal allergy</i> | 2 | EDS |
| <i>kls aller-cort</i> | 2 | EDS |
| <i>nasal allergy 24 hour</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>ra nasal allergy</i> | 2 | EDS |
| <i>triamcinolone acetonide 55 mcg/act aerosol</i> | 2 | EDS |

NEUROMUSCULAR AGENTS

ALS AGENTS

| | | |
|-----------------|---|--|
| <i>riluzole</i> | 4 | |
|-----------------|---|--|

NONDEPOLARIZING MUSCLE RELAXANTS

| | | |
|----------------------------|---|--|
| <i>atracurium besylate</i> | 4 | |
|----------------------------|---|--|

NUTRIENTS

LIPIDS

| | | |
|------------|---|--|
| INTRALIPID | 4 | |
|------------|---|--|

PROTEINS

| | | |
|----------------------------|---|--|
| CLINIMIX E/DEXTROSE (8/14) | 4 | |
| FREAMINE HBC | 4 | |
| NEPHRAMINE | 4 | |

OPHTHALMIC AGENTS

BETA-BLOCKERS - OPHTHALMIC

| | | |
|--|---|-----|
| BETAXOLOL HCL 0.5 % SOLUTION, BETAXOLOL HCL 0.5 % SOLUTION | 2 | EDS |
| <i>brimonidine tartrate-timolol</i> | 4 | EDS |
| CARTEOLOL HCL | 1 | EDS |
| <i>dorzolamide hcl-timolol mal</i> | 2 | EDS |
| LEVOBUNOLOL HCL | 2 | EDS |
| <i>timolol maleate 0.25 %, 0.5 %</i> | 1 | EDS |
| <i>timolol maleate ocudose</i> | 2 | EDS |
| <i>timolol maleate pf 0.5 % solution</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| CYCLOPLEGIC MYDRIATICS | | |
| <i>atropine sulfate 1 % solution</i> | 2 | |
| MIOTICS | | |
| <i>pilocarpine hcl 1 %, 2 %, 4 %</i> | 2 | EDS |
| OPHTHALMIC ADRENERGIC AGENTS | | |
| <i>apraclonidine hcl</i> | 2 | EDS |
| <i>brimonidine tartrate 0.2 % solution</i> | 1 | EDS |
| OPHTHALMIC ANTI-INFECTIVES | | |
| <i>ak-poly-bac</i> | 2 | |
| AZASITE | 4 | |
| BACITRACIN 500 UNIT/GM OINTMENT | 2 | |
| <i>bacitracin-polymyxin b</i> | 2 | |
| BESIVANCE | 4 | |
| <i>ciprofloxacin hcl 0.3 % solution</i> | 2 | |
| <i>erythromycin 5 mg/gm ointment</i> | 2 | |
| <i>gatifloxacin 0.5 % solution</i> | 2 | |
| <i>gentamicin sulfate 0.3 % solution</i> | 2 | |
| <i>levofloxacin 0.5 % solution</i> | 2 | |
| <i>moxifloxacin hcl 0.5 % solution</i> | 2 | |
| NATACYN | 4 | QL (15 ML PER FILL) |
| <i>neo-polycin</i> | 2 | |
| <i>neomycin-bacitracin zn-polymyx</i> | 2 | |
| NEOMYCIN-POLYMYXIN- GRAMICIDIN | 2 | |
| <i>ofloxacin 0.3 % solution</i> | 2 | |
| <i>polycin</i> | 2 | |
| <i>polymyxin b-trimethoprim</i> | 2 | |
| <i>sulfacetamide sodium sulfacetamide sodium 10 % ointment, sulfacetamide sodium 10 % solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-----------------------------------|
| <i>tobramycin 0.3 % solution</i> | 2 | |
| TRIFLURIDINE | 2 | |
| XDEMYVY | 4 | PA, LA, QL (0.34 ML PER 1 DAY(S)) |
| ZIRGAN | 4 | |
| OPHTHALMIC IMMUNOMODULATORS | | |
| <i>cyclosporine 0.05 % emulsion</i> | 2 | QL (2 EA PER DAY), EDS |
| OPHTHALMIC INTEGRIN ANTAGONISTS | | |
| XIIDRA | 3 | QL (2 EA PER DAY), EDS |
| OPHTHALMIC LOCAL ANESTHETICS | | |
| <i>altacaine</i> | 2 | |
| <i>proparacaine hcl 0.5 % solution</i> | 2 | |
| <i>tetracaine hcl 0.5 % solution</i> | 2 | |
| OPHTHALMIC STEROIDS | | |
| <i>bacitra-neomycin-polymyxin-hc</i> | 2 | |
| DEXAMETHASONE SODIUM PHOSPHATE 0.1 % SOLUTION | 2 | |
| <i>difluprednate</i> | 4 | |
| <i>fluorometholone</i> | 2 | |
| <i>loteprednol etabonate 0.5 % gel, 0.5 % suspension</i> | 2 | |
| <i>neo-polycin hc</i> | 2 | |
| <i>neomycin-polymyxin-dexameth</i> | 2 | |
| NEOMYCIN-POLYMYXIN-HC --3.5-10000-1 SUSPENSION | 4 | |
| PREDNISOLONE ACETATE 1 % SUSPENSION | 2 | |
| PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION | 2 | |
| SULFACETAMIDE-PREDNISOLONE | 2 | |
| TOBRADEX 0.3-0.1 % OINTMENT | 4 | |
| <i>tobramycin-dexamethasone</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|-------------------------------|
| OPHTHALMICS - MISC. | | |
| ALOCRIAL | 4 | EDS |
| ALOMIDE | 4 | EDS |
| <i>azelastine hcl 0.05 % solution</i> | 2 | EDS |
| <i>bepotastine besilate</i> | 4 | EDS |
| <i>brinzolamide</i> | 4 | EDS |
| CROMOLYN SODIUM CROMOLYN SODIUM 4 % SOLUTION, CROMOLYN SODIUM 4 % SOLUTION | 2 | EDS, CDD |
| <i>cvs olopatadine hcl 0.2 % solution</i> | 2 | EDS |
| <i>diclofenac sodium 0.1 % solution</i> | 2 | |
| <i>dorzolamide hcl 2 % solution</i> | 2 | EDS |
| <i>epinastine hcl</i> | 2 | EDS |
| <i>eq olopatadine hcl 0.2 % solution</i> | 2 | EDS |
| <i>eye allergy itch relief</i> | 2 | EDS |
| FLURBIPROFEN SODIUM | 2 | |
| <i>ft eye allergy itch relief</i> | 2 | EDS |
| <i>gnp olopatadine hcl 0.2 % solution</i> | 2 | EDS |
| <i>hm eye allergy itch relief</i> | 2 | EDS |
| <i>ketorolac tromethamine 0.4 %, 0.5 %</i> | 2 | |
| MIEBO | 3 | QL (0.1 ML PER 1 DAY(S)), EDS |
| NEVANAC | 4 | |
| <i>olopatadine hcl 0.1 %, 0.2 %</i> | 2 | EDS |
| <i>qc olopatadine hcl</i> | 2 | EDS |
| <i>sm olopatadine hcl</i> | 2 | EDS |
| ZERVIAE | 4 | EDS |
| PROSTAGLANDINS - OPHTHALMIC | | |
| <i>bimatoprost 0.03 % solution</i> | 2 | QL (0.085 ML PER DAY), EDS |
| <i>latanoprost 0.005 % solution</i> | 1 | QL (0.085 ML PER DAY), EDS |
| LUMIGAN | 4 | QL (0.085 ML PER DAY), EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------------|------------------|----------------------------|
| <i>tafluprost (pf)</i> | 4 | EDS |
| <i>travoprost (bak free)</i> | 2 | QL (0.085 ML PER DAY), EDS |

OTIC AGENTS

OTIC AGENTS - MISCELLANEOUS

| | | |
|---------------------------------|---|--|
| <i>acetic acid 2 % solution</i> | 2 | |
|---------------------------------|---|--|

OTIC ANTI-INFECTIVES

| | | |
|----------------------------------|---|--|
| CIPROFLOXACIN HCL 0.2 % SOLUTION | 2 | |
|----------------------------------|---|--|

OTIC COMBINATIONS

| | | |
|------------------------------------|---|--|
| CIPRO HC | 4 | |
| <i>ciprofloxacin-dexamethasone</i> | 2 | |
| CIPROFLOXACIN-FLUOCINOLONE PF | 3 | |
| <i>neomycin-polymyxin-hc</i> | 2 | |

OTIC STEROIDS

| | | |
|--|---|--|
| <i>fluocinolone acetonide 0.01 % oil</i> | 2 | |
| <i>hydrocortisone-acetic acid</i> | 2 | |

OXYTOCICS

OXYTOCICS

| | | |
|--|---|-----------------------|
| <i>methergine</i> | 4 | QL (28 EA PER 1 FILL) |
| <i>methylergonovine maleate 0.2 mg tab</i> | 4 | QL (28 EA PER 1 FILL) |

PASSIVE IMMUNIZING AND TREATMENT AGENTS

IMMUNE SERUMS

| | | |
|---|---|--------|
| GAMMAGARD | 4 | PA, SP |
| GAMUNEX-C | 4 | PA, SP |
| PRIVIGEN 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 40 GM/400ML SOLUTION | 4 | PA, SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| PRIVIGEN 5 GM/50ML SOLUTION | 4 | PA |
| MONOCLONAL ANTIBODIES | | |
| BEYFORTUS | \$0 | LA |
| SYNAGIS | 4 | LA |
| PASSIVE IMMUNIZING AGENTS - COMBINATIONS | | |
| HYQVIA | 4 | PA, SP |
| PENICILLINS | | |
| AMINOPENICILLINS | | |
| <i>amoxicillin amoxicillin 125 mg/5ml recon susp, amoxicillin 125 mg chew tab, amoxicillin 200 mg/5ml recon susp, amoxicillin 500 mg cap, amoxicillin 250 mg chew tab, amoxicillin 250 mg cap, amoxicillin 250 mg/5ml recon susp, amoxicillin 400 mg/5ml recon susp, amoxicillin 500 mg tab, amoxicillin 875 mg tab</i> | 1 | |
| <i>ampicillin</i> | 1 | |
| <i>ampicillin sodium 1 gm soln, 2 gm soln, 10 gm soln, 250 mg soln, 500 mg soln</i> | 2 | |
| NATURAL PENICILLINS | | |
| <i>penicillin g potassium 5000000 unit recon soln</i> | 2 | |
| PENICILLIN V POTASSIUM PENICILLIN V POTASSIUM 125 MG/5ML RECON SOLN, PENICILLIN V POTASSIUM 250 MG/5ML RECON SOLN, PENICILLIN V POTASSIUM 250 MG TAB, PENICILLIN V POTASSIUM 500 MG TAB | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| PENICILLIN COMBINATIONS | | |
| AMOXICILLIN-POT CLAVULANATE AMOXICILLIN-POT CLAVULANATE 400-57 MG CHEW TAB, AMOXICILLIN-POT CLAVULANATE 200-28.5 MG/5ML RECON SUSP, AMOXICILLIN-POT CLAVULANATE 250-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 250-62.5 MG/5ML RECON SUSP, AMOXICILLIN-POT CLAVULANATE 400-57 MG/5ML RECON SUSP, AMOXICILLIN-POT CLAVULANATE 500-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 600-42.9 MG/5ML RECON SUSP, AMOXICILLIN-POT CLAVULANATE 875-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 200-28.5 MG CHEW TAB | 1 | |
| AMOXICILLIN-POT CLAVULANATE ER | 2 | |
| <i>ampicillin-sulbactam sodium</i> | 2 | |
| <i>piperacillin sod-tazobactam so -3-0.375 gm ln, - 4-0.5 gm ln, -40.5 (36-4.5) gm ln, -2.25 (2-0.25) gm ln, -3.375 (3-0.375) gm ln, -4.5 (4-0.5) gm ln</i> | 2 | |
| PENICILLINASE-RESISTANT PENICILLINS | | |
| <i>dicloxacillin sodium</i> | 2 | |
| NAFCILLIN SODIUM IN DEXTROSE | 4 | |
| <i>nafcillin sodium nafcillin sodium, nafcillin sodium 1 gm recon soln, nafcillin sodium 2 gm recon soln</i> | 4 | |
| <i>oxacillin sodium</i> | 4 | |
| PHARMACEUTICAL ADJUVANTS | | |
| ANTIMICROBIAL AGENTS | | |
| BENZYL ALCOHOL | 4 | |
| FLAVORING AGENTS | | |
| ALFALFA FLAVOR | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| ALMOND OIL BITTER FLAVOR | 4 | |
| ANISE EXTRACT | 4 | |
| ANISE FLAVOR | 4 | |
| APPLE FLAVOR | 4 | |
| APPLE FLAVOR WATER MISCIBLE | 4 | |
| APRICOT FLAVOR | 4 | |
| BACON FLAVOR | 4 | |
| BANANA CONCENTRATE | 4 | |
| BANANA CREAM FLAVOR | 4 | |
| BANANA CREME FLAVOR | 4 | |
| BANANA FLAVOR | 4 | |
| BEEF (GRILLED) FLAVOR OIL SOL | 4 | |
| BEEF BRAISED NATURAL FLAVOR | 4 | |
| BEEF FLAVOR | 4 | |
| BEEF TYPE FLAVOR NATURAL | 4 | |
| BEEF TYPE FLAVOR OS | 4 | |
| BEEF-ADE | 4 | |
| BITTER STOP FLAVOR | 4 | |
| BITTER-BLOC PURE | 4 | |
| BITTER-BLOC WS CONCENTRATE | 4 | |
| BITTER-BLOC WS/OS LIQUID | 4 | |
| BITTERNESS MASK FLAVOR | 4 | |
| BITTERNESS REDUCING AGENT | 4 | |
| BITTERNESS SUPPRESSOR FLAVOR LIQUID | 4 | |
| BLACKBERRY FLAVOR | 4 | |
| BLOOD ORANGE OS | 4 | |
| BLUEBERRY FLAVOR | 4 | |
| BUBBLE GUM CONCENTRATE | 4 | |
| BUBBLE GUM FLAVOR | 4 | |
| BUBBLE GUM OS | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|------------------|----------------------------|
| BUBBLE GUM WS | 4 | |
| BUTTER FLAVOR | 4 | |
| BUTTER RUM FLAVOR | 4 | |
| BUTTERSCOTCH FLAVOR | 4 | |
| CARAMEL FLAVOR | 4 | |
| CARAMEL OS | 4 | |
| CHEESE-ADE FLAVOR | 4 | |
| CHEESECAKE FLAVOR | 4 | |
| CHERRY FLAVOR | 4 | |
| CHERRY-ADE FLAVOR | 4 | |
| CHICKEN (GRILLED) FLAVOR | 4 | |
| CHICKEN BROTH FLAVOR | 4 | |
| CHICKEN CONC FLAVOR | 4 | |
| CHICKEN FLAVOR | 4 | |
| CHICKEN FLAVOR OIL MISCIBLE | 4 | |
| CHICKEN FLAVOR OIL SOLUBLE | 4 | |
| CHICKEN FLAVOR WATER MISCIBLE | 4 | |
| CHICKEN ROASTED CONCENTRATE | 4 | |
| CHOCOLATE CONCENTRATE | 4 | |
| CHOCOLATE FLAVOR | 4 | |
| CHOCOLATE HAZELNUT FLAVOR | 4 | |
| CHOCOLATE NATURAL & ARTIFICIAL | 4 | |
| CINNAMON FLAVOR | 4 | |
| COCONUT FLAVOR | 4 | |
| COFFEE FLAVOR | 4 | |
| COLA FLAVOR | 4 | |
| COTTON CANDY FLAVOR | 4 | |
| CRAN-RASPBERRY FLAVOR | 4 | |
| CREME DE MENTHE FLAVOR | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|------------------|----------------------------|
| CREME DEMENTHE FLAVOR | 4 | |
| CREME OS | 4 | |
| ENGLISH TOFFEE FLAVOR | 4 | |
| EUCALYPTUS FLAVOR | 4 | |
| EUGENOL FLAVOR | 4 | |
| FISH FLAVOR | 4 | |
| FLAVOR CONC-CHLORHEXIDINE | 4 | |
| FLAVORX | 4 | |
| GRAPE CONCORD OS | 4 | |
| GRAPE FLAVOR | 4 | |
| GRAPEFRUIT FLAVOR | 4 | |
| GREEN APPLE OS | 4 | |
| GUAVA FLAVOR | 4 | |
| HAM FLAVOR | 4 | |
| HONEY FLAVOR | 4 | |
| KAHLUA FLAVOR | 4 | |
| LEMON EXTRACT | 4 | |
| LEMON FLAVOR | 4 | |
| LEMON-LIME SD | 4 | |
| LEMONADE FLAVOR | 4 | |
| LICORICE FLAVOR | 4 | |
| LIME FLAVOR | 4 | |
| LIVER CONCENTRATE | 4 | |
| LIVER FLAVOR | 4 | |
| MANGO FLAVOR | 4 | |
| MANGO FLAVOR SWEETENED | 4 | |
| MANGO PASSION FRUIT OS | 4 | |
| MAPLE FLAVOR | 4 | |
| MARSHMALLOW ARTIFICIAL FLAVOR | 4 | |
| MARSHMALLOW FLAVOR | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|------------------|----------------------------|
| MARSHMALLOW OS | 4 | |
| MARSHMALLOW WS | 4 | |
| MINT CHOCOLATE CHIP FLAVOR | 4 | |
| MOLASSES FLAVOR | 4 | |
| NATURAL CARAMEL | 4 | |
| ORANGE CONCENTRATE | 4 | |
| ORANGE CREAM FLAVOR | 4 | |
| ORANGE FLAVOR | 4 | |
| ORANGE OIL FLAVOR | 4 | |
| PASSION FRUIT FLAVOR | 4 | |
| PASSION FRUIT FLAVOR SWEETENED | 4 | |
| PCCA SWEETNESS ENHANCER | 4 | |
| PEACH FLAVOR | 4 | |
| PEANUT BUTTER FLAVOR | 4 | |
| PEANUT BUTTER OS | 4 | |
| PEPPERMINT BURST OS | 4 | |
| PEPPERMINT FLAVOR | 4 | |
| PINA COLADA FLAVOR | 4 | |
| PINEAPPLE FLAVOR | 4 | |
| PRALINES AND CREAM FLAVOR | 4 | |
| PUMPKIN FLAVOR | 4 | |
| RASPBERRY CONCENTRATE | 4 | |
| RASPBERRY FLAVOR | 4 | |
| RASPBERRY FLAVOR ARTIFICIAL | 4 | |
| RASPBERRY OS | 4 | |
| ROOT BEER FLAVOR | 4 | |
| SARDINE FLAVOR | 4 | |
| SHRIMP FLAVOR | 4 | |
| SPEARMINT FLAVOR | 4 | |
| SPEARMINT OS | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|----------------------------|------------------|----------------------------|
| STEVIA GLYCERITE EXTRACT | 4 | |
| STRAWBERRY FLAVOR | 4 | |
| STRAWBERRY OS | 4 | |
| SUPER SYNERSWEET FLAVOR | 4 | |
| SWEET CORN FLAVOR | 4 | |
| SWEET DROPS | 4 | |
| SWEETENING ENHANCER | 4 | |
| TANGERINE FLAVOR | 4 | |
| TANGERINE FLAVOR SWEETENED | 4 | |
| TEABERRY FLAVOR | 4 | |
| TRITTAB PEPPERMINT ICE | 4 | |
| TROPICAL FUSION OS | 4 | |
| TROPICAL FUSION WS | 4 | |
| TROPICAL PUNCH FLAVOR | 4 | |
| TUNA FLAVOR | 4 | |
| TUNA TYPE FLAVOR OS | 4 | |
| TUTTI FRUTTI CONCENTRATE | 4 | |
| TUTTI FRUTTI FLAVOR | 4 | |
| TUTTI-FRUTTI FLAVOR | 4 | |
| VANILLA BUTTERNUT FLAVOR | 4 | |
| VANILLA FLAVOR | 4 | |
| VANILLA OS | 4 | |
| VANILLIN FLAVOR | 4 | |
| VERY BERRY OS | 4 | |
| VITAMIN/IRON MASKING AGENT | 4 | |
| WATERMELON FLAVOR | 4 | |
| WILD CHERRY FLAVOR | 4 | |
| WILD CHERRY OS | 4 | |
| WILD CHERRY SD FLAVOR | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|------------------|----------------------------|
| LIQUID VEHICLES | | |
| CUSTOM POLYGLYCOL TROCHE BASE | 4 | |
| PCCA CUSTOM NATATROCHE HMP | 4 | |
| PCCA CUSTOM TROCHE BASE | 4 | |
| PCCA NATATROCHE BASE | 4 | |
| TROCHIBASE | 4 | |
| TROCHIBASE S CLASSIC | 4 | |
| PHARMACEUTICAL EXCIPIENTS | | |
| BITTER DRUG | 4 | |
| CAPSORAL W/DYNAMIC STATIC GRD | 4 | |
| CAPSUBLEND-H | 4 | |
| CAPSUBLEND-P | 4 | |
| CAPSUBLEND-S | 4 | |
| COCOA BUTTER MISC | 4 | |
| ECTOSEAL P2G | 4 | |
| FAGRON CAPFILL PRO | 4 | |
| FAGRON DISPERSAPRO | 4 | |
| FREEDOM SIMPLECAP | 4 | |
| LOXORAL BASE | 4 | |
| MAGNESIUM STEARATE | 4 | |
| METHYLCELLULOSE POWDER | 4 | |
| NAT BITTERNESS | 4 | |
| NATURAL BITTERNESS | 4 | |
| PROCAP 100HD CAPSULE EXCIPIENT | 4 | |
| PROCAP 90 CAPSULE EXCIPIENT | 4 | |
| STEARIC ACID POWDER | 4 | |
| TRITTAB | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------------|------------------|----------------------------|
| SEMI SOLID VEHICLES | | |
| <i>cvs petroleum jelly</i> | 2 | |
| <i>ft petroleum jelly</i> | 2 | |
| <i>gnp petroleum jelly</i> | 2 | |
| <i>goodsense petroleum jelly</i> | 2 | |
| <i>hm petroleum jelly</i> | 2 | |
| <i>petrolatum gel</i> | 2 | |
| <i>petrolatum white gel</i> | 2 | |
| <i>petroleum jelly 100 % gel, gel</i> | 2 | |
| <i>qc petroleum jelly</i> | 2 | |
| <i>ra petroleum jelly gel</i> | 2 | |
| <i>sm petroleum jelly</i> | 2 | |
| <i>vaseline</i> | 2 | |
| <i>vaseline pure ultra white</i> | 2 | |
| <i>white petrolatum gel</i> | 2 | |
| <i>white petroleum jelly</i> | 2 | |

PROGESTINS

PROGESTINS

| | | |
|--|-----|-----|
| <i>gallifrey</i> | 2 | EDS |
| <i>medroxyprogesterone acetate 2.5 mg tab, 5 mg tab, 10 mg tab</i> | 2 | EDS |
| NEXPLANON | \$0 | LA |
| <i>norethindrone acetate 5 mg tab</i> | 2 | EDS |
| <i>progesterone 100 mg cap, 200 mg cap</i> | 2 | EDS |

PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC.

AGENTS FOR CHEMICAL DEPENDENCY

| | | |
|--|---|-----|
| <i>acamprosate calcium</i> | 2 | EDS |
| <i>disulfiram 250 mg tab, 500 mg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|-----------------------------------|
| ANTIDEMENTIA AGENTS | | |
| <i>donepezil hcl</i> | 2 | EDS |
| <i>galantamine hydrobromide er</i> | 2 | EDS |
| <i>galantamine hydrobromide galantamine hydrobromide 4 mg tab, galantamine hydrobromide 12 mg tab, galantamine hydrobromide 4 mg/ml solution, galantamine hydrobromide 8 mg tab</i> | 2 | EDS |
| <i>memantine hcl 2 mg/ml solution, 5 mg tab, 10 mg tab, 10 mg/5ml solution</i> | 2 | EDS |
| <i>memantine hcl 28 x 5 mg & 21 x 10 mg tab</i> | 4 | EDS |
| <i>memantine hcl er</i> | 2 | EDS |
| <i>rivastigmine</i> | 2 | EDS |
| <i>rivastigmine tartrate</i> | 2 | EDS |
| COMBINATION PSYCHOTHERAPEUTICS | | |
| CHLORDIAZEPOXIDE-AMITRIPTYLINE | 4 | EDS |
| PERPHENAZINE-AMITRIPTYLINE | 4 | EDS |
| FIBROMYALGIA AGENTS | | |
| SAVELLA | 4 | QL (2 EA PER DAY), EDS |
| SAVELLA TITRATION PACK | 4 | QL (55 EA PER 180 DAY(S)) |
| MOVEMENT DISORDER DRUG THERAPY | | |
| AUSTEDO | 4 | PA, QL (4 EA PER DAY), SP |
| AUSTEDO XR 12 MG TAB ER 24H, 24 MG TAB ER 24H | 4 | PA, QL (2 EA PER DAY), SP |
| AUSTEDO XR 18 MG TAB ER 24H, 30 MG TAB ER 24H, 42 MG TAB ER 24H, 48 MG TAB ER 24H | 4 | PA, QL (1 EA PER 1 DAY(S)), SP |
| AUSTEDO XR 36 MG TAB ER 24H | 4 | PA, QL (1 UNITS PER 1 DAY(S)), SP |
| AUSTEDO XR 6 MG TAB ER 24H | 4 | PA, QL (3 EA PER DAY), SP |
| AUSTEDO XR PATIENT TITRATION 12 & 18 & 24 & 30 MG TBER THPK | 4 | PA, QL (1 EA PER 1 DAY(S)), SP |
| AUSTEDO XR PATIENT TITRATION 6 & 12 & 24 MG TBER THPK | 4 | PA, QL (42 EA PER 28 DAYS), SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| INGREZZA 40 & 80 MG CAP THPK, 40 MG CAP, 60 MG CAP, 80 MG CAP | 4 | PA, LA, QL (1 EA PER DAY) |
| INGREZZA 40 MG CAP SPRINK, 60 MG CAP SPRINK, 80 MG CAP SPRINK | 4 | PA, QL (1 EA PER 1 DAY(S)) |
| <i>tetrabenazine</i> | 4 | SP |
| MULTIPLE SCLEROSIS AGENTS | | |
| AVONEX PEN | 4 | PA, SP |
| AVONEX PREFILLED | 4 | PA, SP |
| <i>dalfampridine er</i> | 4 | PA, SP |
| <i>dimethyl fumarate 120 mg cap dr, 240 mg cap dr</i> | 2 | PA, SP |
| <i>dimethyl fumarate starter pack</i> | 2 | PA, SP |
| <i>fingolimod hcl</i> | 2 | PA, SP |
| <i>glatiramer acetate</i> | 2 | PA, SP |
| <i>glatopa</i> | 2 | PA, SP |
| KESIMPTA | 4 | PA, SP |
| OCREVUS | 4 | PA, SP |
| PLEGRIDY | 4 | PA, SP |
| PLEGRIDY STARTER PACK | 4 | PA, SP |
| <i>teriflunomide</i> | 2 | PA, SP |
| VUMERITY | 4 | PA, SP |
| PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. | | |
| ERGOLOID MESYLATES 1 MG TAB | 2 | EDS |
| PIMOZIDE | 2 | EDS |
| SMOKING DETERRENTS | | |
| <i>nicotine gum</i> | \$0 | |
| <i>nicotine patch</i> | \$0 | |
| <i>varenicline tartrate</i> | \$0 | |
| <i>varenicline tartrate (starter)</i> | \$0 | |
| <i>varenicline tartrate(continue)</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------------|
| RESPIRATORY AGENTS - MISC. | | |
| CYSTIC FIBROSIS AGENTS | | |
| KALYDECO 13.4 MG PACKET, 25 MG PACKET, 50 MG PACKET, 75 MG PACKET, 150 MG TAB | 4 | PA, QL (2 EA PER DAY), SP |
| KALYDECO 5.8 MG PACKET | 4 | PA, QL (56 EA PER 28 DAY(S)), SP |
| ORKAMBI 100-125 MG TAB, 200-125 MG TAB | 4 | PA, QL (4 EA PER DAY), SP |
| ORKAMBI 75-94 MG PACKET, 100-125 MG PACKET, 150-188 MG PACKET | 4 | PA, QL (2 EA PER DAY), SP |
| PULMOZYME | 4 | SP |
| TRIKAFTA 50-25-37.5 75 MG TAB THPK, 100-50-75 150 MG TAB THPK | 4 | PA, QL (3 EA PER DAY), SP |
| TRIKAFTA 80-40-60 59.5 MG THER PACK, 100-50-75 75 MG THER PACK | 4 | PA, QL (2 EA PER DAY), SP |
| PULMONARY FIBROSIS AGENTS | | |
| OFEV | 4 | PA, LA, QL (2 EA PER DAY) |
| <i>pirfenidone 267 mg tab</i> | 4 | PA, QL (9 EA PER DAY), SP |
| <i>pirfenidone 801 mg tab</i> | 4 | PA, QL (3 EA PER DAY), SP |
| SULFONAMIDES | | |
| SULFONAMIDES | | |
| SULFADIAZINE SULFADIAZINE 500 MG TAB, SULFADIAZINE 500 MG TAB | 2 | |
| TETRACYCLINES | | |
| FLUOROCYCLINES | | |
| XERAVA | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| GLYCYLCYCLINES | | |
| <i>tigecycline</i> | 4 | |
| TETRACYCLINES | | |
| <i>avidoxy</i> | 2 | |
| <i>demeclocycline hcl</i> | 2 | |
| <i>doxy 100</i> | 2 | |
| <i>doxycycline hyclate 20 mg tab, 50 mg cap, 100 mg cap, 100 mg recon soln, 100 mg tab</i> | 2 | |
| <i>doxycycline monohydrate 50 mg cap, 50 mg tab, 75 mg tab, 100 mg cap, 100 mg tab, 150 mg tab</i> | 2 | |
| <i>minocycline hcl 50 mg cap, 50 mg tab, 75 mg cap, 75 mg tab, 100 mg cap, 100 mg tab</i> | 2 | |
| <i>mondoxyne nl 100 mg cap</i> | 2 | |
| <i>morgidox 100 mg cap</i> | 2 | |
| <i>tetracycline hcl 250 mg cap, 500 mg cap</i> | 4 | |
| THYROID AGENTS | | |
| ANTITHYROID AGENTS | | |
| <i>methimazole 5 mg tab, 10 mg tab</i> | 2 | EDS |
| <i>propylthiouracil 50 mg tab</i> | 2 | EDS |
| THYROID HORMONES | | |
| ADTHYZA 15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB | 2 | EDS |
| ARMOUR THYROID 15 MG TAB | 2 | EDS |
| <i>euthyrox</i> | 1 | EDS |
| <i>levo-t</i> | 1 | EDS |
| <i>levothyroxine sodium 25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab</i> | 1 | EDS |
| <i>levoxyl</i> | 1 | EDS |
| <i>liothyronine sodium 5 mcg tab, 25 mcg tab, 50 mcg tab</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| NIVA THYROID 15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB | 2 | EDS |
| NP THYROID 15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB | 2 | EDS |
| SYNTHROID | 4 | EDS |
| THYROID 15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB | 2 | EDS |
| <i>unithroid</i> | 1 | EDS |

TOXOIDS

TOXOID COMBINATIONS

| | | |
|-------------------------------|-----|--|
| ADACEL | \$0 | |
| BOOSTRIX | \$0 | |
| DAPTACEL | \$0 | |
| DIPHThERIA-TETANUS TOXOIDS DT | \$0 | |
| INFANRIX | \$0 | |
| KINRIX | \$0 | |
| PEDIARIX | \$0 | |
| PENTACEL | \$0 | |
| QUADRACEL | \$0 | |
| TDVAX | \$0 | |
| TENIVAC | \$0 | |

ULCER DRUGS/ANTISPASMODICS/ANTICHOLINERGICS

ANTISPASMODICS

| | | |
|---|---|-----|
| <i>dicyclomine hcl 10 mg cap, 10 mg/5ml solution, 20 mg tab</i> | 2 | |
| <i>glycopyrrolate 1 mg tab, 2 mg tab</i> | 2 | EDS |
| <i>methscopolamine bromide 2.5 mg tab, 5 mg tab</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| H-2 ANTAGONISTS | | |
| <i>cimetidine 200 mg tab</i> | 1 | EDS |
| <i>cimetidine 300 mg tab, 400 mg tab, 800 mg tab</i> | 2 | EDS |
| <i>famotidine 20 mg tab, 40 mg tab</i> | 1 | EDS |
| <i>famotidine 40 mg/5ml recon susp</i> | 2 | EDS |
| NIZATIDINE 150 MG CAP, 300 MG CAP | 2 | EDS |
| MISC. ANTI-ULCER | | |
| <i>sucralfate 1 gm tab, 1 gm/10ml suspension</i> | 2 | EDS |
| PROTON PUMP INHIBITORS | | |
| <i>dexlansoprazole</i> | 4 | EDS |
| <i>esomeprazole magnesium 20 mg cap dr, 40 mg cap dr</i> | 2 | EDS |
| <i>lansoprazole 15 mg cap dr, 30 mg cap dr</i> | 2 | EDS |
| <i>omeprazole 10 mg cap dr, 20 mg cap dr, 40 mg cap dr</i> | 2 | EDS |
| <i>pantoprazole sodium 20 mg tab dr, 40 mg tab dr</i> | 2 | EDS |
| <i>rabeprazole sodium rabeprazole sodium 20 mg tab dr, rabeprazole sodium 10 mg cap sprink</i> | 2 | EDS |
| ULCER DRUGS - PROSTAGLANDINS | | |
| <i>misoprostol 100 mcg tab, 200 mcg tab</i> | 2 | EDS |
| URINARY ANTISPASMODICS | | |
| URINARY ANTISPASMODIC - ANTIMUSCARINICS (ANTICHOLINERGIC) | | |
| <i>darifenacin hydrobromide er</i> | 2 | EDS |
| <i>fesoterodine fumarate er</i> | 2 | EDS |
| <i>oxybutynin chloride 5 mg tab, 5 mg/5ml solution</i> | 2 | EDS |
| <i>oxybutynin chloride er</i> | 2 | EDS |
| <i>solifenacin succinate</i> | 2 | EDS |
| <i>tolterodine tartrate</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------|------------------|----------------------------|
| <i>tolterodine tartrate er</i> | 2 | EDS |
| <i>trospium chloride</i> | 2 | EDS |
| <i>trospium chloride er</i> | 2 | EDS |

URINARY ANTISPASMODICS - BETA-3 ADRENERGIC AGONISTS

| | | |
|--|---|-----|
| MYRBETRIQ 25 MG TAB ER 24H, 50 MG TAB ER 24H | 2 | EDS |
| MYRBETRIQ 8 MG/ML SRER | 3 | EDS |

URINARY ANTISPASMODICS - CHOLINERGIC AGONISTS

| | | |
|---|---|--|
| <i>bethanechol chloride 5 mg tab, 10 mg tab, 25 mg tab, 50 mg tab</i> | 2 | |
|---|---|--|

URINARY ANTISPASMODICS - DIRECT MUSCLE RELAXANTS

| | | |
|----------------------|---|-----|
| <i>flavoxate hcl</i> | 2 | EDS |
|----------------------|---|-----|

VACCINES

BACTERIAL VACCINES

| | | |
|---------------------------------|-----|--|
| ACTHIB | \$0 | |
| BCG VACCINE | \$0 | |
| BEXSERO | \$0 | |
| CAPVAXIVE | \$0 | |
| HIBERIX | \$0 | |
| MENACTRA | \$0 | |
| MENQUADFI | \$0 | |
| MENVEO | \$0 | |
| PEDVAX HIB | \$0 | |
| PENBRAYA | \$0 | |
| PNEUMOVAX 23 | \$0 | |
| PREVNAR 13 | \$0 | |
| PREVNAR 20 | \$0 | |
| TRUMENBA | \$0 | |
| TYPHIM VI 25 MCG/0.5ML SOLUTION | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|------------------|----------------------------|
| VAXCHORA | \$0 | |
| VAXNEUVANCE | \$0 | |
| VIRAL VACCINES | | |
| ABRYSVO | \$0 | |
| AFLURIA PRESERVATIVE FREE | \$0 | |
| AREXVY | \$0 | |
| COMIRNATY | \$0 | |
| DENGVAXIA | \$0 | |
| ENGERIX-B | \$0 | |
| ERVEBO | \$0 | |
| FLUAD | \$0 | |
| FLUARIX | \$0 | |
| FLUARIX QUADRIVALENT | \$0 | |
| FLUBLOK | \$0 | |
| FLUBLOK QUADRIVALENT | \$0 | |
| FLUCELVAX | \$0 | |
| FLULAVAL | \$0 | |
| FLULAVAL QUADRIVALENT | \$0 | |
| FLUMIST | \$0 | |
| FLUZONE 0.5 ML SUSP PRSYR | \$0 | |
| FLUZONE HIGH-DOSE | \$0 | |
| FLUZONE HIGH-DOSE QUADRIVALENT | \$0 | |
| FLUZONE QUADRIVALENT | \$0 | |
| GARDASIL 9 | \$0 | |
| HAVRIX | \$0 | |
| HEPLISAV-B | \$0 | |
| IMOVAX RABIES | \$0 | |
| IPOL | \$0 | |
| IXCHIQ | \$0 | |
| IXIARO | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------|------------------|----------------------------|
| JANSSEN COVID-19 VACCINE | \$0 | |
| M-M-R II | \$0 | |
| MODERNA COVID-19 BIVAL 6M-5Y | \$0 | |
| MODERNA COVID-19 BIVAL BOOSTER | \$0 | |
| MODERNA COVID-19 BIVALENT | \$0 | |
| MODERNA COVID-19 VAC (BOOSTER) | \$0 | |
| MODERNA COVID-19 VAC 6M-11Y | \$0 | |
| MODERNA COVID-19 VACC 6-11Y | \$0 | |
| MODERNA COVID-19 VACC 6M-5Y | \$0 | |
| MODERNA COVID-19 VACCINE | \$0 | |
| MRESVIA | \$0 | |
| NOVAVAX COVID-19 VACCINE | \$0 | |
| PFIZER COVID-19 BIVAL 6MO-4YR | \$0 | |
| PFIZER COVID-19 VAC BIVAL 5-11 | \$0 | |
| PFIZER COVID-19 VAC BIVALENT | \$0 | |
| PFIZER COVID-19 VAC-TRIS 5-11Y | \$0 | |
| PFIZER COVID-19 VAC-TRIS 6M-4Y | \$0 | |
| PFIZER-BIONT COVID-19 VAC-TRIS | \$0 | |
| PFIZER-BIONTECH COVID-19 VACC | \$0 | |
| PREHEVBRIO | \$0 | |
| PRIORIX | \$0 | |
| PROQUAD | \$0 | |
| RABAVERT | \$0 | |
| RECOMBIVAX HB | \$0 | |
| ROTARIX | \$0 | |
| ROTATEQ | \$0 | |
| SHINGRIX | \$0 | |
| SPIKEVAX | \$0 | |
| SPIKEVAX COVID-19 VACCINE | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------|------------------|----------------------------|
| STAMARIL | \$0 | |
| TICOVAC | \$0 | |
| TWINRIX | \$0 | |
| VAQTA | \$0 | |
| VARIVAX | \$0 | |
| YF-VAX | \$0 | |
| ZOSTAVAX | \$0 | |

VAGINAL AND RELATED PRODUCTS

SPERMICIDES

| | | |
|-----------------------------------|-----|--|
| <i>vaginal contraceptive foam</i> | \$0 | |
|-----------------------------------|-----|--|

VAGINAL ANTI-INFECTIVES

| | | |
|--|---|--|
| <i>clindamycin phosphate 2 % cream</i> | 2 | |
| <i>clotrimazole 1 % cream</i> | 2 | |
| <i>clotrimazole-7</i> | 2 | |
| <i>ft clotrimazole</i> | 2 | |
| GYNAZOLE-1 | 4 | |
| <i>metronidazole vaginal 0.75% gel</i> | 2 | |
| MICONAZOLE 3 | 2 | |
| <i>qc clotrimazole</i> | 2 | |
| <i>ra clotrimazole 7</i> | 2 | |
| <i>sm clotrimazole vaginal</i> | 2 | |
| <i>terconazole</i> | 2 | |

VAGINAL ESTROGENS

| | | |
|----------------------------------|---|--------------------------|
| <i>estradiol 0.1 mg/gm cream</i> | 2 | EDS |
| <i>estradiol 10 mcg tab</i> | 2 | QL (0.7 EA PER DAY), EDS |
| <i>yuvafem</i> | 2 | QL (0.7 EA PER DAY), EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|--|
| VASOPRESSORS | | |
| ANAPHYLAXIS THERAPY AGENTS | | |
| <i>epinephrine (anaphylaxis)</i> | 2 | CDS |
| <i>epinephrine 0.15/3ml, 0.30/3ml auto-injector (teva and mylan only)</i> | 2 | QL (2 EA PER 1 FILL), MFG (Drug coverage is limited to certain manufacturers), CDS |
| <i>midodrine hcl</i> | 2 | EDS |
| VITAMINS | | |
| OIL SOLUBLE VITAMINS | | |
| <i>aqueous vitamin d</i> | 2 | EDS |
| <i>bprotected pedia d-vite</i> | 2 | EDS |
| <i>cvs d3 10 mcg (400 unit) cap, 25 mcg (1000 ut) cap</i> | 2 | EDS |
| <i>d 1000 25 mcg (ut) cap</i> | 2 | EDS |
| <i>d-1000</i> | 2 | EDS |
| <i>d-1000 extra strength</i> | 2 | EDS |
| <i>d-400</i> | 2 | EDS |
| <i>d-vite pediatric</i> | 2 | EDS |
| <i>d3 25 mcg (1000 ut) cap</i> | 2 | EDS |
| <i>d3 high potency 10 mcg (400 unit) tab, 25 mcg (1000 ut) cap, 25 mcg cap</i> | 2 | EDS |
| <i>d3-1000</i> | 2 | EDS |
| <i>d3-50</i> | 2 | EDS |
| <i>decara 1.25 mg (50000 ut) cap</i> | 2 | EDS |
| <i>delta d3</i> | 2 | EDS |
| <i>eql vitamin d3 10 mcg (400 unit) cap, 25 mcg (1000 ut) cap</i> | 2 | EDS |
| <i>ergocalciferol 1.25 mg (50000 ut) cap</i> | 2 | EDS |
| <i>finest nutrition vitamin d3</i> | 2 | EDS |
| <i>ft vitamin d3 25 mcg (1000 ut) tab, 25 mcg cap</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>gnp d 1000</i> | 2 | EDS |
| <i>gnp vitamin d 25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>gnp vitamin d3</i> | 2 | EDS |
| <i>gnp vitamin d3 extra strength</i> | 2 | EDS |
| <i>hm vitamin d3</i> | 2 | EDS |
| <i>just d</i> | 2 | EDS |
| <i>kp vitamin d 25 mcg (1000 ut) cap</i> | 2 | EDS |
| <i>kp vitamin d3 25 mcg (1000 ut) cap</i> | 2 | EDS |
| <i>nat-rul vitamin d -25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>optimal d3</i> | 2 | EDS |
| <i>pharmacist choice d-vitamin</i> | 2 | EDS |
| <i>phytonadione 5 mg tab</i> | 4 | |
| <i>pronutrients vitamin d3</i> | 2 | EDS |
| <i>qc vitamin d3 10 mcg (400 unit) tab, 25 mcg (1000 ut) cap, 25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>ra vitamin d-3 -25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>sm vitamin d</i> | 2 | EDS |
| <i>sm vitamin d3 25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>sv vitamin d3 25 mcg cap</i> | 2 | EDS |
| <i>true vitamin d3 1.25 mg (50000 ut) cap, 10 mcg (400 unit) cap, 10 mcg (400 unit) tab, 25 mcg (1000 ut) cap, 25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>vitamin d (cholecalciferol) 10 mcg (400 unit) cap, 10 mcg (400 unit) tab, 25 mcg (1000 ut) cap, 25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>vitamin d (ergocalciferol) 1.25 mg (50000 ut) cap, 50000 unit cap</i> | 2 | EDS |
| <i>vitamin d 10 mcg/ml liqui, 25 mcg (1000 ut) tab</i> | 2 | EDS |
| <i>vitamin d high potency</i> | 2 | EDS |
| <i>vitamin d infant</i> | 2 | EDS |
| <i>vitamin d-1000 max st</i> | 2 | EDS |
| <i>vitamin d-3 -25 mcg (1000 ut) cap</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| <i>vitamin d3 1.25 mg (50000 ut) cap, 10 mcg (400 unit) cap, 10 mcg (400 unit) tab, 10 mcg/ml liquid, 25 mcg (1000 ut) cap, 25 mcg (1000 ut) tab, 25 mcg tab, 1000 unit cap</i> | 2 | EDS |
| <i>weekly-d</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

| | | | |
|-----------------------------|-------|-------------------------------|-----|
| A | | | |
| abacavir sulfate | 51 | ALBUTEROL SULFATE ER | 21 |
| abacavir sulfate-lamivudine | 51 | ALBUTEROL SULFATE HFA | |
| abacavir-lamivudine- | | (PROVENTIL EQUIVALENT) | 21 |
| zidovudine | 51 | ALBUTEROL SULFATE HFA | |
| ABILIFY ASIMTUFII | 50 | 108 (PROAIR EQUIVALENT) | 21 |
| ABILIFY MAINTENA | 50 | alclometasone dipropionate | 73 |
| abiraterone acetate | 41 | alcohol swabs | 90 |
| ABRYSVO | 119 | ALECENSA | 43 |
| acamprosate calcium | 111 | alendronate sodium | 77 |
| acarbose | 28 | ALFALFA FLAVOR | 104 |
| accutane | 69 | alfuzosin hcl er | 83 |
| acebutolol hcl | 55 | allergy spray 24 hour | 97 |
| acetaminophen-codeine | 13 | allopurinol | 84 |
| acetazolamide | 76 | allopurinol sodium | 84 |
| acetazolamide er | 76 | ALMOND OIL BITTER | |
| acetic acid | 102 | FLAVOR | 105 |
| acetylcysteine | 69 | ALOCRIL | 101 |
| acitretin | 72 | ALOMIDE | 101 |
| ACTHAR | 78 | alprazolam | 18 |
| ACTHIB | 118 | ALPROLIX | 84 |
| ACTIMMUNE | 47 | altacaine | 100 |
| acyclovir | 54,72 | altavera | 60 |
| ADACEL | 116 | ALTUVIIIIO | 84 |
| adapalene | 69 | ALUNBRIG | 43 |
| adefovir dipivoxil | 53 | alyacen 1/35 | 60 |
| ADTHYZA | 115 | alyacen 7/7/7 | 60 |
| ADVATE | 84 | alyq | 57 |
| AEMCOLO | 15 | amabelz | 80 |
| afirmelle | 60 | amantadine hcl | 48 |
| AFLURIA PRESERVATIVE | | ambrisentan | 57 |
| FREE | 119 | AMCINONIDE | 73 |
| AFSTYLA | 84 | amethia | 60 |
| AIMOVIG INJ | 91 | amethia lo | 60 |
| AJOVY | 91 | amethyst | 60 |
| ak-poly-bac | 99 | amikacin sulfate | 9 |
| AKEEGA | 41 | amiloride hcl | 77 |
| ala-cort | 73 | amiloride-hydrochlorothiazide | 77 |
| albendazole | 15 | amiodarone hcl | 19 |
| albuterol sulfate | 21 | amitriptyline hcl | 27 |
| | | amlodipine besy-benazepril | |
| | | hcl | 38 |
| | | amlodipine besylate | 55 |
| | | ammonium lactate | 75 |
| | | amnesteam | 70 |
| | | amoxapine | 27 |
| | | amoxicillin | 103 |
| | | AMOXICILLIN-POT | |
| | | CLAVULANATE | 104 |
| | | AMOXICILLIN-POT | |
| | | CLAVULANATE ER | 104 |
| | | amphetamine sulfate | 8 |
| | | amphetamine-dextroamphet er | 8 |
| | | amphetamine- | |
| | | dextroamphetamine | 8 |
| | | AMPHOTERICIN B | 34 |
| | | amphotericin b liposome | 34 |
| | | ampicillin | 103 |
| | | ampicillin sodium | 103 |
| | | ampicillin-sulbactam sodium | 104 |
| | | anagrelide hcl | 85 |
| | | anastrozole | 41 |
| | | ANDRODERM | 14 |
| | | ANISE EXTRACT | 105 |
| | | ANISE FLAVOR | 105 |
| | | ANORO ELLIPTA | 21 |
| | | anti-diarrheal | 32 |
| | | apomorphine hcl | 48 |
| | | APPLE FLAVOR | 105 |
| | | APPLE FLAVOR WATER | |
| | | MISCIBLE | 105 |
| | | apraclonidine hcl | 99 |
| | | aprepitant | 34 |
| | | APRETUDE | 51 |
| | | apri | 60 |
| | | APRICOT FLAVOR | 105 |
| | | APTIVUS | 51 |
| | | aquastat | 93 |
| | | aquastat sfr | 93 |
| | | aqueous vitamin d | 122 |
| | | aranelle | 60 |
| | | ARANESP (ALBUMIN FREE) | 85 |
| | | ARCALYST | 10 |

| | | | | | |
|-------------------------------|-----|-----------------------------|--------|-------------------------------------|-------|
| AREXVY..... | 119 | azelaic acid..... | 76 | BEEF-ADE..... | 105 |
| arformoterol tartrate..... | 21 | azelastine hcl..... | 97,101 | bekyree..... | 61 |
| argyle sterile saline..... | 83 | azithromycin..... | 88 | BELBUCA..... | 14 |
| aripiprazole..... | 50 | aztreonam..... | 17 | BELSOMRA..... | 87 |
| armodafinil..... | 8 | azurette..... | 61 | benazepril hcl..... | 37 |
| ARMOUR THYROID..... | 115 | | | benazepril-hydrochlorothiazide..... | 38 |
| asenapine maleate..... | 49 | B | | BENEFIX..... | 84 |
| ashlyna..... | 60 | b complex-b12..... | 96 | BENLYSTA..... | 94 |
| aspirin 81mg..... | 12 | b-complex plus b-12..... | 96 | BENZHYDROCODONE- | |
| aspirin-dipyridamole er..... | 85 | b-complex/b-12..... | 96 | ACETAMINOPHEN..... | 13 |
| atazanavir sulfate..... | 51 | bacitra-neomycin-polymyxin- | | BENZNIDAZOLE..... | 15 |
| atenolol..... | 55 | hc..... | 100 | BENZOCAINE..... | 59 |
| atenolol-chlorthalidone..... | 38 | bacitracin..... | 15 | benzonatate..... | 69 |
| atomoxetine hcl..... | 8 | BACITRACIN..... | 99 | benzoyl peroxide-erythromycin..... | 70 |
| atorvastatin calcium..... | 36 | BACITRACIN MICRONIZED..... | 59 | benztropine mesylate..... | 48 |
| atovaquone..... | 16 | bacitracin-polymyxin b..... | 99 | BENZYL ALCOHOL..... | 104 |
| atovaquone-proguanil hcl..... | 39 | baclofen..... | 96 | BENZYL BENZOATE..... | 60 |
| atracurium besylate..... | 98 | BACON FLAVOR..... | 105 | bepotastine besilate..... | 101 |
| atropine sulfate..... | 99 | balsalazide disodium..... | 82 | beser..... | 73 |
| ATROVENT HFA..... | 20 | BALVERSA..... | 43 | BESIVANCE..... | 99 |
| aubra..... | 60 | balziva..... | 61 | betamethasone dipropionate..... | 73 |
| aubra eq..... | 60 | BANANA CONCENTRATE..... | 105 | betamethasone dipropionate | |
| AUGTYRO..... | 43 | BANANA CREAM FLAVOR..... | 105 | aug..... | 73 |
| aurovela 1.5/30..... | 60 | BANANA CREME FLAVOR..... | 105 | betamethasone valerate..... | 73 |
| aurovela 1/20..... | 61 | BANANA FLAVOR..... | 105 | betaxolol hcl..... | 55 |
| aurovela 24 fe..... | 61 | BAQSIMI ONE PACK..... | 29 | BETAXOLOL HCL..... | 98 |
| aurovela fe 1.5/30..... | 61 | BAQSIMI TWO PACK..... | 29 | bethanechol chloride..... | 118 |
| aurovela fe 1/20..... | 61 | BASAGLAR KWIKPEN..... | 30 | bexarotene..... | 47,71 |
| AUSTEDO..... | 112 | BAXDELA..... | 81 | BEXSERO..... | 118 |
| AUSTEDO XR..... | 112 | BAY RUM..... | 58 | BEYFORTUS..... | 103 |
| AUSTEDO XR PATIENT | | BCG VACCINE..... | 118 | bicalutamide..... | 41 |
| TITRATION..... | 112 | bd posiflush..... | 93 | BIKTARVY..... | 51 |
| aviane..... | 61 | bd posiflush safescrub..... | 93 | bimatoprost..... | 101 |
| avidoxy..... | 115 | BEEF (GRILLED) FLAVOR OIL | | BIOTIN..... | 59 |
| avita..... | 70 | SOL..... | 105 | BIOTIN-D..... | 59 |
| AVONEX PEN..... | 113 | BEEF BRAISED NATURAL | | bisacodyl..... | 88 |
| AVONEX PREFILLED..... | 113 | FLAVOR..... | 105 | bismatrol..... | 31 |
| ayuna..... | 61 | BEEF FLAVOR..... | 105 | bismuth..... | 31 |
| AYVAKIT..... | 42 | BEEF TYPE FLAVOR | | bismuth subsalicylate..... | 31 |
| AZASITE..... | 99 | NATURAL..... | 105 | bisoprolol fumarate..... | 55 |
| azathioprine..... | 94 | BEEF TYPE FLAVOR OS... .. | 105 | bisoprolol-hydrochlorothiazide..... | 38 |

| | | | | | |
|------------------------------------|-----|------------------------------------|-------|------------------------------------|-----|
| BITTER DRUG..... | 110 | BUBBLE GUM FLAVOR..... | 105 | calcitriol..... | 78 |
| BITTER STOP FLAVOR..... | 105 | BUBBLE GUM OS..... | 105 | calcium acetate..... | 82 |
| BITTER-BLOC PURE..... | 105 | BUBBLE GUM WS..... | 106 | calcium acetate (phos binder)..... | 82 |
| BITTER-BLOC WS | | budesonide..... | 20,68 | CALQUENCE..... | 44 |
| CONCENTRATE..... | 105 | budesonide er..... | 68 | camila..... | 67 |
| BITTER-BLOC WS/OS | | BUDESONIDE-FORMOTEROL | | camrese..... | 61 |
| LIQUID..... | 105 | FUMARATE 160-4.5 MCG/ACT | | camrese lo..... | 61 |
| BITTERNESS MASK | | AEROSOL, BUDESONIDE- | | candesartan cilexetil..... | 37 |
| FLAVOR..... | 105 | FORMOTEROL FUMARATE 80- | | candesartan cilexetil-hctz..... | 38 |
| BITTERNESS REDUCING | | 4.5 MCG/ACT AEROSOL..... | 21 | capecitabine..... | 40 |
| AGENT..... | 105 | bumetanide..... | 77 | CAPLYTA..... | 49 |
| BITTERNESS SUPPRESSOR | | bupivacaine hcl..... | 88 | CAPRELSA..... | 44 |
| FLAVOR..... | 105 | bupivacaine hcl (pf)..... | 88 | CAPSORAL W/DYNAMIC | |
| BLACKBERRY FLAVOR..... | 105 | buprenorphine..... | 14 | STATIC GRD..... | 110 |
| blisovi 24 fe..... | 61 | buprenorphine hcl..... | 14 | CAPSUBLEND-H..... | 110 |
| blisovi fe 1.5/30..... | 61 | buprenorphine hcl-naloxone | | CAPSUBLEND-P..... | 110 |
| blisovi fe 1/20..... | 61 | hcl..... | 14 | CAPSUBLEND-S..... | 110 |
| blood glucose calibration | | bupropion hcl..... | 26 | captopril..... | 37 |
| liquid..... | 89 | bupropion hcl er (smoking | | CAPTOPRIL- | |
| blood glucose monitoring | | det)..... | 26 | HYDROCHLOROTHIAZIDE... .. | 38 |
| supplies..... | 89 | bupropion hcl er (sr)..... | 26 | CAPVAXIVE..... | 118 |
| BLOOD ORANGE OS..... | 105 | bupropion hcl er (xl)..... | 26 | CARAMEL FLAVOR..... | 106 |
| BLUEBERRY FLAVOR..... | 105 | bupropion hcl..... | 18 | CARAMEL OS..... | 106 |
| BOOSTRIX..... | 116 | butalbital-acetaminophen..... | 12 | carbamazepine..... | 23 |
| bosentan..... | 57 | butalbital-apap-caff-cod..... | 13 | carbamazepine er..... | 23 |
| BOSULIF..... | 43 | butalbital-apap-caffeine..... | 12 | carbidopa..... | 47 |
| bprotected pedia d-vite..... | 122 | butenafine hcl..... | 70 | carbidopa-levodopa..... | 48 |
| BRAFTOVI..... | 43 | BUTTER FLAVOR..... | 106 | carbidopa-levodopa er..... | 48 |
| BREO ELLIPTA..... | 21 | BUTTER RUM FLAVOR..... | 106 | carbidopa-levodopa- | |
| brey-na..... | 21 | BUTTERSCOTCH FLAVOR..... | 106 | entacapone..... | 48 |
| BREZTRI AEROSPHERE... .. | 21 | BYDUREON BCISE..... | 29 | carbinoxamine maleate..... | 35 |
| briellyn..... | 61 | C | | carglumic acid..... | 79 |
| BRILINTA..... | 85 | CABENUVA..... | 51 | carisoprodol..... | 96 |
| brimonidine tartrate..... | 99 | cabergoline..... | 79 | CARISOPRODOL-ASPIRIN- | |
| brimonidine tartrate-timolol... .. | 98 | CABLIVI..... | 85 | CODEINE..... | 97 |
| brinzolamide..... | 101 | CABOMETYX..... | 43 | CARTEOLOL HCL..... | 98 |
| BRIVIACT..... | 23 | CALCIPOTRIENE..... | 72 | cartia xt..... | 55 |
| bromocriptine mesylate..... | 48 | calcipotriene-betameth diprop..... | 73 | carvedilol..... | 55 |
| BRUKINSA..... | 43 | calcitonin (salmon)..... | 77 | caspofungin acetate..... | 34 |
| BUBBLE GUM | | CALCITRIOL..... | 72 | cataflam..... | 10 |
| CONCENTRATE..... | 105 | | | cavarest..... | 95 |

| | | | | | |
|---------------------------|-----|------------------------------|-------|-----------------------------------|-----------|
| CAYSTON..... | 17 | chlordiazepoxide hcl..... | 18 | CITRIC ACID | |
| caziant..... | 61 | CHLORDIAZEPOXIDE- | | MONOHYDRATE..... | 60 |
| CEFACLOR..... | 58 | AMITRIPTYLINE..... | 112 | claravis..... | 70 |
| cefadroxil..... | 57 | chlorhexidine gluconate..... | 95 | CLARITHROMYCIN..... | 88 |
| cefazolin sodium..... | 57 | chloroquine phosphate..... | 39 | clarithromycin..... | 88 |
| cefdinir..... | 58 | chlorothiazide sodium..... | 77 | clarithromycin er..... | 88 |
| cefepime hcl..... | 58 | chlorthalidone..... | 77 | CLEMASTINE FUMARATE.... | 35 |
| cefixime..... | 58 | chlorzoxazone..... | 96 | clindacin..... | 70 |
| cefoxitin sodium..... | 58 | CHOCOLATE | | clindacin etz..... | 70 |
| cefpodoxime proxetil..... | 58 | CONCENTRATE..... | 106 | clindacin-p..... | 70 |
| cefprozil..... | 58 | CHOCOLATE FLAVOR..... | 106 | clindamycin hcl..... | 16 |
| ceftazidime..... | 58 | CHOCOLATE HAZELNUT | | clindamycin phos-benzoyl | |
| ceftriaxone sodium..... | 58 | FLAVOR..... | 106 | perox..... | 70 |
| cefuroxime axetil..... | 58 | CHOCOLATE NATURAL & | | clindamycin phosphate.16,70,121 | |
| cefuroxime sodium..... | 58 | ARTIFICIAL..... | 106 | clindamycin-tretinoin..... | 70 |
| celecoxib..... | 10 | cholestyramine..... | 36 | CLINIMIX E/DEXTROSE | |
| CELLULOSE..... | 59 | cholestyramine light..... | 36 | (8/14)..... | 98 |
| cephalexin..... | 57 | CIBINQO..... | 74 | clobazam..... | 23 |
| cevimeline hcl..... | 95 | ciclodan..... | 71 | clobetasol prop emollient base.73 | |
| charlotte 24 fe..... | 61 | ciclopirox..... | 71 | clobetasol propionate..... | 73 |
| chateal..... | 61 | ciclopirox olamine..... | 71 | clobetasol propionate e..... | 73 |
| chateal eq..... | 61 | cidofovir..... | 53 | clocortolone pivalate..... | 73 |
| CHEESE-ADE FLAVOR..... | 106 | cilostazol..... | 85 | clomipramine hcl..... | 27 |
| CHEESECAKE FLAVOR..... | 106 | CIMDUO..... | 51 | clonazepam..... | 23 |
| CHEMET..... | 33 | cimetidine..... | 117 | clonidine hcl er..... | 8 |
| CHERRY FLAVOR..... | 106 | CIMZIA..... | 82 | clonidine tablet..... | 37 |
| CHERRY-ADE FLAVOR..... | 106 | CIMZIA (2 SYRINGE)..... | 82 | CLONIDINE WEEKLY PATCH.37 | |
| CHICKEN (GRILLED) | | CIMZIA-STARTER..... | 82 | clopidogrel bisulfate..... | 85 |
| FLAVOR..... | 106 | cinacalcet hcl..... | 79 | clorazepate dipotassium..... | 18 |
| CHICKEN BROTH | | CINNAMON FLAVOR..... | 106 | clotrimazole..... | 71,95,121 |
| FLAVOR..... | 106 | CIPRO HC..... | 102 | clotrimazole-7..... | 121 |
| CHICKEN CONC FLAVOR.106 | | ciprofloxacin..... | 81 | CLOTRIMAZOLE- | |
| CHICKEN FLAVOR..... | 106 | ciprofloxacin hcl..... | 81,99 | BETAMETHASONE..... | 71 |
| CHICKEN FLAVOR OIL | | CIPROFLOXACIN HCL..... | 102 | clozapine..... | 49 |
| MISCIBLE..... | 106 | ciprofloxacin- | | CLOZAPINE..... | 50 |
| CHICKEN FLAVOR OIL | | dexamethasone..... | 102 | COARTEM..... | 39 |
| SOLUBLE..... | 106 | CIPROFLOXACIN- | | COCOA BUTTER..... | 110 |
| CHICKEN FLAVOR WATER | | FLUOCINOLONE PF..... | 102 | COCONUT FLAVOR..... | 106 |
| MISCIBLE..... | 106 | citalopram hydrobromide..... | 26 | codeine sulfate..... | 12 |
| CHICKEN ROASTED | | CITRIC ACID..... | 60 | COFFEE FLAVOR..... | 106 |
| CONCENTRATE..... | 106 | CITRIC ACID ANHYDROUS.. | 60 | COLA FLAVOR..... | 106 |

| | | | | | |
|-------------------------------|-----|-------------------------------|-----|-------------------------------|--------|
| colchicine | 84 | cvs d3 | 122 | DAYVIGO | 87 |
| colchicine-probenecid | 84 | cvs nasal allergy spray | 97 | deblitane | 67 |
| colestipol hcl | 36 | cvs olopatadine hcl | 101 | decadron | 68 |
| colistimethate sodium (cba) | 17 | cvs petroleum jelly | 111 | decara | 122 |
| COMBIVENT RESPIMAT | 21 | cvs stomach relief | 31 | deferasirox | 33 |
| COMETRIQ (100 MG DAILY DOSE) | 44 | cyanocobalamin | 85 | DELSTRIGO | 51 |
| COMETRIQ (140 MG DAILY DOSE) | 44 | cyclafem 1/35 | 61 | delta d3 | 122 |
| COMETRIQ (60 MG DAILY DOSE) | 44 | cyclafem 7/7/7 | 61 | delyla | 61 |
| COMIRNATY | 119 | cyclobenzaprine hcl | 97 | demeclocycline hcl | 115 |
| COMPLERA | 51 | CYCLOPHOSPHAMIDE | 40 | DENGVAXIA | 119 |
| compro | 50 | cyclosporine | 100 | denta 5000 plus | 95 |
| constulose | 87 | cyclosporine modified | 94 | dentagel | 95 |
| COPIKTRA | 44 | cyproheptadine hcl | 35 | depo-testosterone | 14 |
| CORTIFOAM | 15 | cyred | 61 | DESCOVY | 51 |
| CORTISONE ACETATE | 68 | cyred eq | 61 | desipramine hcl | 27 |
| CORTISPORIN | 70 | CYSTAGON | 83 | desloratadine | 35 |
| COTELLIC | 44 | D | | desmopressin ace spray refrig | 79 |
| COTTON CANDY FLAVOR | 106 | d 1000 | 122 | desmopressin acetate | 79 |
| COVID-19 test | 76 | d-1000 | 122 | desmopressin acetate pf | 79 |
| CRAN-RASPBERRY FLAVOR | 106 | d-1000 extra strength | 122 | desogestrel-ethinyl estradiol | 61 |
| CREME DE MENTHE FLAVOR | 106 | d-400 | 122 | desonide | 73 |
| CREME DEMENTHE FLAVOR | 107 | d-vite pediatric | 122 | desoximetasone | 73 |
| CREME OS | 107 | d3 | 122 | desvenlafaxine succinate er | 27 |
| CREON | 76 | d3 high potency | 122 | dexamethasone | 68 |
| CRIXIVAN | 51 | d3-1000 | 122 | DEXAMETHASONE | 68 |
| cromolyn sodium | 81 | d3-50 | 122 | INTENSOL | 68 |
| CROMOLYN SODIUM | 101 | dabigatran etexilate mesylate | 23 | DEXAMETHASONE SOD PHOS | |
| CROTAN | 76 | dalfampridine er | 113 | +RFID | 68 |
| cryselle-28 | 61 | danazol | 14 | dexamethasone sod phosphate | |
| curity sterile saline | 83 | dantrolene sodium | 97 | pf | 68 |
| CUSTOM POLYGLYCOL TROCHE BASE | 110 | dapsone | 16 | DEXAMETHASONE SODIUM | |
| cvs anti-diarrheal | 32 | DAPTACEL | 116 | PHOSPHATE | 68,100 |
| cvs bismuth | 31 | daptomycin | 16 | dexamethasone sodium | |
| cvs butenafine hcl | 71 | darifenacin hydrobromide er | 117 | phosphate | 68 |
| | | darunavir | 51 | DEXCOM G6 RECEIVER | |
| | | dasatinib | 44 | DEVICE | 89 |
| | | dasetta 1/35 | 61 | DEXCOM G6 SENSOR MISC | 89 |
| | | dasetta 7/7/7 | 61 | DEXCOM G6 TRANSMITTER | |
| | | DAURISMO | 41 | MISC | 89 |
| | | daysee | 61 | | |

| | | | | |
|-------------------------------|--------------------------------|--------------|--------------------------------|-----|
| DEXCOM G7 RECEIVER | diphenoxylate-atropine | 32 | ELIQUIS | 22 |
| DEVICE | DIPHThERIA-TETANUS | 89 | ELIQUIS DVT/PE STARTER | |
| DEXCOM G7 SENSOR | TOXOIDS DT | 116 | PACK | 22 |
| MISC | dipyridamole | 89 | ELLA | 67 |
| dexlansoprazole | disopyramide phosphate | 117 | eluryng | 66 |
| dexmethylphenidate hcl | disulfiram | 8 | EMCYT | 42 |
| dextroamphetamine sulfate | divalproex sodium | 8 | EMGALITY | 91 |
| dextroamphetamine sulfate er | divalproex sodium er | 8 | EMGALITY (300 MG DOSE) | 91 |
| dextrose-sodium chloride | dodex | 92 | emoquette | 62 |
| DIACOMIT | dofetilide | 23 | emtricitabine | 51 |
| diamode | dolishale | 32 | emtricitabine-tenofovir df | 52 |
| diazepam | donepezil hcl | 18,23 | EMTRIVA | 52 |
| DIAZEPAM | dorzolamide hcl | 23 | emzahn | 67 |
| diazepam intensol | dorzolamide hcl-timolol mal | 18 | enalapril maleate | 37 |
| diclofenac potassium | dotti | 10 | enalapril-hydrochlorothiazide | 38 |
| diclofenac sodium | DOVATO | 10,70,71,101 | ENBREL | 11 |
| diclofenac sodium er | doxazosin mesylate | 10 | ENBREL MINI | 11 |
| diclofenac-misoprostol | doxepin hcl | 10 | ENBREL SURECLICK | 11 |
| dicloxacillin sodium | doxy 100 | 104 | endocet | 13 |
| dicyclomine hcl | doxycycline hyclate | 116 | ENGERIX-B | 119 |
| DIDANOSINE | doxycycline monohydrate | 51 | ENGLISH TOFFEE FLAVOR | 107 |
| DIFICID | dronabinol | 89 | enilloring | 66 |
| diflorasone diacetate | drosipren-eth estrad- | 73 | enoxaparin sodium | 22 |
| diflunisal | levomefol | 12 | enpresse-28 | 62 |
| difluprednate | drosiprenone-ethinyl estradiol | 100 | enskyce | 62 |
| digitek | DRYSOL | 56 | entacapone | 48 |
| digox | DULERA | 56 | entecavir | 53 |
| digoxin | duloxetine hcl | 56 | ENTRESTO | 57 |
| dihydroergotamine mesylate | DUPIXENT | 91 | enulose | 82 |
| DILANTIN | dutasteride | 25 | EPCLUSA | 53 |
| dilt-xr | dutasteride-tamsulosin hcl | 56 | EPIDIOLEX | 23 |
| diltiazem hcl | E | 56 | epinastine hcl | 101 |
| diltiazem hcl er | econazole nitrate | 56 | epinephrine (anaphylaxis) | 122 |
| diltiazem hcl er beads | ECTOSEAL P2G | 56 | Epinephrine 0.15/3ml, 0.30/3ml | |
| diltiazem hcl er coated beads | EDURANT | 56 | auto-injector (Teva and Mylan | |
| dimethyl fumarate | EFAVIRENZ | 113 | only) | 122 |
| dimethyl fumarate starter | efavirenz-emtricitab-tenofo | | epitol | 23 |
| pack | efavirenz-emtricitab-tenofo | 113 | eplerenone | 38 |
| diotame | efavirenz-lamivudine-tenofovir | 31 | eq anti-diarrheal | 32 |
| DIPENTUM | eletriptan hydrobromide | 82 | eq athletes foot ultra | 71 |
| diphenhydramine hcl | elinest | 35 | eq nasal allergy | 97 |

| | | | | | | |
|-------------------------------------|----------|----------------------------------|-------|-----------------------------------|--------------|-----|
| eq olopatadine hcl..... | 101 | everolimus..... | 44,94 | flecainide acetate..... | 19 | |
| eq pink-bismuth..... | 31 | EVOTAZ..... | 52 | FLOVENT DISKUS..... | 20 | |
| eq stomach relief..... | 32 | exemestane..... | 42 | FLOVENT HFA..... | 20 | |
| eql anti-diarrheal..... | 32 | eye allergy itch relief..... | 101 | FLUAD..... | 119 | |
| eql stomach relief..... | 32 | ezetimibe..... | 36 | FLUARIX..... | 119 | |
| eql vitamin d3..... | 122 | ezetimibe-simvastatin..... | 35 | FLUARIX QUADRIVALENT..... | 119 | |
| ERAXIS..... | 34 | F | | | FLUBLOK..... | 119 |
| ergocalciferol..... | 122 | FAGRON CAPFILL PRO..... | 110 | FLUBLOK QUADRIVALENT..... | 119 | |
| ERGOLOID MESYLATES..... | 113 | FAGRON DISPERSAPRO..... | 110 | FLUCELVAX..... | 119 | |
| ERGOMAR..... | 91 | falmina..... | 62 | fluconazole..... | 34 | |
| ERGOTAMINE-CAFFEINE..... | 91 | famciclovir..... | 54 | flucytosine..... | 34 | |
| ERIVEDGE..... | 41 | famotidine..... | 117 | fludrocortisone acetate..... | 69 | |
| ERLEADA..... | 42 | FARXIGA..... | 31 | FLULAVAL..... | 119 | |
| erlotinib hcl..... | 41 | FARYDAK..... | 44 | FLULAVAL QUADRIVALENT..... | 119 | |
| errin..... | 67 | FASENRA..... | 19 | FLUMIST..... | 119 | |
| ertapenem sodium..... | 16 | FASENRA PEN..... | 19 | fluocinolone acetonide..... | 73,102 | |
| ERVEBO..... | 119 | fayosim..... | 62 | fluocinolone acetonide body..... | 73 | |
| ERY..... | 70 | febuxostat..... | 84 | fluocinolone acetonide scalp..... | 73 | |
| ery-tab..... | 89 | felbamate..... | 24 | fluocinonide..... | 74 | |
| erythrocin lactobionate..... | 89 | felodipine er..... | 56 | fluocinonide emulsified base..... | 74 | |
| ERYTHROCIN STEARATE..... | 89 | female condoms..... | 89 | fluorometholone..... | 100 | |
| erythromycin..... | 70,89,99 | femynor..... | 62 | fluorouracil..... | 71 | |
| erythromycin base..... | 89 | fenofibrate..... | 36 | FLUOROURACIL..... | 71 | |
| erythromycin lactobionate..... | 89 | fenofibrate micronized..... | 36 | fluoxetine hcl..... | 26 | |
| escitalopram oxalate..... | 26 | fenofibric acid..... | 36 | fluphenazine decanoate..... | 50 | |
| esomeprazole magnesium..... | 117 | fenoprofen calcium..... | 10 | fluphenazine hcl..... | 50 | |
| estarylla..... | 62 | fentanyl..... | 12 | FLURANDRENOLIDE..... | 74 | |
| estradiol..... | 80,121 | FENTANYL CITRATE..... | 12 | FLURAZEPAM HCL..... | 86 | |
| estradiol valerate..... | 80 | fentanyl citrate..... | 12 | flurbiprofen..... | 10 | |
| estradiol-norethindrone acet..... | 80 | FERRIPROX..... | 33 | FLURBIPROFEN SODIUM..... | 101 | |
| eszopiclone..... | 86 | fesoterodine fumarate er..... | 117 | flutamide..... | 42 | |
| ethacrynic acid..... | 77 | finasteride..... | 83 | fluticasone propionate..... | 74,97 | |
| ethambutol hcl..... | 39 | finest nutrition vitamin d3..... | 122 | FLUTICASONE PROPIONATE | | |
| ethosuximide..... | 25 | fingolimod hcl..... | 113 | DISKUS..... | 20 | |
| ethynodiol diac-eth estradiol..... | 62 | finzala..... | 62 | FLUTICASONE PROPIONATE | | |
| etodolac..... | 10 | FISH FLAVOR..... | 107 | HFA..... | 20 | |
| etonogestrel-ethinyl estradiol..... | 66 | FLAVOR CONC- | | FLUTICASONE- | | |
| etravirine..... | 52 | CHLORHEXIDINE..... | 107 | SALMETEROL..... | 21 | |
| EUCALYPTUS FLAVOR..... | 107 | FLAVORX..... | 107 | fluvastatin sodium er..... | 36 | |
| EUGENOL FLAVOR..... | 107 | flavoxate hcl..... | 118 | fluvoxamine maleate..... | 26 | |
| euthyrox..... | 115 | | | fluvoxamine maleate er..... | 26 | |

| | | | | | |
|------------------------------------|-----|---------------------------------|---------|---------------------------------|-----|
| FLUZONE..... | 119 | ft stomach relief..... | 32 | GLUCAGON EMERGENCY... .. | 29 |
| FLUZONE HIGH-DOSE.... | 119 | ft vitamin d3..... | 122 | GLUCAGON HCL | |
| FLUZONE HIGH-DOSE | | fulvestrant..... | 42 | (DIAGNOSTIC)..... | 76 |
| QUADRIVALENT..... | 119 | furosemide..... | 77 | glyburide..... | 31 |
| FLUZONE | | FUROSEMIDE..... | 77 | glyburide-metformin..... | 28 |
| QUADRIVALENT..... | 119 | fyavolv..... | 80 | GLYCERIN..... | 60 |
| folate..... | 85 | | | glycopyrrolate..... | 116 |
| folic acid 1mg..... | 85 | G | | glydo..... | 75 |
| folic acid 400 mcg tab, folic acid | | g tussin ac..... | 69 | GLYXAMBI..... | 28 |
| 800 mcg tab..... | 85 | gabapentin..... | 23,24 | gnp 24 hour nasal allergy..... | 97 |
| fomepizole..... | 33 | galantamine hydrobromide... .. | 112 | gnp anti-diarrheal..... | 32 |
| fondaparinux sodium..... | 22 | galantamine hydrobromide | | gnp d 1000..... | 123 |
| fosamprenavir calcium..... | 52 | er..... | 112 | gnp olopatadine hcl..... | 101 |
| fosfomycin tromethamine.... | 17 | gallifrey..... | 111 | gnp petroleum jelly..... | 111 |
| fosinopril sodium..... | 37 | GAMMAGARD..... | 102 | gnp pink bismuth..... | 32 |
| fosinopril sodium-hctz..... | 38 | GAMUNEX-C..... | 102 | gnp vitamin d..... | 123 |
| fosphenytoin sodium..... | 25 | GARDASIL 9..... | 119 | gnp vitamin d3..... | 123 |
| FOTIVDA..... | 44 | gatifloxacin..... | 99 | gnp vitamin d3 extra strength.. | 123 |
| FRAGMIN..... | 22 | GAVILYTE-C..... | 87 | goodsense nasal allergy spray.. | 97 |
| fraiche 5000 dental..... | 95 | gavilyte-g..... | 87 | goodsense petroleum jelly.... | 111 |
| FREAMINE HBC..... | 98 | gavilyte-n with flavor pack.... | 87 | goodsense stomach relief..... | 32 |
| FREEDOM SIMPLECAP... .. | 110 | GAVRETO..... | 44 | granisetron hcl..... | 33 |
| FREESTYLE LIBRE 14 DAY | | gefitinib..... | 41 | GRAPE CONCORD OS..... | 107 |
| READER DEVICE..... | 89 | gemfibrozil..... | 36 | GRAPE FLAVOR..... | 107 |
| FREESTYLE LIBRE 14 DAY | | gemmily..... | 62 | GRAPEFRUIT FLAVOR..... | 107 |
| SENSOR MISC..... | 90 | generlac..... | 82 | GREEN APPLE OS..... | 107 |
| FREESTYLE LIBRE 2 | | gengraf..... | 94 | griseofulvin microsize..... | 34 |
| READER DEVICE..... | 90 | GENOTROPIN..... | 78 | griseofulvin ultramicrosize.... | 34 |
| FREESTYLE LIBRE 2 | | GENOTROPIN MINIQUICK... .. | 78 | guaiaatussin ac..... | 69 |
| SENSOR MISC..... | 90 | gentamicin in saline..... | 9 | guaifenesin ac..... | 69 |
| FREESTYLE LIBRE 3 | | gentamicin sulfate..... | 9,70,99 | guaifenesin-codeine..... | 69 |
| READER DEVICE..... | 90 | GENVOYA..... | 52 | guanfacine hcl..... | 38 |
| FREESTYLE LIBRE 3 | | gianvi..... | 62 | guanfacine hcl er..... | 8 |
| SENSOR MISC..... | 90 | GILOTRIF..... | 41 | GUAVA FLAVOR..... | 107 |
| frovatriptan succinate..... | 91 | glatiramer acetate..... | 113 | GVOKE HYPOPEN 1-PACK... .. | 29 |
| FRUZAQLA..... | 40 | glatopa..... | 113 | GVOKE HYPOPEN 2-PACK... .. | 29 |
| ft 24 hour nasal allergy..... | 97 | glimepiride..... | 31 | GVOKE KIT..... | 29 |
| ft anti-diarrheal..... | 32 | glipizide..... | 31 | GVOKE PFS..... | 29 |
| ft clotrimazole..... | 121 | glipizide er..... | 31 | GYNAZOLE-1..... | 121 |
| ft eye allergy itch relief..... | 101 | glipizide xl..... | 31 | | |
| ft petroleum jelly..... | 111 | glipizide-metformin hcl..... | 28 | | |

| | | | | |
|-----------------------------|-----|----------------------------|---------------------------------|-------|
| H | | HYDROCODONE BITARTRATE | indomethacin | 10 |
| | | ER | indomethacin er | 10 |
| HADLIMA | 9 | hydrocodone-acetaminophen | INFANRIX | 116 |
| HADLIMA PUSH TOUCH | 9 | hydrocodone-ibuprofen | INGREZZA | 113 |
| HAEGARDA | 85 | hydrocortisone | INLYTA | 40 |
| hailey 1.5/30 | 62 | hydrocortisone (perianal) | INQOVI | 43 |
| hailey 24 fe | 62 | HYDROCORTISONE ACE- | insulin administration supplies | 90 |
| hailey fe 1.5/30 | 62 | PRAMOXINE | INSULIN LISPRO | 30 |
| hailey fe 1/20 | 62 | HYDROCORTISONE | INTELENCE | 52 |
| halobetasol propionate | 74 | BUTYRATE | INTRALIPID | 98 |
| haloette | 66 | hydrocortisone valerate | introvale | 62 |
| haloperidol | 49 | hydrocortisone-acetic acid | INVEGA HAFYERA | 49 |
| haloperidol decanoate | 49 | hydromet | INVEGA SUSTENNA | 49 |
| haloperidol lactate | 49 | hydromorphone hcl | INVEGA TRINZA | 49 |
| HAM FLAVOR | 107 | hydromorphone hcl er | INVIRASE | 52 |
| HARVONI | 53 | hydromorphone hcl pf | IPOL | 119 |
| HAVRIX | 119 | hydroxychloroquine sulfate | ipratropium bromide | 20,97 |
| heather | 67 | hydroxyurea | ipratropium-albuterol | 21 |
| HEMLIBRA | 84 | hydroxyzine hcl | irbesartan | 37 |
| heparin (porcine) in nacl | 22 | HYDROXYZINE PAMOATE | irbesartan-hydrochlorothiazide | 38 |
| heparin sodium (porcine) | 23 | HYQVIA | ISENTRESS | 52 |
| heparin sodium (porcine) pf | 23 | | ISENTRESS HD | 52 |
| HEPLISAV-B | 119 | I | isibloom | 62 |
| HIBERIX | 118 | ibandronate sodium | ISOLYTE-S | 92 |
| hm 24 hour nasal allergy | 97 | IBRANCE | isoniazid | 39 |
| hm anti-diarrheal | 32 | ibu | ISONIAZID | 39 |
| hm eye allergy itch relief | 101 | ibuprofen | isopropyl alcohol (skin | |
| hm petroleum jelly | 111 | icatibant acetate | cleanser) | 75 |
| hm stomach relief | 32 | iclevia | isosorbide dinitrate | 17 |
| hm vitamin d3 | 123 | ICLUSIG | isosorbide mononitrate | 17 |
| HONEY FLAVOR | 107 | icosapent ethyl | isosorbide mononitrate er | 17 |
| HUMATE-P | 84 | IDHIFA | isotretinoin | 70 |
| HUMULIN R U-500 | | imatinib mesylate | isradipine | 56 |
| (CONCENTRATED) | 30 | IMBRUVICA | itraconazole | 35 |
| HUMULIN R U-500 | | imipenem-cilastatin | ivermectin | 15,76 |
| KWIKPEN | 30 | imipramine hcl | IWILFIN | 47 |
| HYCAMTIN | 47 | imiquimod | IXCHIQ | 119 |
| hydralazine hcl | 38 | IMOVAX RABIES | IXIARO | 119 |
| hydrochlorothiazide | 77 | incassia | IXINITY | 84 |
| hydrocodone bit-homatrop | | INCRUSE ELLIPTA | | |
| mbr | 69 | indapamide | | 77 |

| | | | | |
|--------------------------|------------------------------|-----------|----------------------------|-----|
| J | KETOPROFEN | 10 | LAMPIT | 16 |
| jaimiess | ketorolac | | lancet device | 90 |
| JAKAFI | tromethamine | 10,11,101 | lancets | 90 |
| JANSSEN COVID-19 VACCINE | KINRIX | 116 | lansoprazole | 117 |
| jantoven | KISQALI (200 MG DOSE) | 44 | lanthanum carbonate | 83 |
| JANUMET | KISQALI (400 MG DOSE) | 45 | lapatinib ditosylate | 45 |
| JANUMET XR | KISQALI (600 MG DOSE) | 45 | larin 1.5/30 | 63 |
| JANUVIA | KISQALI FEMARA (200 MG DOSE) | 43 | larin 1/20 | 63 |
| JARDIANCE | KISQALI FEMARA (400 MG DOSE) | 43 | larin 24 fe | 63 |
| jasmiel | KISQALI FEMARA (600 MG DOSE) | 43 | larin fe 1.5/30 | 63 |
| JAYPIRCA | klayesta | 71 | larin fe 1/20 | 63 |
| jencycla | klor-con | 92 | larissia | 63 |
| JENTADUETO | klor-con 10 | 92 | latanoprost | 101 |
| JENTADUETO XR | klor-con m10 | 93 | layolis fe | 63 |
| jinteli | klor-con m15 | 93 | LEDIPASVIR-SOFOSBUVIR | 54 |
| JIVI | klor-con m20 | 93 | leena | 63 |
| jolessa | klor-con sprinkle | 93 | leflunomide | 11 |
| joyeaux | KLOXXADO | 33 | LEMON EXTRACT | 107 |
| juleber | cls aller-cort | 97 | LEMON FLAVOR | 107 |
| JULUCA | cls anti-diarrheal | 32 | LEMON-LIME SD | 107 |
| junel 1.5/30 | KOSELUGO | 45 | LEMONADE FLAVOR | 107 |
| junel 1/20 | kourzeq | 95 | lenalidomide | 94 |
| junel fe 1.5/30 | kp vitamin d | 123 | LENVIMA (10 MG DAILY DOSE) | 40 |
| junel fe 1/20 | kp vitamin d3 | 123 | LENVIMA (12 MG DAILY DOSE) | 40 |
| junel fe 24 | KRAZATI | 45 | LENVIMA (14 MG DAILY DOSE) | 41 |
| just d | kurvelo | 63 | LENVIMA (18 MG DAILY DOSE) | 41 |
| just right 5000 | L | | LENVIMA (20 MG DAILY DOSE) | 41 |
| JYNARQUE | labetalol hcl | 55 | LENVIMA (24 MG DAILY DOSE) | 41 |
| K | lacosamide | 24 | LENVIMA (4 MG DAILY DOSE) | 41 |
| KAHLUA FLAVOR | lactated ringers | 94 | LENVIMA (8 MG DAILY DOSE) | 41 |
| kaitlib fe | lactulose | 87 | lessina | 63 |
| kalliga | lactulose encephalopathy | 82 | letrozole | 42 |
| KALYDECO | LAGEVRIO | 54 | leucovorin calcium | 47 |
| kariva | lamivudine | 52,53 | | |
| kelnor 1/35 | lamivudine-zidovudine | 52 | | |
| kelnor 1/50 | lamotrigine | 24 | | |
| KESIMPTA | lamotrigine er | 24 | | |
| ketoconazole | | | | |

| | | | | | |
|-------------------------------------|-------|-------------------------------------|-----|-------------------------|-----|
| LEUKERAN..... | 40 | LIME FLAVOR..... | 107 | LUPRON DEPOT-PED (3- | |
| levabuterol hcl..... | 21 | linezolid..... | 17 | MONTH)..... | 78 |
| LEVALBUTEROL | | LINEZOLID IN SODIUM | | LUPRON DEPOT-PED (6- | |
| TARTRATE..... | 22 | CHLORIDE..... | 17 | MONTH)..... | 78 |
| LEVEMIR..... | 30 | LINZESS..... | 82 | lurasidone hcl..... | 49 |
| levetiracetam..... | 24 | liothyronine sodium..... | 115 | lutera..... | 64 |
| levetiracetam er..... | 24 | lisdexamphetamine dimesylate..... | 8 | lyleq..... | 67 |
| levo-t..... | 115 | lisinopril..... | 37 | lyllana..... | 80 |
| LEVOBUNOLOL HCL..... | 98 | lisinopril-hydrochlorothiazide..... | 38 | LYNPARZA..... | 45 |
| levocarnitine..... | 79 | lithium..... | 48 | LYSODREN..... | 42 |
| levocarnitine sf..... | 79 | lithium carbonate..... | 48 | LYTGOBI (12 MG DAILY | |
| levocetirizine dihydrochloride..... | 35 | lithium carbonate er..... | 48 | DOSE)..... | 45 |
| levofloxacin..... | 81,99 | LIVER CONCENTRATE..... | 107 | LYTGOBI (16 MG DAILY | |
| levofloxacin in d5w..... | 81 | LIVER FLAVOR..... | 107 | DOSE)..... | 45 |
| levonest..... | 63 | lo-zumandimine..... | 63 | LYTGOBI (20 MG DAILY | |
| levonorg-eth estrad triphasic..... | 63 | loestrin 1.5/30 (21)..... | 63 | DOSE)..... | 45 |
| levonorgest-eth est & eth est..... | 63 | loestrin 1/20 (21)..... | 63 | lyza..... | 67 |
| levonorgest-eth estrad 91- | | loestrin fe 1.5/30..... | 63 | | |
| day..... | 63 | loestrin fe 1/20..... | 63 | M | |
| levonorgest-eth estradiol-iron..... | 63 | lojaimiess..... | 63 | M-M-R II..... | 120 |
| levonorgestrel (plan B)..... | 67 | LONSURF..... | 43 | MAGNASWEET 110..... | 58 |
| levonorgestrel-ethinyl estrad..... | 63 | loperamide hcl..... | 32 | MAGNASWEET 135..... | 58 |
| levora 0.15/30 (28)..... | 63 | lopinavir-ritonavir..... | 52 | magnesium citrate..... | 88 |
| levorphanol tartrate..... | 12 | lopreeza..... | 80 | MAGNESIUM STEARATE..... | 110 |
| levothyroxine sodium..... | 115 | lorazepam..... | 18 | magnesium sulfate..... | 92 |
| levoxyl..... | 115 | lorazepam intensol..... | 18 | malathion..... | 76 |
| LEXIVA..... | 52 | LORBRENA..... | 45 | male condoms..... | 89 |
| LICORICE FLAVOR..... | 107 | loryna..... | 64 | MANGO FLAVOR..... | 107 |
| LIDOCAINE..... | 59 | losartan potassium..... | 37 | MANGO FLAVOR | |
| lidocaine..... | 75 | losartan potassium-hctz..... | 38 | SWEETENED..... | 107 |
| LIDOCAINE BASE..... | 59 | loteprednol etabonate..... | 100 | MANGO PASSION FRUIT | |
| LIDOCAINE HCL..... | 59 | lovastatin..... | 36 | OS..... | 107 |
| lidocaine hcl..... | 75 | low-ogestrel..... | 64 | MAPLE FLAVOR..... | 107 |
| lidocaine hcl (pf)..... | 88 | loxapine succinate..... | 50 | maraviroc..... | 52 |
| LIDOCAINE HCL | | LOXORAL BASE..... | 110 | marlissa..... | 64 |
| MONOHYDRATE..... | 59 | lubiprostone..... | 81 | MARPLAN..... | 26 |
| lidocaine hcl | | LULICONAZOLE..... | 71 | MARSHMALLOW ARTIFICIAL | |
| urethral/mucosal..... | 75 | LUMAKRAS..... | 45 | FLAVOR..... | 107 |
| lidocaine viscous hcl..... | 95 | LUMIGAN..... | 101 | MARSHMALLOW FLAVOR..... | 107 |
| lidocaine-prilocaine..... | 75 | LUPRON DEPOT-PED (1- | | MARSHMALLOW OS..... | 108 |
| lillow..... | 63 | MONTH)..... | 78 | MARSHMALLOW WS..... | 108 |

| | | | | | |
|---|--------|--------------------------------------|-------|--------------------------------------|-----|
| matzim la..... | 56 | METHOTREXATE SODIUM.. | 40 | MINERAL OIL..... | 87 |
| MAVYRET..... | 54 | methotrexate sodium (pf)..... | 40 | MINERAL OIL HEAVY..... | 87 |
| maxi-tuss ac..... | 69 | methscopolamine bromide..... | 116 | MINERAL OIL LIGHT..... | 87 |
| meclizine hcl..... | 34 | methsuximide..... | 25 | minitran..... | 17 |
| medi-bismuth..... | 32 | METHYLCELLULOSE..... | 110 | minocycline hcl..... | 115 |
| medroxyprogesterone acetate..... | 67,111 | methyldopa..... | 38 | minoxidil..... | 38 |
| mefenamic acid..... | 11 | methylergonovine maleate..... | 102 | MINT CHOCOLATE CHIP FLAVOR..... | 108 |
| mefloquine hcl..... | 39 | methylphenidate hcl..... | 8 | MIRENA (52 MG)..... | 67 |
| megestrol acetate..... | 42 | METHYLPHENIDATE HCL ER..... | 9 | mirtazapine..... | 25 |
| meijer anti-diarrheal..... | 32 | methylphenidate hcl er (cd)..... | 8 | miscellaneous injection device..... | 91 |
| MEKINIST..... | 45 | methylphenidate hcl er (la)..... | 8 | misoprostol..... | 117 |
| MEKTOVI..... | 45 | methylphenidate hcl er (osm)..... | 8 | modafinil..... | 9 |
| melodetta 24 fe..... | 64 | methylprednisolone..... | 68 | MODERNA COVID-19 BIVAL 6M-5Y..... | 120 |
| meloxicam..... | 11 | methylprednisolone acetate..... | 68 | MODERNA COVID-19 BIVAL BOOSTER..... | 120 |
| MELPHALAN..... | 40 | methylprednisolone sodium succ..... | 68 | MODERNA COVID-19 BIVAL BOOSTER..... | 120 |
| memantine hcl..... | 112 | methyltestosterone..... | 14 | MODERNA COVID-19 BIVALENT..... | 120 |
| memantine hcl er..... | 112 | metoclopramide hcl..... | 81 | MODERNA COVID-19 VACC (BOOSTER)..... | 120 |
| MENACTRA..... | 118 | metolazone..... | 77 | MODERNA COVID-19 VACC 6M-5Y..... | 120 |
| MENQUADFI..... | 118 | metoprolol succinate er..... | 55 | MODERNA COVID-19 VACC 6-11Y..... | 120 |
| MENVEO..... | 118 | metoprolol tartrate..... | 55 | MODERNA COVID-19 VACC 6-11Y..... | 120 |
| meprobamate..... | 18 | metoprolol-hydrochlorothiazide..... | 38 | MODERNA COVID-19 VACC 6-11Y..... | 120 |
| mercaptapurine..... | 40 | metronidazole..... | 15,76 | MODERNA COVID-19 VACC 6-11Y..... | 120 |
| meropenem..... | 16 | METRONIDAZOLE VAGINAL 0.75% GEL..... | 121 | MODERNA COVID-19 VACC 6M-5Y..... | 120 |
| merzee..... | 64 | mexiletine hcl..... | 19 | MODERNA COVID-19 VACCINE..... | 120 |
| mesalamine..... | 82 | mibelas 24 fe..... | 64 | moexipril hcl..... | 37 |
| mesalamine er..... | 82 | micafungin sodium..... | 34 | MOLASSES FLAVOR..... | 108 |
| mesalamine-cleanser..... | 82 | MICONAZOLE 3..... | 121 | mometasone furoate..... | 74 |
| MESNEX..... | 47 | microgestin 1.5/30..... | 64 | mondoxyne nl..... | 115 |
| metaxalone..... | 97 | microgestin 1/20..... | 64 | mono-lynyah..... | 64 |
| metformin hcl..... | 29 | microgestin 24 fe..... | 64 | monoject flush syringe..... | 93 |
| METFORMIN HCL ER 500MG TAB, METFORMIN HCL ER 750MG TAB..... | 29 | microgestin fe 1.5/30..... | 64 | monoject sodium chloride flush..... | 93 |
| methadone hcl..... | 12 | microgestin fe 1/20..... | 64 | montelukast sodium..... | 20 |
| methadone hcl intensol..... | 13 | midodrine hcl..... | 122 | morgidox..... | 115 |
| methazolamide..... | 76 | MIEBO..... | 101 | morphine sulfate..... | 13 |
| methenamine hippurate..... | 17 | mifepristone..... | 79 | morphine sulfate (concentrate)..... | 13 |
| methergine..... | 102 | mili..... | 64 | morphine sulfate er..... | 13 |
| methimazole..... | 115 | milk of magnesia..... | 88 | | |
| methocarbamol..... | 97 | mimvey..... | 80 | | |

| | | | | | |
|------------------------------|-------|--------------------------------|-----|--------------------------------|-----|
| MOTEGRITY | 81 | necon 0.5/35 (28) | 64 | nora-be | 67 |
| MOTOFEN | 32 | needles and syringes | 91 | NORDITROPIN FLEXPEN | 78 |
| MOUNJARO | 29 | NEFAZODONE HCL | 27 | norelgestromin-eth estradiol | 66 |
| MOVANTIK | 82 | neo-polycin | 99 | norethin ace-eth estrad-fe | 64 |
| moxifloxacin hcl | 81,99 | neo-polycin hc | 100 | norethin-eth estradiol-fe | 64 |
| MRESVIA | 120 | neomycin sulfate | 9 | norethindron-ethinyl estrad-fe | 64 |
| multivitamin | 86 | neomycin-bacitracin zn- | | norethindrone | 67 |
| MUPIROCIN OINTMENT 2% | 70 | polymyx | 99 | norethindrone acet-ethinyl est | 64 |
| MURI-LUBE | 88 | NEOMYCIN-POLYMYXIN B | | norethindrone acetate | 111 |
| mycophenolate mofetil | 94 | GU | 83 | norethindrone-eth estradiol | 80 |
| mycophenolate mofetil hcl | 94 | neomycin-polymyxin- | | norgestim-eth estrad triphasic | 64 |
| mycophenolate sodium | 94 | dexameth | 100 | norgestimate-eth estradiol | 64 |
| mycophenolic acid | 94 | NEOMYCIN-POLYMYXIN- | | norlyda | 67 |
| MYLERAN | 40 | GRAMICIDIN | 99 | norlyroc | 67 |
| myorisan | 70 | NEOMYCIN-POLYMYXIN- | | normal saline flush | 93 |
| MYRBETRIQ | 118 | HC | 100 | nortrel 0.5/35 (28) | 64 |
| | | neomycin-polymyxin-hc | 102 | nortrel 1/35 (21) | 64 |
| | | NEPHRAMINE | 98 | nortrel 1/35 (28) | 64 |
| | | NERLYNX | 45 | nortrel 7/7/7 | 64 |
| na sulfate-k sulfate-mg sulf | 87 | NEULASTA | 85 | nortriptyline hcl | 27 |
| nabumetone | 11 | NEULASTA ONPRO | 85 | NORVIR | 52 |
| nafcillin sodium | 104 | NEUPRO | 48 | NOVAVAX COVID-19 | |
| NAFCILLIN SODIUM IN | | NEVANAC | 101 | VACCINE | 120 |
| DEXTROSE | 104 | nevirapine | 52 | NOVOEIGHT | 84 |
| naftifine hcl | 71 | NEXPLANON | 111 | NOVOLIN 70/30 | 30 |
| nalbuphine hcl | 14 | niacin er (antihyperlipidemic) | 36 | NOVOLIN 70/30 FLEXPEN | 30 |
| NALMEFENE HCL | 33 | nicardipine hcl | 56 | NOVOLIN 70/30 FLEXPEN | |
| naloxone hcl | 33 | NICE PURE BAKING SODA | 59 | RELION | 30 |
| NALOXONE HCL | 33 | nicotine gum | 113 | NOVOLIN 70/30 RELION | 30 |
| naltrexone hcl | 33 | nicotine patch | 113 | NOVOLIN N | 30 |
| naproxen | 11 | nifedipine er | 56 | NOVOLIN N FLEXPEN | 30 |
| naratriptan hcl | 91 | nifedipine er osmotic release | 56 | NOVOLIN N FLEXPEN | |
| NARCAN | 33 | nikki | 64 | RELION | 30 |
| nasal allergy 24 hour | 97 | nilutamide | 42 | NOVOLIN N RELION | 30 |
| NAT BITTERNESS | 110 | NINLARO | 45 | NOVOLIN R | 30 |
| nat-rul vitamin d | 123 | NITRO-BID | 17 | NOVOLIN R FLEXPEN | 30 |
| NATACYN | 99 | nitrofurantoin macrocrystal | 17 | NOVOLIN R FLEXPEN | |
| NATAPRES | 58 | nitrofurantoin monohyd macro | 17 | RELION | 30 |
| nateglinide | 31 | nitroglycerin | 17 | NOVOLIN R RELION | 30 |
| NATURAL BITTERNESS | 110 | NIVA THYROID | 116 | NOVOLOG | 30 |
| NATURAL CAMEL | 108 | NIZATIDINE | 117 | | |
| NAYZILAM | 23 | | | | |

| | | | | | | |
|------------------------|------------|----------------------------|-------------------------|-------------------------|----------|----|
| NOVOLOG 70/30 FLEXPEN | ofloxacin | 99 | ORANGE FLAVOR | 108 | | |
| RELION | 30 | OGSIVEO | 45 | ORANGE OIL FLAVOR | 108 | |
| NOVOLOG FLEXPEN | 30 | OJJAARA | 45 | ORENCIA | 11 | |
| NOVOLOG FLEXPEN | olanzapine | 50 | ORENCIA CLICKJECT | 11 | | |
| RELION | 30 | olopatadine hcl | 97,101 | ORGOVYX | 42 | |
| NOVOLOG MIX 70/30 | 30 | omega-3-acid ethyl esters | 35 | ORIAHNN | 80 | |
| NOVOLOG MIX 70/30 | omeprazole | 117 | ORLISSA | 78 | | |
| FLEXPEN | 31 | OMNIPOD 5 G6 INTRO (GEN 5) | 90 | ORKAMBI | 114 | |
| NOVOLOG MIX 70/30 | KIT | 90 | orphenadrine citrate er | 97 | | |
| RELION | 31 | OMNIPOD 5 G6 PODS (GEN 5) | 90 | ORSERDU | 42 | |
| NOVOLOG PENFILL | 31 | MISC | 90 | orsythia | 65 | |
| NOVOLOG RELION | 31 | OMNIPOD 5 G7 INTRO (GEN 5) | 90 | oseltamivir phosphate | 54 | |
| NOVOSEVEN RT | 84 | KIT | 90 | OSMOPREP | 88 | |
| NP THYROID | 116 | OMNIPOD 5 G7 PODS (GEN 5) | 90 | ostomy supplies | 90 | |
| NUBEQA | 42 | MISC | 90 | OTEZLA | 11 | |
| NUCALA | 19 | OMNIPOD 5 PACK MISC | 90 | oxacillin sodium | 104 | |
| NULOJIX | 94 | OMNIPOD CLASSIC PDM | 90 | oxandrolone | 14 | |
| NULYTELY LEMON-LIME | 87 | (GEN 3) KIT | 90 | oxaprozin | 11 | |
| NULYTELY WITH FLAVOR | PACKS | 87 | 4) KIT | 90 | oxazepam | 18 |
| NURTEC | 91 | OMNIPOD DASH INTRO (GEN | 90 | oxcarbazepine | 24 | |
| nyamyc | 71 | OMNIPOD DASH PDM (GEN 4) | 90 | oxiconazole nitrate | 71 | |
| nylia 1/35 | 64 | KIT | 90 | oxybutynin chloride | 117 | |
| nylia 7/7/7 | 64 | OMNIPOD DASH PODS (GEN | 90 | oxybutynin chloride er | 117 | |
| nymyo | 64 | 4) MISC | 90 | oxycodone hcl | 13 | |
| nystatin | 34,71,95 | ondansetron | 33 | OXYCODONE HCL ER | 13 | |
| NYSTATIN | 59 | ondansetron hcl | 34 | oxycodone-acetaminophen | 14 | |
| nystatin-triamcinolone | 71 | ONE-A-DAY WOMENS | 96 | oxymorphone hcl | 13 | |
| nystop | 71 | PRENATAL | 96 | OZEMPIC (0.25 OR 0.5 | | |
| NYVEPRIA | 85 | ONETOUCH ULTRA | 76 | MG/DOSE) | 29 | |
| | | ONETOUCH ULTRA TEST | 76 | OZEMPIC (1 MG/DOSE) | 30 | |
| | | ONETOUCH VERIO | 76 | OZEMPIC (2 MG/DOSE) | 30 | |
| | | ONGENTYS | 48 | | | |
| | | ONUREG | 40 | | | |
| | | OPFOLDA | 79 | | | |
| | | OPILL | 67 | | | |
| | | OPSUMIT | 57 | | | |
| | | optimal d3 | 123 | | | |
| | | OPVEE | 33 | | | |
| | | oralone | 95 | | | |
| | | ORANGE CONCENTRATE | 108 | | | |
| | | ORANGE CREAM FLAVOR | 108 | | | |

O

| | | | | |
|--------------------|-----|--|--|--|
| OBIZUR | 84 | | | |
| OALIVA | 81 | | | |
| ocella | 64 | | | |
| OCREVUS | 113 | | | |
| octreotide acetate | 79 | | | |
| ODEFSEY | 52 | | | |
| ODOMZO | 41 | | | |
| OFEV | 114 | | | |
| OFLOXACIN | 81 | | | |

P

| | | | | |
|-----------------------|-----|--|--|--|
| pacerone | 19 | | | |
| palonosetron hcl | 34 | | | |
| PALYNZIQ | 79 | | | |
| pantoprazole sodium | 117 | | | |
| PARAGARD INTRAUTERINE | | | | |
| COPPER | 67 | | | |
| paroex | 95 | | | |
| paromomycin sulfate | 9 | | | |

| | | | | | |
|-------------------------------|-----|-------------------------------|-----|---------------------------------|-------|
| paroxetine hcl..... | 26 | PEPPERMINT BURST OS.. | 108 | phytonadione..... | 123 |
| paroxetine hcl er..... | 27 | PEPPERMINT FLAVOR..... | 108 | PIFELTRO..... | 52 |
| PASSION FRUIT FLAVOR. | 108 | peptic relief..... | 32 | pilocarpine hcl..... | 95,99 |
| PASSION FRUIT FLAVOR | | perindopril erbumine..... | 37 | pimecrolimus..... | 75 |
| SWEETENED..... | 108 | periogard..... | 95 | PIMOZIDE..... | 113 |
| PAXLOVID (150/100)..... | 53 | permethrin..... | 76 | pimtrea..... | 65 |
| PAXLOVID (300/100)..... | 53 | perphenazine..... | 50 | PINA COLADA FLAVOR..... | 108 |
| pazopanib hcl..... | 45 | PERPHENAZINE- | | pindolol..... | 55 |
| PCCA CUSTOM | | AMITRIPTYLINE..... | 112 | PINEAPPLE FLAVOR..... | 108 |
| NATATROCHE HMP..... | 110 | petrolatum..... | 111 | pioglitazone hcl..... | 31 |
| PCCA CUSTOM TROCHE | | petrolatum white..... | 111 | pioglitazone hcl-metformin hcl. | 28 |
| BASE..... | 110 | petroleum jelly..... | 111 | piperacillin sod-tazobactam | |
| PCCA NATATROCHE | | PFIZER COVID-19 BIVAL 6MO- | | so..... | 104 |
| BASE..... | 110 | 4YR..... | 120 | PIQRAY (200 MG DAILY | |
| PCCA SWEETNESS | | PFIZER COVID-19 VAC BIVAL | | DOSE)..... | 45 |
| ENHANCER..... | 108 | 5-11..... | 120 | PIQRAY (250 MG DAILY | |
| PEACH FLAVOR..... | 108 | PFIZER COVID-19 VAC | | DOSE)..... | 45 |
| PEANUT BUTTER | | BIVALENT..... | 120 | PIQRAY (300 MG DAILY | |
| FLAVOR..... | 108 | PFIZER COVID-19 VAC-TRIS 5- | | DOSE)..... | 45 |
| PEANUT BUTTER OS..... | 108 | 11Y..... | 120 | pirfenidone..... | 114 |
| PEDIARIX..... | 116 | PFIZER COVID-19 VAC-TRIS | | pirmella 1/35..... | 65 |
| PEDVAX HIB..... | 118 | 6M-4Y..... | 120 | pirmella 7/7/7..... | 65 |
| peg 3350-kcl-na bicarb-nacl. | 87 | PFIZER-BIONT COVID-19 VAC- | | piroxicam..... | 11 |
| peg-3350/electrolytes..... | 87 | TRIS..... | 120 | PLEGRIDY..... | 113 |
| peg- | | PFIZER-BIONTECH COVID-19 | | PLEGRIDY STARTER PACK. | 113 |
| 3350/electrolytes/ascorbat... | 87 | VACC..... | 120 | plerixafor..... | 86 |
| peg-kcl-nacl-nasulf-na asc-c. | 87 | pharmacist choice d-vitamin. | 123 | PNEUMOVAX 23..... | 118 |
| PEG-PREP..... | 87 | phenazo..... | 83 | podofilox..... | 75 |
| PEGASYS..... | 54 | phenazopyridine hcl..... | 83 | polycin..... | 99 |
| PEGINTRON..... | 54 | PHENELZINE SULFATE..... | 26 | polyethylene glycol..... | 87 |
| PEMAZYRE..... | 45 | phenobarbital..... | 86 | POLYETHYLENE GLYCOL 600 | |
| PENBRAYA..... | 118 | phenoxybenzamine hcl..... | 37 | (BULK)..... | 58 |
| penciclovir..... | 72 | phenytek..... | 25 | polymyxin b-trimethoprim..... | 99 |
| penicillamine..... | 93 | phenytoin..... | 25 | POMALYST..... | 42 |
| penicillin g potassium..... | 103 | phenytoin infatabs..... | 25 | portia-28..... | 65 |
| PENICILLIN V | | phenytoin sodium..... | 25 | posaconazole..... | 35 |
| POTASSIUM..... | 103 | phenytoin sodium extended... | 25 | potassium chloride..... | 93 |
| PENTACEL..... | 116 | philith..... | 65 | potassium chloride crys er..... | 93 |
| pentamidine isethionate..... | 16 | phospha 250 neutral..... | 92 | potassium chloride er..... | 93 |
| pentazocine-naloxone hcl.... | 14 | phospho-trin 250 neutral..... | 92 | potassium citrate er..... | 83 |
| pentoxifylline er..... | 85 | phosphorous..... | 92 | | |

| | | | | | |
|-------------------------------------|---------|------------------------------------|-----|----------------------------------|-------|
| PRALINES AND CREAM FLAVOR..... | 108 | PROCAP 90 CAPSULE EXCIPIENT..... | 110 | Q | |
| pramipexole dihydrochloride..... | 48 | prochlorperazine..... | 50 | qc anti-diarrheal..... | 33 |
| prasugrel hcl..... | 85 | prochlorperazine edisylate..... | 50 | qc clotrimazole..... | 121 |
| pravastatin sodium..... | 36 | prochlorperazine maleate..... | 50 | qc olopatadine hcl..... | 101 |
| praziquantel..... | 15 | procto-med hc..... | 15 | qc petroleum jelly..... | 111 |
| prazosin hcl..... | 38 | proctosol hc..... | 15 | qc pink bismuth..... | 32 |
| PREDNICARBATE..... | 74 | proctozone-hc..... | 15 | qc stomach relief..... | 32 |
| prednisolone..... | 68 | PROGESTERONE..... | 59 | qc vitamin d3..... | 123 |
| PREDNISOLONE ACETATE..... | 100 | progesterone..... | 111 | QINLOCK..... | 45 |
| prednisolone sodium phosphate..... | 68 | PROGESTERONE MICRONIZED..... | 59 | QUADRACEL..... | 116 |
| PREDNISOLONE SODIUM PHOSPHATE..... | 100 | PROGESTERONE MILLED..... | 59 | quetiapine fumarate..... | 50 |
| prednisone..... | 68 | PROGESTERONE ULTRA MICRONIZED..... | 59 | quetiapine fumarate er..... | 50 |
| pregabalin..... | 24 | PROGESTERONE WETTABLE..... | 59 | quinapril hcl..... | 37 |
| PREHEVBRIO..... | 120 | PROGESTERONE WETTABLE (SOY)..... | 59 | quinidine gluconate er..... | 18 |
| premium lidocaine..... | 75 | PROMACTA..... | 85 | quinidine sulfate..... | 18 |
| PREMPHASE..... | 80 | promethazine hcl..... | 35 | quinine sulfate..... | 39 |
| PREMPRO..... | 80 | promethegan..... | 35 | QVAR REDIHALER..... | 20,21 |
| prenatal vitamin..... | 96 | pronutrients vitamin d3..... | 123 | R | |
| PRETOMANID..... | 39 | propafenone hcl..... | 19 | ra anti-diarrheal..... | 33 |
| prevalite..... | 36 | propafenone hcl er..... | 19 | ra b-complex..... | 96 |
| previfem..... | 65 | proparacaine hcl..... | 100 | ra b-complex with b-12..... | 96 |
| PREVNAR 13..... | 118 | propranolol hcl..... | 55 | ra clotrimazole 7..... | 121 |
| PREVNAR 20..... | 118 | propranolol hcl er..... | 55 | ra nasal allergy..... | 98 |
| PREVYMIS..... | 53 | PROPRANOLOL-HCTZ..... | 38 | ra petroleum jelly..... | 111 |
| PREZCOBIX..... | 52 | propylthiouracil..... | 115 | ra vitamin d-3..... | 123 |
| PREZISTA..... | 52 | PROQUAD..... | 120 | RABAVERT..... | 120 |
| PRIFTIN..... | 39 | protriptyline hcl..... | 27 | rabeprazole sodium..... | 117 |
| PRILOCAINE..... | 59 | PSORCON..... | 74 | raloxifene hcl..... | 78 |
| PRILOCAINE HCL..... | 59 | pulmosal..... | 69 | ramelteon..... | 87 |
| PRIMIDONE..... | 24 | PULMOZYME..... | 114 | ramipril..... | 37 |
| PRIORIX..... | 120 | PUMPKIN FLAVOR..... | 108 | ranolazine er..... | 17 |
| PRIVIGEN..... | 102,103 | px anti-diarrheal..... | 32 | rasagiline mesylate..... | 48 |
| probenecid..... | 84 | px stomach relief..... | 32 | RASPBERRY CONCENTRATE..... | 108 |
| procainamide hcl..... | 18 | pyrazinamide..... | 39 | RASPBERRY FLAVOR..... | 108 |
| PROCAINE HCL..... | 88 | pyridostigmine bromide..... | 39 | RASPBERRY FLAVOR ARTIFICIAL..... | 108 |
| PROCAP 100HD CAPSULE EXCIPIENT..... | 110 | | | RASPBERRY OS..... | 108 |
| | | | | REBINYN..... | 84 |

| | | | | | |
|------------------------------|-----|---------------------|-------|------------------------------|----------|
| reclipsen | 65 | ROZLYTREK | 46 | SKYRIZI (150 MG DOSE) | 72 |
| RECOMBIVAX HB | 120 | RUBRACA | 46 | SKYRIZI PEN | 72 |
| relafen | 11 | rufinamide | 24 | sm anti-diarrheal | 33 |
| REPATHA PUSHTRONEX SYSTEM | 36 | RUKOBIA | 52 | sm clotrimazole vaginal | 121 |
| REPATHA, REPATHA | | RYBELSUS | 30 | sm olopatadine hcl | 101 |
| SURECLICK | 36 | RYDAPT | 46 | SM ONE DAILY PRENATAL | 96 |
| respiratory therapy supplies | 91 | RYKINDO | 49 | sm petroleum jelly | 111 |
| RETACRIT | 86 | S | | sm stomach relief | 32 |
| RETEVMO | 46 | saline flush | 93 | sm vitamin d | 123 |
| RETROVIR | 52 | saline flush zr | 93 | sm vitamin d3 | 123 |
| REVLIMID | 94 | salsalate | 12 | SODIUM BICARBONATE | 59 |
| REZLIDHIA | 46 | SARDINE FLAVOR | 108 | sodium bicarbonate | 92 |
| ribavirin | 54 | SAVELLA | 112 | sodium chloride | 69,83,93 |
| rifabutin | 39 | SAVELLA TITRATION | | sodium chloride (pf) | 93 |
| rifampin | 39 | PACK | 112 | sodium chloride flush | 93 |
| RIFATER | 39 | sb anti-diarrhea | 33 | sodium fluoride | 92,95 |
| riluzole | 98 | SCEMBLIX | 46 | sodium fluoride 5000 ppm | 95 |
| RIMANTADINE HCL | 54 | scopolamine | 34 | sodium phenylbutyrate | 79 |
| ringers | 92 | selegiline hcl | 48 | sodium polystyrene sulfonate | 94 |
| ringers irrigation | 94 | selenium sulfide | 72 | SOFOSBUVIR-VELPATASVIR | 54 |
| RINVOQ | 10 | sensorcaine | 88 | solifenacin succinate | 117 |
| RINVOQ LQ | 10 | sensorcaine-mpf | 88 | SOLQUA | 28 |
| risedronate sodium | 78 | SEREVENT DISKUS | 22 | SOLU-CORTEF | 69 |
| risperidone | 49 | sertraline hcl | 27 | SOLU-MEDROL | 69 |
| risperidone microspheres er | 49 | setlakin | 65 | SOLU-MEDROL (PF) | 69 |
| ritonavir | 52 | sevelamer | 83 | SOLUVITA ACD WITH FLUORIDE | 96 |
| rivastigmine | 112 | sevelamer carbonate | 83 | SOMAVERT | 78 |
| rivastigmine tartrate | 112 | sevelamer hcl | 83 | soothe | 32 |
| rivelsa | 65 | sf 5000 plus | 95 | soothe | 32 |
| rizatRIPTAN benzoate | 91 | sharobel | 67 | sorafenib tosylate | 46 |
| roflumilast | 20 | SHINGRIX | 120 | sorine | 55 |
| ROOT BEER FLAVOR | 108 | SHRIMP FLAVOR | 108 | sotalol hcl | 55 |
| ropinirole hcl | 48 | SIGNIFOR | 79 | SOTYKTU | 72 |
| ropinirole hcl er | 48 | sildenafil citrate | 57 | SPEARMINT FLAVOR | 108 |
| rosadan | 76 | silver sulfadiazine | 73 | SPEARMINT OS | 108 |
| rosuvastatin calcium | 36 | simliya | 65 | SPIKEVAX | 120 |
| ROTARIX | 120 | simpesse | 65 | SPIKEVAX COVID-19 | |
| ROTATEQ | 120 | simvastatin | 36 | VACCINE | 120 |
| roweepra | 24 | sirolimus | 94 | SPINOSAD | 76 |
| roweepra xr | 24 | SIRTURO | 39 | spironolactone | 77 |
| | | SKYRIZI | 72,82 | spironolactone-hctz | 77 |

| | | | | |
|------------------------------|-------|------------------------|-------------------------------|-------|
| SPRAVATO (56 MG DOSE) | 26 | SUPER SYNERSWEET | TEFLARO | 58 |
| SPRAVATO (84 MG DOSE) | 26 | FLAVOR | telmisartan | 37 |
| sprintec 28 | 65 | sv vitamin d3 | telmisartan-amlodipine | 38 |
| sronyx | 65 | swabflush saline flush | telmisartan-hctz | 38 |
| ssd | 73 | SWEET CORN FLAVOR | temazepam | 86 |
| STAMARIL | 121 | SWEET DROPS | temozolomide | 40 |
| stavudine | 53 | SWEETENING ENHANCER | TENIVAC | 116 |
| STEARIC ACID | 110 | syeda | tenofovir disoproxil fumarate | 53 |
| STELARA | 72 | SYMTUZA | TEPMETKO | 46 |
| STEVIA EXTRACT | 59 | SYNAGIS | terazosin hcl | 38 |
| STEVIA GLYCERITE | | SYNERCID | terbinafine hcl | 34 |
| EXTRACT | 109 | SYNJARDY | terbutaline sulfate | 22 |
| STIOLTO RESPIMAT | 22 | SYNJARDY XR | terconazole | 121 |
| STIVARGA | 46 | SYNTHROID | teriflunomide | 113 |
| stomach relief | 32 | T | TERIPARATIDE | |
| STRAWBERRY FLAVOR | 109 | TABRECTA | (RECOMBINANT) | 78 |
| STRAWBERRY OS | 109 | tacrolimus | testosterone | 14,15 |
| STRENSIQ | 79 | tadalafil (pah) | TESTOSTERONE | 14 |
| STREPTOMYCIN SULFATE | 9 | TAFINLAR | testosterone cypionate | 15 |
| STRIBILD | 53 | tafluprost (pf) | tetrabenazine | 113 |
| subvenite | 24 | TAGRISSE | TETRACAINE | 60 |
| sucralfate | 117 | TALTZ | TETRACAINE HCL | 60 |
| sulfacetamide sodium | 99 | TALZENNA | tetracaine hcl | 100 |
| sulfacetamide sodium (acne) | 70 | tamoxifen citrate | tetracycline hcl | 115 |
| SULFACETAMIDE- | | tamsulosin hcl | tgt anti-diarrheal | 33 |
| PREDNISOLONE | 100 | TANGERINE FLAVOR | THALOMID | 94 |
| SULFADIAZINE | 114 | TANGERINE FLAVOR | theophylline | 22 |
| sulfamethoxazole- | | SWEETENED | theophylline er | 22 |
| trimethoprim | 16 | tarina 24 fe | thioridazine hcl | 50 |
| SULFAMYLON | 73 | tarina fe 1/20 | thiothixene | 51 |
| sulfasalazine | 82 | tarina fe 1/20 eq | THYROID | 116 |
| sulindac | 11 | TASIGNA | tiadylt er | 56 |
| sumatriptan | 91 | tasimelteon | tiagabine hcl | 25 |
| sumatriptan succinate | 91,92 | taysofy | TIBSOVO | 46 |
| SUMATRIPTAN SUCCINATE | | tazarotene | TICOVAC | 121 |
| REFILL | 92 | tazicef | tigecycline | 115 |
| sumatriptan succinate refill | 92 | taztia xt | tilia fe | 65 |
| sunitinib malate | 46 | TAZVERIK | timolol maleate | 55,98 |
| SUNLENCA | 53 | TDVAX | timolol maleate ocudose | 98 |
| SUNOSI | 8 | TEABERRY FLAVOR | timolol maleate pf | 98 |
| | | | tinidazole | 16 |

| | | | | | |
|--------------------------|-------|-----------------------------|----------|-------------------------------|-----|
| tiopronin | 83 | tri-sprintec | 66 | tulana | 67 |
| tis-u-sol | 94 | TRI-VITE/FLUORIDE | 96 | TUNA FLAVOR | 109 |
| TIVICAY | 53 | tri-vylibra | 66 | TUNA TYPE FLAVOR OS | 109 |
| tizanidine hcl | 97 | tri-vylibra lo | 66 | TURALIO | 46 |
| TOBRADEX | 100 | triamcinolone acetonide | 74,95,98 | turqoz | 66 |
| tobramycin | 9,100 | triamcinolone in absorbbase | 74 | TUTTI FRUTTI | |
| tobramycin sulfate | 9 | triamterene-hctz | 77 | CONCENTRATE | 109 |
| tobramycin-dexamethasone | 100 | trianex | 74 | TUTTI FRUTTI FLAVOR | 109 |
| tolterodine tartrate | 117 | triazolam | 86 | TUTTI-FRUTTI FLAVOR | 109 |
| tolterodine tartrate er | 118 | triderm | 74 | TWINRIX | 121 |
| tolvaptan | 80 | trientine hcl | 93 | tydemy | 66 |
| topiramate | 24 | trifluoperazine hcl | 50 | TYENNE | 10 |
| toremifene citrate | 42 | TRIFLURIDINE | 100 | TYMLOS | 78 |
| torpenz | 46 | trihexyphenidyl hcl | 48 | TYPHIM VI | 118 |
| torseamide | 77 | TRIJARDY XR | 28 | | |
| TRADJENTA | 29 | TRIKAFTA | 114 | U | |
| tramadol hcl | 13 | trilyte | 87 | UDENYCA | 86 |
| tramadol hcl er | 13 | trimethobenzamide hcl | 34 | unithroid | 116 |
| tramadol-acetaminophen | 14 | trimethoprim | 16 | UPTRAVI | 57 |
| trandolapril | 37 | trimipramine maleate | 27 | ursodiol | 81 |
| tranexamic acid | 86 | TRINTELLIX | 27 | UZEDY | 49 |
| tranylcypromine sulfate | 26 | TRIPTODUR | 78 | | |
| travoprost (bak free) | 102 | tritocin | 74 | V | |
| trazodone hcl | 27 | TRITTAB | 110 | vaginal contraceptive foam | 121 |
| TRECTOR | 40 | TRITTAB PEPPERMINT ICE | 109 | valacyclovir hcl | 54 |
| TRELEGY ELLIPTA | 22 | TRIUMEQ | 53 | VALCHLOR | 71 |
| TREMFYA | 72 | TRIUMEQ PD | 53 | valganciclovir hcl | 53 |
| TRESIBA | 31 | trivora (28) | 66 | valproate sodium | 25 |
| TRESIBA FLEXTOUCH | 31 | TROCHIBASE | 110 | valproic acid | 25 |
| tretinoin | 47,70 | TROCHIBASE S CLASSIC | 110 | valsartan | 37 |
| tri femynor | 65 | TROPICAL FUSION OS | 109 | valsartan-hydrochlorothiazide | 38 |
| tri-estarylla | 65 | TROPICAL FUSION WS | 109 | VALTOCO 10 MG DOSE | 23 |
| tri-legest fe | 65 | TROPICAL PUNCH | | VALTOCO 15 MG DOSE | 23 |
| tri-linyah | 65 | FLAVOR | 109 | VALTOCO 20 MG DOSE | 23 |
| tri-lo-estarylla | 65 | tropium chloride | 118 | VALTOCO 5 MG DOSE | 23 |
| tri-lo-marzia | 65 | tropium chloride er | 118 | vanadom | 97 |
| tri-lo-mili | 65 | true vitamin d3 | 123 | vancomycin hcl | 16 |
| tri-lo-sprintec | 65 | TRULICITY | 30 | VANFLYTA | 47 |
| tri-mili | 65 | TRUMENBA | 118 | VANILLA BUTTERNUT | |
| tri-nymyo | 65 | TRUQAP | 46 | FLAVOR | 109 |
| tri-previfem | 66 | TUKYSA | 41 | VANILLA FLAVOR | 109 |

| | | | |
|-------------------------------------|-----|---------------------------------|-----|
| VANILLA OS..... | 109 | vitamin d (ergocalciferol)..... | 123 |
| VANILLIN FLAVOR..... | 109 | vitamin d high potency..... | 123 |
| VAQTA..... | 121 | vitamin d infant..... | 123 |
| varenicline tartrate..... | 113 | vitamin d-1000 max st..... | 123 |
| varenicline tartrate (starter)..... | 113 | vitamin d-3..... | 123 |
| varenicline tartrate(continue)..... | 113 | vitamin d3..... | 124 |
| VARIVAX..... | 121 | vitamin-b complex..... | 96 |
| vaseline..... | 111 | VITAMIN/IRON MASKING AGENT..... | 109 |
| vaseline pure ultra white..... | 111 | VITAMINS ACD-FLUORIDE..... | 96 |
| VAXCHORA..... | 119 | VITRAKVI..... | 47 |
| VAXNEUVANCE..... | 119 | VITRON-C..... | 86 |
| VEMLIDY..... | 54 | VIVITROL..... | 33 |
| VENCLEXTA..... | 41 | VIZIMPRO..... | 41 |
| VENCLEXTA STARTING PACK..... | 41 | volnea..... | 66 |
| venlafaxine hcl..... | 27 | VONJO..... | 47 |
| venlafaxine hcl er..... | 27 | voriconazole..... | 35 |
| VENTOLIN HFA..... | 22 | VOSEVI..... | 54 |
| verapamil hcl..... | 56 | VOXZOGO..... | 79 |
| VERAPAMIL HCL ER..... | 56 | VRAYLAR..... | 49 |
| verapamil hcl er..... | 56 | VUMERITY..... | 113 |
| VERQUVO..... | 57 | vyfemla..... | 66 |
| VERY BERRY OS..... | 109 | vylibra..... | 66 |
| VERZENIO..... | 47 | W | |
| vestura..... | 66 | warfarin sodium..... | 22 |
| VIBERZI..... | 82 | WATERMELON FLAVOR..... | 109 |
| vienva..... | 66 | weekly-d..... | 124 |
| vilazodone hcl..... | 27 | WELIREG..... | 42 |
| viorele..... | 66 | wera..... | 66 |
| VIRACEPT..... | 53 | wes-phos 250 neutral..... | 92 |
| VIREAD..... | 53 | white petrolatum..... | 111 |
| virt-phos 250 neutral..... | 92 | white petroleum jelly..... | 111 |
| virtussin a/c..... | 69 | WIDE-SEAL DIAPHRAGM..... | 89 |
| virtussin ac w/alc..... | 69 | WILD CHERRY FLAVOR..... | 109 |
| vitamin b complex..... | 96 | WILD CHERRY OS..... | 109 |
| vitamin B complex..... | 96 | WILD CHERRY SD FLAVOR..... | 109 |
| vitamin b complex w/b-12..... | 96 | wymzya fe..... | 66 |
| vitamin b-complex..... | 96 | Y | |
| vitamin d..... | 123 | YF-VAX..... | 121 |
| vitamin d (cholecalciferol)..... | 123 | | |

yuvafem.....121

Z

zafemy.....66
zafirlukast.....20
zaleplon.....86
zarah.....66
ZARXIO.....86
ZEJULA.....47
ZELBORAF.....47
zenatane.....70
zenzedi.....8
ZERVIAE.....101
zidovudine.....53
zileuton er.....20
ZIMHI.....33
ZINC OXIDE.....60
ziprasidone hcl.....49
ziprasidone mesylate.....49
ZIRGAN.....100
ZOKINVY.....94
zoledronic acid.....78
ZOLINZA.....47
zolmitriptan.....92
zolpidem tartrate.....86
zolpidem tartrate er.....86
zomig.....92
zonisamide.....24
ZOSTAVAX.....121
zovia 1/35 (28).....66
zovia 1/35e (28).....66
ZTALMY.....24
zumandimine.....66
ZURZUVAE.....26
ZYDELIG.....47
ZYKADIA.....47
zyprexa.....50



500 Stinson Blvd. NE
Minneapolis, MN 55413-2615

UCare Individual & Family Plans
612-676-6600 or 1-877-903-0070 (this call is free)

TTY/Hearing Impaired
1-800-688-2534 (this call is free)

8 am – 6 pm, Monday – Friday

ucare.org

U14431 (10/2024)