

# **Utilization Review Policy 241**

Policy: Unituxin Utilization Management Medical Policy

• Unituxin® (dinutuximab injection for intravenous use – United Therapeutics Corp)

**EFFECTIVE DATE:** 3/15/2021 **LAST REVISION DATE:** 09/16/2024

**COVERAGE CRITERIA FOR:** All Aspirus Medicare Plans

#### **OVERVIEW**

Unituxin, a glycolipid disialoganglioside (GD2)-binding monoclonal antibody, is indicated for the treatment of pediatric patients with high-risk **neuroblastoma** who achieve at least a partial response to prior first-line multi-agent, multimodality therapy, in combination with granulocyte-macrophage colony-stimulating factor, interleukin-2, and 13-cis-retinoic acid.<sup>1</sup>

# **Dosing Information**

The recommended dose of Unituxin is 17.5 mg/m²/day administered by intravenous infusion over 10 to 20 hours for 4 consecutive days for a maximum of 5 cycles.¹

#### **Guidelines**

Unituxin is not addressed in National Comprehensive Cancer Network treatment guidelines.

#### **POLICY STATEMENT**

Prior Authorization is recommended for medical benefit coverage of Unituxin. Approval is recommended for those who meet the **Criteria** and **Dosing** for the listed indication. Extended approvals are allowed if the patient continues to meet the Criteria and Dosing. Requests for doses outside of the established dosing documented in this policy will be considered on a case-by-case basis by a clinician (i.e., Medical Director or Pharmacist). All approvals are provided for the duration noted below. In cases where the approval is authorized in months, 1 month is equal to 30 days. Because of the specialized skills required for evaluation and diagnosis of patients treated with Unituxin as well as the monitoring required for adverse events and long-term efficacy, approval requires Unituxin to be prescribed by or in consultation with a physician who specializes in the condition being treated.

Automation: None.

## **RECOMMENDED AUTHORIZATION CRITERIA**

Coverage of Unituxin is recommended in those who meet the following criteria:

# **FDA-Approved Indication**

- 1. Neuroblastoma. Approve for 6 months if the patient meets the following (A, B, and C):
  - **A)** Patient is ≤ 18 years of age; AND
  - B) Unituxin is used as subsequent therapy; AND
  - **C)** Unituxin is prescribed by or in consultation with an oncologist.

**Dosing.** Approve up to 17.5 mg/m²/day administered by intravenous infusion on 4 days in each treatment cycle.

## **CONDITIONS NOT RECOMMENDED FOR APPROVAL**

Coverage of Unituxin is not recommended in the following situations:

**1.** Coverage is not recommended for circumstances not listed in the Recommended Authorization Criteria. Criteria will be updated as new published data are available.

## **REFERENCES**

1. Unituxin intravenous infusion [prescribing information]. Silver Spring, MD: United Therapeutics; September 2020.

#### **HISTORY**

Type of Revision	Summary of Changes	Review Date
Annual	No criteria changes.	12/14/2022
Revision		
Annual	No criteria changes.	12/20/2023
revision		
Aspirus P&T	Policy reviewed and approved by Aspirus P&T committee.	09/16/2024
Review	Annual review process	